

# केन्द्रीय खनन एवं ईंधन अनुसंधान संस्थान



CENTRAL INSTITUTE OF MINING & FUEL RESEARCH

(वैज्ञानिक एवं औद्योगिक अनुसंधान परिषद्)

(Council of Scientific & Industrial Research)

(बरवा रोड परिसर, धनबाद-८२६०१५, झारखण्ड, भारत)

Barwa Road Campus, Dhanbad – 826 015 (Jharkhand), India

Grams : MINSEARCH, DHANBAD

E-mail : [spo.cmri@nic.in](mailto:spo.cmri@nic.in) / [spo.cimfr@rediffmail.com](mailto:spo.cimfr@rediffmail.com), website: [www.cimfr.nic.in](http://www.cimfr.nic.in)

☎ : 0326-2296003/04/05/27/28/29

☎ : 0326-2296030

## निविदा आमंत्रित सूचना / NOTICE INVITING TENDER

निरीक्षण सं० / Enquiry No. CIMFR/PUR-5(5)2017/ /

दिनांक / Date: 19/06/2017

सेवा में / To,

M/s .....

Last date of submission : 12.07.2017 upto 1.00 PM

Date of opening : 12.07.2017 at 3.00 PM

प्रिय महोदय / Dear Sirs,

### विषय / Sub.: Request for Quotation/offer for Sanitary Items etc.

You are requested to quote for the following items, sealed in double cover superscribing the outer cover with quotation for **Sanitary Items etc** against **Enquiry No. CIMFR/PUR-5(5)2017 dated: 19/06/2017** Offer with complete details on the following should reach this office on or before **12/07/2017 at 1 PM** and Bid will be opened on **12/07/2017 at 3 PM**.

क्र०सं० / Sl. No.	मद / Item	मात्रा / Qty.
1.	<b>List as per Annexure I = Required for Barwa Road Campus, Dhanbad.(CIMFR/PUR/5(5)2017).</b>	List
2.	<b>List as per Annexure II = Required for Digwadih Campus, Dhanbad. (CIMFR/PUR/5(13)2017).</b>	enclosed

You are requested to kindly go through the detailed terms & conditions / instructions mentioned below and overleaf and submit your most competitive offer by the last date and time of submission cited above. Tender after due date & time will be rejected. Any financial offer/ escalation after opening of the bid are not acceptable. **The offer must enclosed formats for (i) Specification and allied Tech Detail Firm (ii) Price Schedule (iii) Service Support Detail Form (iv) Deviation Statement (v) Statement of Financial Deviation comprise of the following failing which it will be treated as non responsible hence rejected:**

#### **Terms & Conditions:**

- The Bids submitted by Indian Agents, who are not enlisted with DGS &D are Summarily Rejected.**
- Recent Past Purchase Orders of similar equipments, client list with contact details & Performance Certificate.
- Taxes: Excise Duty Exempted and Concessional Custom Duty against DSIR Registration Certificate. CST /VAT on indigenous item. Sales Tax Registration / TIN Registration Certificate, Registration of the firm in company act may be provided, if Custom Duty Exemption is availed then Sales Tax will not be paid.
- Payment Terms :For Imported Items : 100% through LC comprise of 80% against shipment and 20% against commissioning & finance acceptance. For Indigenous Items: 100% against installation & commissioning.**
- Make and Model, Series, All specific codes, Leaflet, Catalogue & Authorization of Principal/ Manufacturer. Pre-requisite, requirement for site preparation and utility materials must be listed. Warranty should be as specified in specifications.
- The exact figure in %age for discount, if any.
- The period of validity of each bid must be 180 days / more than 180 days from the date of opening.
- Packing, Forwarding, Transporting, Postage/Courier, Octroi, Freight, Insurance, Any Certificate(s), Extra Warranty, Installation, Commissioning any, Any levy, Any other charge(s) must be mentioned clearly.
- Copy of last audited balance sheet, Income tax registration/ PAN Card, Latest Income Tax clearance certificate, Proof of Manufacturer's Authorization for this offer, Agreement of Service Provider and Warranty Support Service, Local Service Centre Details with contact Nos., DGS&D Registration No. of Indian Agent, if applicable.
- Currency Conversion Rate for evaluation will be considered from [www.xe.com](http://www.xe.com) / [www.rbi.org](http://www.rbi.org) of the opening date of the price bid.
- The quotations must be neatly typed or computer printed. **Hand written offer will be rejected.** Quotations must carry the numbers of sales tax / VAT / TIN invariably on the top. Incomplete/conditional/tender received after due date and time will be summarily rejected.
- CLEARANCE OF CONSIGNMENT AT AIRPORT:** The day the Cargo is handed over to our forwarding agent for shipment, the same should immediately be intimated to us along with copies of Invoice & Packing List (box wise), Certificate of Origin, Air Way Bill, Cargo Arrival Notice to enable us its clearance at Kolkata Airport without any demurrage/port charges.
- Agency Commission:** If any, must be explicitly indicated with base value.

Yours faithfully,

Section Officer (S&P)  
CSIR-CIMFR

## **निर्देश, नियम एवं शर्तें / INSTRUCTIONS, TERMS & CONDITIONS**

### **निर्देश / INSTRUCTIONS**

1. Each quotation sent by post/courier should be enclosed in double cover. The inner cover must be sealed with wax and must be superscribed with "Tender Enquiry No. " & "Date of Opening". The outer cover should bear only the address of the sender and the received without any indication that there is a quotation inside.
2. Tenders/Quotations delivered personally should be put in the Tender box kept at the Receipt Section of CIMFR, Dhanbad. In case of personal delivery, outer cover is not necessary.
3. All tenders/quotations should be sent to the following address : **The Director / SPO, Central Institute of Mining & Fuel Research, H.Q.: Barwa Road Campus, Dhanbad – 826 015 (Jharkhand), India.**
4. For Proprietary :If so requested by us tenders/quotations may be sent through FAX on +91-0326-2296030 or E-mail at [spo.cmri@nic.in](mailto:spo.cmri@nic.in) or [spo.cimfr@rediffmail.com](mailto:spo.cimfr@rediffmail.com) and office is not responsible for the message not legible or not delivered.
5. Tenders/Quotations must be sent sufficiently in advance so that it reaches us on or before the due date and time. Quotation received after the due date & time will not be considered.

### **नियम एवं शर्तें / TERMS & CONDITIONS**

1. **Specification and Make :** Quotation should be given for the exact specification and make as shown in the enquiry against Sl. No. of the item., if in the view of the supplier there is any other alternative item which can serve out purpose, quotation may also be given for the same separately client list along with the order copy of similar equipment supplied to any CSIR Lab / any Govt. Organization including detail of price & all charges must be attached.
2. **Mode of dispatch:** RATE SHOULD BE QUOTED FOR ANY OF THE FOLLOWING MODE OF DELIVERY, **For Import: By Air or Sea on FCA/FOB Basis** (i) for Dispatching Station [to be specified]. (ii) FOR Destination (Dhanbad) by Passenger/Goods Train/Transport.(iii) Free delivery at CIMFR Stores (iv) By Registered Post, However, we prefer (ii) & (iii).
3. **Delivery Period :** Specific mention should be made whether the delivery will be Ex-stock or the item will be supplied after procurement /import. In case of the later the period of delivery must be mentioned clearly and the same has to be strictly adhered to. In case of Ex-stock the rates of transport, F&F, Insurance etc. must be indicated separately.
4. **Taxes :** Rates of all taxes should be indicated clearly, wherever chargeable. This office is not eligible to issue "C" or "D" form. Further, we are also exempted from Excise Duty & Concessional Custom Duty under notification 10 of 1997.
5. **Insurance :** In case of FOB/FCA insurance in CIMFR's A/c and in the case of FOR destination, insurance should also be covered by you. The goods should be insured in your favour against all risks from ware house to ware house basis. The insurance charges, if any, should be shown separately in the rates quoted.
6. **Packing & Forwarding :** To be suitably packed in Special Export Packing to withstand Air Transmissions enroute to Dhanbad, Jharkhand, India
7. **Validity Period :** The validity period of the offer should be clearly specified. It should be at least for **180 days** from the last date of submission of quotations.
8. **Banker's Charge:** Indigenous Banker's charge will be borne by Importer and Foreign Banker's charge will be borne by supplier.
9. **Opening of Quotations:** The quotations will open by three officers committee of CIMFR. You may attend Price Bid opening as per the schedule.
10. **Miscellaneous :**
  - i) The tenderer is required to furnish : (a) Permanent Account Number as allotted by the Income Tax Department (b) the registration number of DGS&D / National Small Industries Corporation, if so registered as also the period of their validity.
  - ii) Warranty/Guarantee: Terms with name and address of the manufacture should invariably be given.
  - iii) Sample & Literature : Wherever possible and particularly i.r.o. item no. \_\_\_\_\_ should necessarily be given.
  - iv) Installation, Commissioning & Training: Charges, if extra must be specified wherever applicable.
  - v) AMC : In case of Plant & Machinery /Sophisticated laboratory equipments the charges of AMC valid at least for 3-3 years must also be quoted. This will be an important criterion for selection of quotation.
  - vi) Spares : We should also like the supplier to suggest the essential spares needed for the equipment/ machines in the next three years and quote for the same positively.
  - vii) Drawings, Diagram and Manual : In case of machines/equipments the supplier has to provide full drawings/circuit diagrams and blue print-three sets each along with users manual at the time of supply.
11. **Liquidated Damages :** LD/Penalty @ 1% per week subject to maximum 10% or as decided by the competent authority will be imposed on non-compliance/violation of Purchase Order terms & conditions.
12. **Performance Bank Guarantee Clause :** 10% in the form of Bank Guarantee of the total order value needs to be submitted to cover two months beyond the warranty period for any order for equipments more than ₹25 Lakh.
13. **Acceptance / Rejection :** Director, CIMFR, Dhanbad reserves the right to accept a quotation in part or in full or to reject all quotations or any of the quotations received, for non-compliance or any of the above items, conditions or instructions or for any other reason without assigning any reason thereof.

**(FILE NO-CIMFR/PUR/5(5)2017 - BARWA ROAD CAMPUS) - ANNEXURE - I**

क्र०सं./Sl. No.	मद / Item	मात्रा / Qty.
1.	GI Pipe : ½" dia as per IS Tata Make or equivalent 20'0" long	33 pcs
2.	GI Pipe : ¾" dia as per IS Tata Make or equivalent 20'-0" long	30 pcs
3.	GI Pipe 1" dia as per IS Tata Make or equivalent 20'-0" long	26 pcs
4.	GI Pipe 1 ½" dia as per IS Tata Make or equivalent 20'-0" long	15 pcs
5.	GI Pipe 2" dia as per IS Tata Make or equivalent 20'-0" long	22 pcs
6.	GI Pipe 3" dia as per IS Tata Make or equivalent 20'-0" long	8 pcs
7.	UPVC pipes : ½" dia 10'-0" long (Astral or eqv)	68 pcs
8.	UPVC pipes : ¾" dia 10'-0" long (Astral or eqv)	58 pcs
9.	UPVC pipes : 1" dia 10'-0" long (Astral or eqv)	50 pcs
10.	UPVC pipes : 1 ½" dia 10'-0" long (Astral or eqv)	52 pcs
11.	UPVC pipes : 2" dia 10'-0" long (Astral or eqv)	50 pcs
12.	UPVC pipes : 3" dia 10'-0" long (Astral or eqv)	50 pcs
13.	½" mm nominal bore brass bib cock as per IS (weight 400 gms)	250 nos
14.	½" mm dia nominal bore brass stop cock as per IS	100 nos
15.	C.P shower ½" x 4" dia	50 nos
16.	PVC controlled flush low level cistern with all fittings, 10 litres capacity. White Hindware or equivalent.	60 nos
17.	White vitreous china water Closet Orissa pattern WC pan of size 580 x 440 mm (Hindware or equivalent).	30 nos
18.	White vitreous china pedestal type ( European type/ wash down type) water closet pan. (Hindware or equivalent)	15 nos
19.	White solid plastic seat with lid for pedestal type WC pan.	60 nos
20.	White vitreous china wash basin including all connections etc. 550 x 450 mm size (Hindware or equivalent)	50 nos
21.	Kitchen sink incl. all connections (white glazed fire clay sink) size 600 x 450x 250 mm (Hindware or equivalent)	40 nos
22.	PVC waste pipe for sink semi rigid pipe 1 ¼" dia 900 mm long	100 nos
23.	PVC waste pipe for sink semi rigid pipe 1 ½" mm dia 3'-0" long	80 nos
24.	600 x 120 x 5 mm glass shelf with edges round off supported on anodized aluminium angle frame with CP brass brackets and guard rail complete with 40 mm long screws etc.	100 nos
25.	Toilet paper holder C.P brass	15 nos
26.	PVC water tank capacity 500 litres (Sintex/ Himgiri or equivalent) as per IS: 12701 marked with cover and suitable locking arrangements.	40 nos
27.	CP towel rail 2'0" long best quality	60 nos
28.	Float valve ½" dia best quality with ball, KD make or eqv.	200 nos
29.	Float valve ¾" dia best quality with ball, KD make or eqv.	200 nos
30.	Float valve 1" dia best quality with ball, KD make or eqv.	150 nos
31.	½" GI elbow New make or eqv.	200 nos
32.	½" dia GI short piece 3" long	100 nos
33.	½" dia GI short piece 6" long	100 nos
34.	¾" GI elbow New make or eqv.	100 nos
35.	¾" dia GI short piece 3" long	100 nos
36.	¾" dia GI short piece 6" long	100 nos
37.	½" GI union New or eqv.	200 nos
38.	¾" GI union New or eqv.	200 nos
39.	1" dia Gi elbow New or eqv.	100 nos
40.	1" dia GI short piece 3" long	100 nos
41.	1" dia GI short piece 6" long	100 nos
42.	1" dia union new make or eqv.	100 nos
43.	Elbow 1 ½" dia new make or eqv.	50 nos
44.	Short piece 1" dia GI 3" long	50 nos
45.	Short piece 1" dia GI 6" long	50 nos
46.	Gate valve 2" dia best quality Zoloto make or eqv.	25 nos
47.	1 ½" dia gate valve best quality Zoloto make or eqv.	30 nos
48.	1" dia gate valve best quality Zoloto make or eqv.	30 nos
49.	3" dia gate valve zoloto make or eqv.	15 nos
50.	C.P Pillar cock ½" dia heavy type	75 nos
51.	C.P bib cock ½" dia	75 nos

52.	C.P brass long nose bib cock as per IS weight not less than 810 gms	75 nos
53.	PVC pipe as per IS standard 4" dia, Prince or eqv.	68 pcs
54.	PVC pipe as per IS standard 3" dia Prince or eqv.	45 pcs
55.	PVC pipe as per IS standard 2" dia Prince or eqv.	20 pcs
56.	PVC inlet connection for flush pipe connecting with W.C pan	100 nos
57.	PVC bib cock ½" dia Prayag make or eqv.	300 nos
58.	Hacksaw blade 6 nos/ pkt.	10 Pkts
59.	M seal, 100 gm pkt	10 pkts
60.	3" dia G.I Flange, heavy type	15 nos
61.	Shalimar Putty	10 kg
62.	½" x 2" long nut bolt	30 pcs
63.	½" x 2 ½" long nut bolt	30 pcs
64.	Teflon Tape	50 rolls
65.	PVC connecter ½" x 2'-0" long cold water	150 pcs
66.	Internal fittings of PVC flushing cistern	50 pkts
67.	Rubber Gasket	5 sft.
68.	Jet Spray	30 pcs
69.	PVC connecter ½" x 2'-0" dia 1'6" long for hot water	50 pcs
70.	Jute long	5 kg
71.	C.P brass long body bib cock as per IS weight not less than 690 gms, ½" dia	30 pcs
72.	C.P brass stop cock ( concealed) as per IS : 8931 ½" dia	25 pcs
73.	PTMT grating 4" dia Prayag or eqv make	50 pcs
74.	PTMT grating 5" dia Prayag or eqv make	50 pcs
75.	PTMT pillar cock, ½" dia, weight not less than 110 gms, Prayag or eqv.	100 pcs
76.	PTMT stop cock, ½" dia, weight not less than 88 gms, Prayag or eqv.	200 pcs
77.	PTMT bib cock , ½" dia, weight not less than 88 gms, Prayag or eqv.	200 pcs
78.	Stainless steel kitchen sink 610 x 510 mm bowl depth 200 mm	5 noss
79.	Oval shape 450 x 350 mm outer dimension mirror with plastic moulded frame. Best quality	40 pcs
80.	PTMT Bottle Trap for Wash basin and sink, 31/32 mm	30 nos
81.	PTMT Bottle Trap for Wash basin and sink, 1 ½" / 1 ¾" mm	25 nos
82.	C.P brass waste 1 ½" dia	50 pcs
83.	C.P brass waste 1 ¼" dia	50 pcs
84.	C.P brass waste 2" dia	50 pcs

Section Officer (S&P)

**(FILE NO.- CIMFR/PUR/5(13)2017 - DIGWADIH CAMPUS) - ANNEXURE –II**

क्र०सं०/ Sl. No.	वस्तु/Item	Make	मात्रा/Qty.
1.	20 mm GM gate valve	Leader, Zoloto, Sant	20 Nos
2.	25 mm GM gate valve	Leader, Zoloto, Sant	10 Nos
3.	80 mm GM gate valve, flanged type	Leader, Zoloto, Sant	03 Nos
4.	100 mm GM gate valve, flanged type	Leader, Zoloto, Sant	02 Nos
5.	15 mm medium grade (IS:1239)GI pipe with one end socket	TATA, JINDAL	100 M
6.	20 mm medium grade GI pipe with one end socket	TATA, JINDAL	150 M
7.	25 mm medium grade GI pipe with one end socket	TATA, JINDAL	100 M
8.	32 mm medium grade GI pipe with one end socket	TATA, JINDAL	15 M
9.	40 mm medium grade GI pipe with one end socket	TATA, JINDAL	100 M
10.	80 mm medium grade GI pipe with one end socket	TATA, JINDAL	200 M
11.	15 mm GI elbow	NN/TATA/UNIK/ISI mark	200 Nos
12.	20 mm GI elbow	NN/TATA/UNIK/ISI mark	200 Nos
13.	25 mm GI elbow	NN/TATA/UNIK/ISI mark	100 Nos
14.	40 mm GI elbow	NN/TATA/UNIK/ISI mark	30 Nos
15.	50 mm GI elbow	NN/TATA/UNIK/ISI mark	25 Nos
16.	80 mm GI elbow	NN/TATA/UNIK/ISI mark	25 Nos
17.	15 mm GI socket	NN/TATA/UNIK/ISI mark	200 Nos
18.	20 mm GI socket	NN/TATA/UNIK/ISI mark	150 Nos
19.	25 mm GI socket	NN/TATA/UNIK/ISI mark	40 Nos
20.	32 mm GI socket	NN/TATA/UNIK/ISI mark	10 Nos
21.	40 mm GI socket	NN/TATA/UNIK/ISI mark	50 Nos
22.	50 mm GI socket	NN/TATA/UNIK/ISI mark	25 Nos
23.	80 mm GI socket	NN/TATA/UNIK/ISI mark	20 Nos
24.	15 mm GI Union	NN/TATA/UNIK/ISI mark	50 Nos
25.	20 mm GI Union	NN/TATA/UNIK/ISI mark	50 Nos
26.	25 mm GI Union		20 Nos
27.	50 mm GI bend with exact 90 degree angle, good quality, thickness not less than 3 mm		20 Nos
28.	80 mm GI bend with exact 90 degree angle, good quality, thickness not less than 4 mm		10 Nos
29.	80 mm GI flange, min 12 mm thickness, inside thread, uniform holes, Good quality		30 Nos
30.	100 mm GI flange, min 15 mm thickness, inside thread, uniform holes, Good quality		20 Nos
31.	PVC flushing cistern, 10 ltr capacity, white colour	Hindware/Jaquar	50 Nos
32.	Porceline sink, colour – white, size – 24”x 18” x 10”	Hindware/Jaquar/parryware	20 Nos
33.	Porceline wash basin, colour – white, standard size	Hindware/Jaquar	25 Nos
34.	32 mm CP waste, good quality	ISI	30 Nos
35.	32 mm PVC flexible waste pipe, good quality		100 Nos
36.	40 mm CP waste, good quality	ISI	30 Nos
37.	40 mm PVC flexible waste pipe, good quality		100 Nos
38.	15 mm CP pillar cock, foam flow	Hindware/jaquar	50 Nos

39.	15 mm CP Bib cock, 250gm or above	Hindware/Jaquar	75 Nos
40.	15 mm CP stop cock, female end, weight 250gm or above	Hindware/Jaquar	25 Nos
41.	Glass shelf, size - standard	Jaquar/Ritco	20 Nos
42.	Hack saw blade, size – 12”x ½”x 0.25”, high speed steel	Miranda	50 Nos
43.	Looking glass, size – 24”x 18”, hard wooden backside support, Aluminium frame bit and hanging hinge		30 Nos
44.	15 mm PVC flexible connecting pipe with both end metallic coupling nut with washer		100 Nos
45.	¼” Rubber sheet (RI cloth), both side plane surface, good quality		50 Kg
46.	1/8” Rubber sheet (RI cloth), both side plane surface, good quality		60 Kg
47.	¼” uniform compressed leather, both side smooth surface, good quality		20 Kg
48.	Wooden drain board (upper surface covered by aluminium sheet		15 Nos
49.	½” brass stop cock, weight – 200 gm or above	Ritco/HM/TM	50 Nos
50.	15 mm UPVC pipe, 80 schedule as per ASTM D 1785	Prince/Sperry/Prayag	150 M
51.	20 mm UPVC pipe, 80 schedule as per ASTM D 1785	Prince/Sperry/Prayag	100 M
52.	25 mm UPVC pipe, 80 schedule as per ASTM D 1785	Prince/Sperry/Prayag	60 M
53.	40 mm UPVC pipe, 80 schedule as per ASTM D 1785	Prince/Sperry/Prayag	60 M

Section Officer (S&P)