

सीएसआईआर-केन्द्रीय खनन एवं ईधन अनुसंधान संस्थान (सिंफ़र)

CSIR-CENTRAL INSTITUTE OF MINING & FUEL RESEARCH (CIMFR)

बरवा रोड, धनबाद - 826 001 झारखंड, भारत

ई-मेल/ E-mail: cospcimfr@cimfr.nic.in, spocimfr@cimfr.nic.in

टेंडर संख्या/ TENDER NO: CIMFR/PUR-14(15)2022 दिनांक/ Date: 04.05.2023

NIT after Pre-Bid Conference dated 18.05.2023

ओपेन टेंडर डॉक्युमेंट्स (एनआईटी) फॉर दि परचेस ऑफ/ OPEN TENDER DOCUMENTS (NIT) FOR THE PURCHASE OF

सीनगैंस दु मेथानोल पायलट प्लांट/ Syngas to Methanol Pilot Plant

Kindly Note:

- 1. Only those documents/ forms which are relevant to this tender and which have been called for should be submitted.
- 2. Bidders are requested to submit technical catalogue of relevant pages ONLY for the equipment/ model they are quoting.
- 3. Kindly do not submit our NIT (duly signed and sealed), instead you can convey your acceptance of NIT terms and conditions in toto on your letter head as a self-declaration.
- 4. Bidders are requested to visit https://cimfr.nic.in/downloads.html for GENERAL CONDITIONS OF CONTRACT (GCC) and STANDARD FORMS.

Kindly cooperate with us in saving the environment by reducing the requirement of printing.

For any techno-commercial queries contact:- Mr. Pavan Kumar Gupta, Sr. Scientist, Mob: 9955335308, Email ID: pavan@cimfr.nic.in, pkchehit@gmail.com & Dr. Sudipta Datta, Chief Scientist, Mob: 9471191154, Email ID: sdatta@cimfr.nic.in, sud.datta@gmail.com

INVITATION FOR BIDS/ NIT

The Director, **CSIR-CIMFR**, **Barwa Road Campus**, **Dhanbad**, **Jharkhand**, invites **E-bids** from manufacturers, their authorized distributors and Indian Agent of Foreign principals, if any, for purchase of items listed below:

Sl. No.	File No./ Tender No.	Description of items	Quantity	Single/ Two bid System	Bid Security (EMD) (In Indian Rupees)
01.	CIMFR/PUR-14(15)2022 E-tender ID: 2023_CSIR_153259_1	Syngas to Methanol Pilot Plant. Detailed specifications, accessories are detailed in chapter 4.	01	Two	EMD/ Bid Security is not required; however, Bid Securing Declaration must be submitted by all the bidders irrespective of belonging to any Category (viz. MSME/ Non-MSME, etc.).

- 02. Interested Bidders may obtain further information from the office of the Controller of Stores & Purchase, CSIR-CIMFR, Barwa Road Campus, Dhanbad, Jharkhand.
- 03. Each complete set of bidding document may be downloaded directly from the CSIR- CIMFR website (www.cimfr.nic.in) free of cost and printed. No Hard copy of the Tender Documents will be sold or issued by the office.

The e-bids must be submitted through the CPPP – https://etenders.gov.in/eprocure/app as per the critical dates mentioned. Bidders should also possess a valid Digital Signature Certificate (DSC) for online submission of bids. Bids received on e-tendering portal only will be considered. Bids in any other form sent through sealed cover/ email/ post/ fax etc. will be rejected. will not be responsible for any delay in enrolment/ registration as bidder or submitting/ uploading the offer on e-tender portal. Hence, bidders are advised to register in e-tendering website URL- https://etenders.gov.in/eprocure/app and enrol their Digital Signature Certificate and upload their quotation well in advance.

Any change/ corrigendum/ extension of opening date in respect of this tender shall be issued through websites only. Bidders are therefore requested to regularly visit our website for updates.

- 04. A Pre-bid Conference was held on the date and time as indicated in Critical Date Sheet at CSIR- CIMFR, Digwadih Campus through offline and online mode. All prospective bidders are requested to kindly submit their queries, if any to the address indicated above so as to reach the Controller of Stores & Purchase latest by the date and time as indicated in Critical Date Sheet.
- 05. All bids must be accompanied with a bid security as specified above and must be delivered to the above office at the date and time indicated above. Bids will be opened in the presence of Bidders' authorized representatives who choose to attend on the specified date and time. In the event of the date specified for bid receipt and opening being declared as a closed holiday for purchaser's office, the due date for submission of bids and opening of bids will be the following working day at the appointed time.

Or

All bids must be accompanied with a <u>Bid Securing Declaration</u> as specified above and must be delivered to the above office at the date and time indicated above. Bids will be opened in the presence of Bidders' authorized representatives who choose to attend on the specified date and time. In the event of the date specified for bid receipt and opening being declared as a closed holiday for purchaser's office, the due date for submission of bids and opening of bids will be the following working day at the appointed time.

- 06. Eligibility of Bidders-
- (i.) In pursuance of Department of Expenditure, MoF order No. 12/17/2019-PPD dated 15.05.2020, Bids are invited in INR (Indian Rupee) only.
- (ii.) As per DPIIT Order No. P-45021/2/2017-PP (BE-II) dated 16.09.2020, only 'Class-I Local Suppliers' and 'Class-II Local Suppliers' are eligible to submit their bids for this tender.

The definitions and the relevant terms of purchase preference policy in respect of Make in India is available in Clause 1.32 titled "Evaluation and comparison of bids" of Chapter- 1 (Instructions to Bidders) of this document.

(iii.) Any bidder from a country which shares a land border with India will be eligible to bid for this tender only if the bidder is registered with the competent authority and fulfills all the eligibility criteria as per Department of Expenditure, MoF order No. 6/18/2019-PPD dated 23.07.2020.

The definitions and the relevant terms of Department of Expenditure, MoF order No. 6/18/2019-PPD dated 23.07.2020 is available in Clause 1.46 of Chapter-1 (Instructions to Bidders) of this document.

- 07. The Director, CSIR- CIMFR reserves the right to accept or reject any bids or accept all tenders either in part or in full or to split the order, or to annul the bidding process without assigning any reason.
- 08. Any bid not accompanied by Integrity Pact duly signed by the bidder shall be considered to be a non-responsive bid and shall be rejected straightway. Bidder is requested to submit duly signed Integrity Pact on e-tenders as well as in hard copy on Rs. 100 non-Judicial stamp paper, must be delivered on or before One week of the last date of bid submission at the Office of Controller of Stores and Purchase, CSIR-CIMFR, Barwa Road, Dhanbad 826001.

INDEX

Chapter	Content
1.	Instructions to Bidders
2.	Conditions of Contract
3.	Schedule of Requirement
4.	Specifications and Allied Technical Details
5.	Price Schedule Forms
6.	Qualification Requirements
7.	Other Forms

CRITICAL DATE SHEET

Sl. No.	Stage	Date	Time
1.	Publish Date & Time	05.05.2023	09:00 AM
2.	Document Download Start Date & Time	05.05.2023	09:00 AM
3.	Seek Clarification Start Date	05.05.2023	09:00 AM
4.	Pre-bid Conference	18.05.2023	10:00 PM
5.	Date of technical corrigendum after pre-bid conference	24.05.2023	06:00 PM
6.	Bid Submission Start Date & Time	25.05.2023	09:00 AM
7.	Bid Submission End Date & Time	13.06.2023	11:00 AM
8.	Seek Clarification End Date & Time	17.05.2023	11:00 AM
9.	Document Download End Date & Time	13.06.2023	11:00 AM
10.	Bid Opening Date & Time (XX)	14.06.2023	11:00 AM

TENTATIVE TIME SCHEDULE OF PROCUREMENT PLANNING

Sl. No.	Stage	Tentative Time Frame (in days)		
1.	Date of Bid Opening	XX		
2.	Date of Completion of Technical Bid Evaluation	XX + 50		
3.	Date of communication of Rejection of Bids	XX + 65		
4.	Date of Receipt of context, if any, from Bidders	XX + 70		
5.	Opening of Financial Bid	XX + 80		
6.	Notification of Award	XX + 90		

Chapter-1

INSTRUCTIONS TO BIDDERS

Table of Contents

Sl. No.	Contents
A.	Introduction
1.1	Eligible Bidders
1.2	Cost of Bidding
1.3	Code of Integrity for Public Procurement
D	TI D'. 1.1' D
В.	The Bidding Documents
1.4	Cost of tender Documents
1.5	Content of tender Documents
1.6	Clarification of tender documents
1.7	Amendment of tender Documents
C	D (* 6D) I
C.	Preparation of Bids
1.8	Language of Bid
1.9	Purchase Preference Policies
1.10	Documents Comprising the Bid
1.11	Bid form and price schedule
1.12	Bid Prices
1.13	Bid Currencies
1.14	
	Documents Establishing Bidder's Eligibility and Qualifications
1.15	Documents Establishing Goods' Eligibility and Conformity to Bidding Documents
1.16	Bid Security
1.17	Period of Validity of Bids
1.18	Format and Signing of Bid
D.	Submission and Saaling Rids
	Submission and Sealing Bids Submission of Bids are a total and actal
1.19	Submission of Bids on e-tenders portal
1.20	Deadline for Submission of Bids
1.21	Late Bids
1.22	Withdrawal, substitution and Modification of Bids
E.	Opening and Evaluation of Bids
1.23	Opening of Bids by the Purchaser
1.24	Confidentiality
1.25	Clarification of Bids
1.26	Preliminary Examination
1.27	Bidders right to question rejection
1.28	Responsiveness of Bids
1.29	Non-Conformity, Error and Omission
1.30	Examination of Terms & Conditions, Technical Evaluation
1.31	Conversion to Single Currency
1.32	Evaluation and Comparison of bids
1.33	Contacting the Purchaser
1.34	Post qualification
F.	Award of Contract
1.35	Negotiations
1.36	Award Criteria
1.37	Purchaser's right to vary Quantities at Time of Award
1.38	Option Clause
1.39	Purchaser's right to accept any Bid and to reject any or all Bids
1.40	Notification of Award
1.41	Signing of Contract
1.42	Order Acceptance
1.43	Performance Security
1.44	Pre-bid Conference
1.45	Integrity Pact
	· ·
1.46	Restrictions on procurement from a bidder of a country which shares a land border with India
1.47	OEM and the Agent
1.48	Debarment of Firms from Bidding
1.49	Terms of Reference of the Consultant

A. Introduction

1.1 Eligible Bidders

- 1.1.1 This Invitation for Bids is open to all suppliers subject to Chapter 06 of the invitation for bids/ NIT.
- 1.1.2 A supplier or bidder shall be considered to be from a country if (i) the entity is incorporated in that country, or (ii) a majority of its shareholding or effective control of the entity is exercised from that country; or (iii) more that 50% of the value of the item being supplied has been added in that country. Indian suppliers shall mean those entities which meet any of these tests with respect to India.
- 1.1.3 MSEs would be treated as owned by Scheduled Caste/ Schedule Tribe enterprises as under:
 - (a) In case of proprietary MSE, proprietor(s) shall be SC/ST.
 - (b) In case of partnership MSE, the SC/ST partners shall be holding at least 51% (fifty one percent) shares in the unit.
 - (c) In case of Private Limited Companies, at least 51% (fifty one percent) share shall be held by SC/ST promoters.
- 1.1.4 MSEs owned by women shall also be determined as per the above analogy/ criteria.
- 1.1.5 Bidders should not be associated, or have been associated in the past, directly or indirectly, with a firm or any of its affiliates which have been engaged by the Purchaser to provide consulting services for the preparation of the design, specifications, and other documents to be used for the procurement of the goods to be purchased under this Invitation of Bids.
- 1.1.6 Bids from Joint Ventures, Consortium or Associations so long as they are formed and registered prior to the bid submission date.
- 1.1.7 The bidders who have been put under Holiday listing/ debarred/ blacklisted or removed from the list of registered suppliers by the purchaser or banned from Ministry/ country wide procurement shall be ineligible for participation in the bidding process.

1.2 Cost of Bidding

1.2.1 The Bidder shall bear all costs associated with the preparation and submission of its bid and "the Purchaser", will in no case be responsible or liable for these costs, regardless of the conduct or outcome of the bidding process.

1.3 Code of Integrity for Public Procurement

- 1.3.1 The bidders/ service providers should sign a declaration in their Letter Head- about abiding by the Code of Integrity for Public Procurement in bid documents. In case of any transgression of this code, the bidder is not only liable to be removed from the list of registered service providers, but it would be liable for other punitive actions such as cancellation of contracts, banning and blacklisting or action in Competition Commission of India, and so on.
- 1.3.2 **Code of integrity for Public Procurement**: The Purchaser as well as bidders, suppliers, service providers, contractors and consultants should observe the highest standard of ethics and should not indulge in the following prohibited practices, either directly or indirectly, at any stage during the procurement process or during execution of resultant contracts:
 - i) "corrupt practice": making offers, solicitation or acceptance of bribe, rewards or gifts or any material benefit, in exchange for an unfair advantage in the procurement process or to otherwise influence the procurement process or contract execution.
 - ii) "Fraudulent practice": any omission or misrepresentation that may mislead or attempt to mislead so that financial or other benefits may be obtained or an obligation avoided. This includes making false declaration or providing false information for participation in a tender process or to secure a contract or in execution of the contract;
 - iii) "anti-competitive practice": any collusion, bid rigging or anti-competitive arrangement, or any other practice coming under the purview of the Competition Act, 2002, between two or more bidders, with or without the knowledge of the purchaser, that may impair the transparency, fairness and the progress of the procurement process or to establish bid prices at artificial, non-competitive levels;
 - iv) "coercive practice": harming or threatening to harm, persons or their property to influence their

participation in the procurement process or affect the execution of a contract;

v) "conflict of interest": participation by a bidding firm or any of its affiliates that are either involved in the consultancy contract to which this procurement is linked; or if they are part of more than one bid in the procurement; or if the bidding firm or their personnel have relationships or financial or business transactions with any official of purchaser who are directly or indirectly related to tender or execution process of contract; or improper use of information obtained by the (prospective) bidder from the purchaser with an intent to gain unfair advantage in the procurement process or for personal gain;

A bidder may also be considered to have a conflict of interest with one or more parties in the bidding process, if

- (a) They have controlling partner (s) in common; or
- (b) They receive or have received any direct or indirect subsidy/ financial stake from any of them; or
- (c) They have relationship with each other, directly or through common third parties, that puts them in a position to have access to information about or influence on the bid or another bidder; or
- (d) Bidder participates in more than one bid in this bidding process. Participation by a bidder in more than one Bid will result in the disqualification of all bids in which the parties are involved. However, this does not limit the inclusion of the components/sub-assembly/ assemblies from one bidding manufacturer in more than one bid.
- vi) In cases of agents quoting in offshore procurements, on behalf of their principal manufacturers, one agent cannot represent two manufacturers or quote on their behalf in a particular tender enquiry (refer CVC (CTE) No.12-02-6- CTE/SPI (1)-2, dated January 13, 2012). One manufacturer can also authorize only one agent/ dealer. There can be only one bid from the following:
 - The principal manufacturer directly or through one Indian agent on his behalf; and
 - Indian/ foreign agent on behalf of only one principal
- vii) A Bidder or any of its affiliates participated as a consultant in the preparation of the design or technical specifications of the contract that is the subject of the Bid;
- 1. In case of a holding company having more than one independent manufacturing units, or more than one unit having common business ownership/management, only one unit should quote. Similar restrictions would apply to closely related sister companies. Bidders must proactively declare such sister/common business/ management units in same/similar line of business.

Note: The bidder will have to submit the declaration for Code of Integrity & Conflict of Interest, as per the attached Annexure-5N. The bidder should also declare that they would not work as independent agency or its OEM or joint venture firms on behalf of any other firm at same zone (s). A declaration to this effect may be provided by the prospective bidder.

viii) "Obstructive practice": materially impede the purchaser's investigation into allegations of one or more of the above mentioned prohibited practices either by deliberately destroying, falsifying, altering; or by concealing of evidence material to the investigation; or by making false statements to investigators and/or by threatening, harassing or intimidating any party to prevent it from disclosing its knowledge of matters relevant to the investigation or from pursuing the investigation; or by impeding the purchaser's Entity's rights of audit or access to information;

1.3.3 **Obligations for Proactive disclosures**

- i) The Purchaser as well as bidders, suppliers, service providers, contractors and consultants, are obliged under Code of Integrity for Public Procurement to suo-moto proactively declare any conflicts of interest (coming under the definition mentioned above pre-existing or as and as soon as these arise at any stage) in any procurement process or execution of contract. Failure to do so would amount to violation of this code of integrity; and
- ii) The bidder must declare, whether asked or not in a bid document, any previous transgressions of such a code of integrity with any entity in any country during the last three years or of being debarred by any other Procuring Entity. Failure to do so would amount to violation of this code of integrity;
- iii) To encourage voluntary disclosures, such declarations would not mean automatic disqualification for the bidder making such declarations. The declared conflict of interest would be evaluated and mitigation steps, if possible, taken by the Institute.

1.3.4 **Punitive Provisions**

Without prejudice to and in addition to the rights of the Purchaser to other penal provisions as per the bid documents or contract, if the Purchaser concludes that a (prospective) bidder/ service provider, directly or through an agent, has violated this code of integrity in competing for the contract or in executing a contract, the purchaser may take appropriate measures including one or more of the following:

i) If his bids are under consideration in any procurement:

a) Forfeiture or encashment of bid security;

- b) Calling off of any pre-contract negotiations; and
- c) Rejection and exclusion of the bidder from the procurement process.

ii) If a contract has already been awarded

- a) Cancellation of the relevant contract and recovery of compensation for loss incurred by the purchaser;
- b) Forfeiture or encashment of any other security or bond relating to the procurement;
- c) Recovery of payments including advance payments, if any, made by the purchaser along with interest thereon at the prevailing rate.

iii) Provisions in addition to above:

- Removal from the list of registered suppliers and banning/debarment of the bidder from participation in future procurements of the purchaser for a period not less than one year;
- b) In case of anti-competitive practices, information for further processing may be filed under a signature of the Joint Secretary level officer, with the Competition Commission of India;
- c) Initiation of suitable disciplinary or criminal proceedings against any individual or staff found responsible.

B. The Bidding Documents

1.4 Cost of Tender Documents

1.4.1 The bidding documents can be downloaded from our website (https://cimfr.nic.in/) as indicated in the Invitation for Bids/ NIT free of cost or e-tenders portal (https://etenders.gov.in/eprocure/app).

1.5 Content of Tender Documents

1.5.1 The goods required, bidding procedures and contract terms are prescribed in the bidding documents which should be read in conjunction. The bidding documents, apart from the invitation for bids and Critical Date Sheet have been divided into 7 Chapters as under:

Chapter 1: Instructions to Bidder (ITB)

Chapter 2: General Conditions of Contract (GCC) and Special Condition of Contract (SCC)

Chapter 3: Schedule of Requirements

Chapter 4: Specifications and Allied Technical Details

Chapter 5: Price Schedule Forms
Chapter 6: Qualification requirements
Chapter 7: Standard Forms comprising:

(1) Bidder Information Form. (To be enclosed with the technical bid). (Annexure-5C)

(2) Manufacturers' Authorization Form. (To be enclosed with the technical bid). (Annexure-5D)

(3) Bid Securing Declaration. (To be enclosed with the technical bid). (Annexure-5F)

(4) Performance Statement Form. (To be enclosed with the technical bid). (Annexure-5G)

(5) Deviation Statement Form. (To be enclosed with the technical bid). (Annexure-5H)

(6) Service Support Form. (To be enclosed with the technical bid). (Annexure-5I)

(7) Bid Form. (To be enclosed with the priced bid). (Annexure-5J)

(8) Performance Security Form. (After the acceptance of Purchase order).(Annexure-5K)

(9) Acceptance Certificate Form. (Annexure-5L)

(10) Integrity Pact. (To be enclosed with the technical bid). (Annexure-5M)

(11) Format for declaration by the Bidder for Code of Integrity & conflict of Interest. (To be enclosed with the technical bid).(Annexure-5O)

(12) Price Schedule form. (To be enclosed with the price bid). (Annexure-5O)

(13) Bank Guarantee form for advance payment. (Annexure-5S)

(14) Format of Certificate of compliance to MoF, DOE Order No. 6/18/2019- PPD dated 23rd July, 2020. (To be enclosed with the technical bid, if required as per Clause 1.46 of ITB) (Annexure-5T)

(15) Format for Self-declaration by the Bidder for local content (%). (To be enclosed with the technical bid).

(Annexure-5U)

(16) Contract Form.

(Annexure-5V)

(17) Quoted Rate Certificate. (To be enclosed with the price bid). (Annexure-5W)

(18) Unconditional Acceptance of GCC as mentioned in NIT/ CSIR-CIMFR Website. (Annexure-5X)

(19) Checklist. (Annexure-5Y)

Failure to furnish all information required by the bidding documents or submission of a bid not substantially responsive to the bidding documents in every respect will be at the Bidder's risk and may result in rejection of its bid.

1.6 <u>Clarification of tender documents</u>

1.6.1 A prospective Bidder requiring any clarification of the Bidding Documents shall contact the Purchaser in writing through e-mail specified in the Special Conditions of Contract (SCC), latest by the date specified in the critical date sheet. No request for clarification or query shall normally be entertained after the deadline/pre-bid conference/ Date specifically mentioned in the critical date sheet, if any. Should the Purchaser deem it necessary to amend the Tender Documents as a result of a clarification, it shall do so following the procedure under Clause relating to amendment of Tender Documents and Clause relating to Deadline for Submission of Bids.

The queries, clarifications and amendments issued would also be hosted on the website of the Purchaser for the benefit of the other prospective bidders and also shall be sent to all bidders who have purchased the tender documents.

1.7 Amendment of Tender Documents

- 1.7.1 At any time prior to the deadline for submission of bids, the Purchaser may, for any reason, whether at its own initiative or in response to a clarification requested by a prospective bidder, modify the tender documents by amendment. The same would also be hosted on the website of the Purchaser and all prospective bidders are expected to surf the website before submitting their bids to take cognizance of the amendments. However, the copies of the amendments would be sent by registered post/speed post/courier/e-mail to all the bidders who have purchased the tender documents.
- 1.7.2 In order to allow prospective bidders' reasonable time in which to take the amendment into account in preparing their bids, the Purchaser, at its discretion, may extend the deadline for the submission of bids and host the changes on the website of the Purchaser.

C. PREPARATION OF BIDS

1.8 Language of Bid

- 1.8.1 The bid prepared by the Bidder, as well as all correspondence and documents relating to the bid exchanged by the Bidder and the Purchaser shall be written in English language only.
- 1.8.2 The Supplier shall bear all costs of translation, if any, to the English language and bear all risks of the accuracy of such translation, for documents provided by the Supplier.

1.9 Purchase Preference Policies

1.9.1 The purchaser intends to give product reservation/ purchase preference/price preference in line with current Govt. of India procurement policies to help inclusive national economic growth by providing long term support to small and medium enterprises (SMEs) and disadvantaged sections of the society and to address environmental concerns along with preferential market access in govt. procurements.

Purchase preference will be given to MSEs as defined in line with current Govt. of India procurement policies issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises.

- 1.9.2 The extant procurement would abide by **DPIIT Order No. P-45021/2/2017-PP (BE-II) dated 16.09.2020 to provide purchase preference to Class-I Local Suppliers as defined and directed by the order.**
- 1.9.3 In case of Open Tender, since the bidder being class-I/ class-II Local Supplier is one of the eligibility criteria for bidding, Local Content Certificate MUST be submitted.

1.10 Documents comprising the bid

1.10.1 The bid prepared by the Bidder shall include documents as under:

I. Technical bid

- a. Bidder Information Form;
- b. Declaration abiding by the Code of Integrity and no conflict of interest for public procurement;
- c. Bid security/ **Bid Securing Declaration** as specified in the Invitation for Bids;
- d. Service support details form;
- e. Deviation Statement Form;
- f. Performance Statement Form;
- g. Manufacturer's Authorization Form along with a certified copy of the Agency Agreement between the bidders and the Indian Agent;
- h. Documentary evidence establishing that the bidder is eligible to bid and is qualified to perform the contract if its bid is accepted;
- i. Integrity Pact, if required as per SCC;
- j. Documents establishing goods eligibility and conformity to bidding documents; indicating the Indian Customs Tariff Number (ICT & HSN No.);
- k. Schedule of requirements;
- 1. Self-certification that the item offered meets the minimum local content of 20% giving details of the location(s) at which the local value addition is made in case the bidder wishes to avail the benefits under the make in India policy, if applicable;
- m. In cases of procurement for a value in excess of ₹ 10 Crore, the local supplier shall be required to provide a certificate from the statutory auditor or cost auditor of the company (in the case of companies) or from a practicing cost accountant or practicing chartered accountant (in respect of suppliers other than companies) giving the percentage of local content to avail the benefits under the make in India policy, if applicable; and
- n. Documentary evidence about the status of the bidder i.e., whether MSE or not, owned by SC/ ST or not and whether the MSE is owned by a women entrepreneur or not.

II. Price bid

- a. Bid form;
- b. Applicable Price Schedule Form; and
- c. BOQ

1.11 Bid form and price schedule

1.11.1 The bidder shall complete the Bid Form and the appropriate price schedule form furnished in the bidding documents. These forms must be completed without any alterations to its format and no substitutes shall be accepted. All blank spaces shall be filled in with the information requested. The Bid Form and the appropriate Price Schedule form shall be submitted in accordance with Clause 1.18.3 of the bidding documents.

1.12 Bid Prices

- 1.12.1 The Bidder shall indicate on the appropriate price schedule form, the unit prices and total bid prices of the goods it proposes to supply under the contract.
- 1.12.2 Prices indicated on the price-schedule form shall be entered separately in the following manner:

(a) For Goods manufactured within India

- a. The price of the goods quoted Ex-works including taxes already paid.
- b. GST and other taxes, if any which will be payable on the goods if the contract is awarded.
- c. The charges for inland transportation, insurance and other local services required for delivering the goods at the desired destination as specified in the price schedule form.
- d. Wherever applicable, the cost towards the installation, commissioning, spares, extended warranty, AMC/CMC, site preparation and training including any incidental services, if any.

(b) For Goods manufactured abroad but quoted in INR, subject to Local Content of 20%.

The goods quoted may be of foreign origin but should be quoted in INR subject to fulfillment of Class I and Class II Local Suppliers' eligibility Criteria as per DPIIT order No. P-45021/2/2017-PP(BE-II) Dated 16/09/2020. Please NOTE that such Quote should include all charges including Customs Duty and should

be quoted only on Door Delivery basis.

The claim of being Class I or Class II Local Supplier must be supported by Local Content Certificate as per the prescribed format issued by statutory auditor or cost auditor of the company (in the case of companies or from a practicing cost accountant or practicing chartered accountant (in respect of suppliers other than companies) giving the percentage of local content.

While declaring the percentage of Local Content following must be noted:

- a. As per OM No. No. P-45021/102/2019-PP(BE-II) E-29930) Dated 26/11/2020, Ministry of Commerce and Industry, Government of India, that bidders offering Imported products will fall under the category of non-local suppliers. Further, Ministry of Finance, Department of Expenditure vide its note dated 26/11/2020 have clarified that suppliers/ bidders cannot claim themselves as Class-I Local Supplier/ Class-II local supplier by claiming profit, warehousing, marketing, logistics freight, etc. as local value addition.
- b. As per MOF, DOE OM No. P-45021/102/2019-BE-Il-Part (1) E050310) dated 04/03/2021 have clarified that suppliers/ bidders cannot claim themselves as Class-I local supplier/Class-II Local Supplier by claiming the services such as transportation, Insurance, Insurance, Installation, commissioning, training and after sales service support like AMC/ CMC, etc. as local value addition.
- 1.12.3 Where there is no mention of packing, forwarding, freight, insurance charges, taxes etc. such offer may be rejected as incomplete as per decision of the Competent Authority.
- 1.12.4 The price quoted shall remain fixed during the contract period and shall not vary on any account.
- 1.12.5 All lots and items must be listed and priced separately in the Price Schedules. If a Price Schedule shows items listed but not priced, their prices shall be assumed to be included in the prices of other items. Lots or items not listed in the Price Schedule shall be assumed to be not included in the bid.
- 1.12.6 The Purchaser is registered with Dept. of Scientific & Industrial Research, Govt. of India and concessional customs duty is leviable vide notification No. 54/2002-Customs on all imports covered under Notification No.51/96-Customs dated 23.07.1996, Notification No.47/2017-Integrated Tax (Rate) and Notification No. 45/2017-Central Tax (Rate) both dated 14th November, 2017 **No CDEC will be provided.**
- 1.12.7 Please state specifically in your offer whether the duties and taxes are extra over the prices quoted, failing which it will be presumed that the prices are inclusive of taxes and duties and no claim would be entertained for statutory variations at a later date.
- 1.12.8 Stipulations like "GST is presently not applicable but the same will be charged if it becomes leviable later on" is not acceptable unless in such cases it is clearly stated that GST will not be charged if the same becomes applicable later on due to increase in turn over etc. If a bidder fails to comply with this requirement, his quoted price shall be loaded with the quantum of duty which is normally applicable on the item in question for the purpose of comparison with the prices of other tenderers.

Note: All payments due under the contract shall be paid after deduction of statutory levies at source (like TDS etc.), wherever applicable.

1.13 Bid Currencies

1.13.1 Prices shall be quoted in Indian Rupees only. Quotes in other currencies would be rejected.

1.14 Documents Establishing Bidder's Eligibility and qualifications

- 1.14.1 The bidder shall furnish, as part of its bid, documents establishing the bidders' eligibility to bid and its qualification to perform the contract if its bid is accepted.
- 1.14.2 The documentary evidence of the bidder's qualification to perform the contract if the bid is accepted shall establish to the purchaser's satisfaction that;
 - (a) The bidder meets the qualification criteria listed in bidding documents if any.
 - (b) Bidder who doesn't manufacture the goods it offers to supply shall submit Manufacturers' Authorization Form (MAF) using the form specified in the bidding document to demonstrate that it has been duly authorized by the manufacturer of the goods to quote and/ or supply the goods.
 - (c) In case a bidder not doing business within India, it shall furnish the certificate to the effect that the bidder

is or will be represented by an agent in India equipped and able to carry out the supply, maintenance, repair obligations etc. during the warranty and post warranty period or ensure a mechanism at place for carrying out the supply, maintenance, repair obligations etc. during the warranty and post-warranty period.

1.14.3 Conditional tenders shall not be accepted.

1.15 Documents Establishing Goods' Eligibility and Conformity to Bidding Documents

- 1.15.1 To establish the goods' eligibility, the documentary evidence of the goods and services eligibility shall consist of a statement on the country of origin of the goods and services offered which shall be confirmed by a certificate of origin at the time of shipment.
- 1.15.2 To establish the conformity of the goods and services to the specifications and schedule of requirements of the bidding document, the documentary evidence of conformity of the goods and services to the bidding documents may be in the form of literature, drawings and data, and shall consist of:
 - (a) A detailed description of the essential technical and performance characteristics of the goods;
 - (b) A list giving full particulars, including available sources and current prices, of spare parts, special tools, etc., necessary for the proper and continuing functioning of the goods during the warranty period following commencement of the use of the goods by the Purchaser in the Priced-bid; and
 - (c) An item-by-item commentary on the Purchaser's Technical Specifications demonstrating substantial responsiveness of the goods and services to those specifications or a statement of deviations and exceptions to the provisions of the Technical Specifications.
- 1.15.3 For purposes of the commentary to be furnished pursuant to above, the Bidder shall note that standards for workmanship, material and equipment, designated by the Purchaser in its Technical Specifications are intended to be descriptive only and not restrictive. The Bidder may substitute these in its bid, provided that it demonstrates to the Purchaser's satisfaction that the substitutions ensure substantial equivalence to those designated in the Technical Specifications.
- 1.15.4 Alternate offers/ makes/ models would not be considered.

1.16 <u>Bid Security</u>

- 1.16.1 The Bidder shall furnish, as part of its bid, a bid security (BS) for an amount as specified in the Invitation for Bids. In the case of foreign bidders, the BS shall be submitted either by the principal or by the Indian agent and in the case of indigenous bidders; the BS shall be submitted by the manufacturer or their specifically authorized dealer/ bidder.
- 1.16.2 The bid security is required to protect the Purchaser against the risk of Bidder's conduct, which would warrant the security's forfeiture.
- 1.16.3 The bid security shall be in Indian Rupees for offers received for supply within India and denominated in the currency of the bid or in any freely convertible foreign exchange in the case of offers received for supplies from foreign countries in equivalent Indian Rupees. The bid security shall be in one of the following forms at the bidders' option:
 - (a) A bank guarantee issued/confirmed by a Scheduled Commercial Bank in India in the form provided in the bidding documents and valid for 45 days beyond the validity of the bid. In case a bidder desires to submit a BG issued from a foreign bank, then the same should be confirmed by a Scheduled commercial bank in India; or
 - (b) Fixed Deposit receipt pledged in favour of the Lab./ Institute.
 - (c) A Banker's cheque or demand draft in favour of the purchaser issued by any Scheduled commercial bank in India.
 - (d) Bid Securing Declaration
- 1.16.4 The bid security shall be payable promptly upon written demand by the purchaser in case the conditions listed in the ITB clause 1.16.10 are invoked.
- 1.16.5 The bid security should be submitted in its original form. Copies shall not be accepted.
- 1.16.6 The bid security of unsuccessful bidder will be discharged/ returned as promptly as possible positively within a period of 30 days after the expiration of the period of bid validity or placement of order whichever is later, without

any interest.

- 1.16.7 The successful Bidder's bid security will be discharged upon the Bidder furnishing the performance security, without any interest.
- 1.16.8 Bidders that are currently registered with the purchaser or registered as MSEs will continue to remain registered during the tender validity period also and are exempted from payment of EMD. In case the tenderer falls in these categories, the bidder should furnish a certified copy of its valid registration details. Except for MSEs, this exemption is valid for the trade group and monetary value of registration only. The MSEs are provided tender document free of cost and are exempted from the payment of Bid Security provided the goods are produced and the services are rendered by them and not for any trading activities undertaken by them. Further firms who are having Udyog Aadhar Memorandum are entitled to all benefits available for MSEs under the Public Procurement Policies for MSEs and can get registered with any of the following agencies:
 - a) District Industries Centre
 - b) Khadi and Village Industries Commission
 - c) Khadi and Village Industries Board
 - d) Coir Board
 - e) National Small Industries Corporation
 - f) Directorate of Handicraft and handloom and
 - g) Any other body specified by the Ministry of MSME
- 1.16.9 Where any aggregator has been appointed by the Ministry of MSME, themselves quote on behalf of some MSE units, such offers will be considered as offer from MSE units and all such facilities would be extended to these aggregators also.
- 1.16.10 The bid security may be forfeited:
 - (a) If a Bidder withdraws or amends or modifies or impairs or derogates its bid during the period of bid validity specified by the Bidder on the Bid Form; or
 - (b) In case of a successful Bidder, if the Bidder fails to furnish order acceptance within 14 days of the order or fails to sign the contract and/or fails to furnish Performance Security within 21 days from the date of contract/ order
- 1.16.11 Whenever the bidder chooses to submit the Bid Security in the form of Bank Guarantee, then he should advise the banker issuing the Bank Guarantee to immediately send by Registered Post (A.D.) an unstamped duplicate copy of the Guarantee directly to the Purchaser with a covering letter to compare with the original BG for the correctness, genuineness, etc.

1.17 Period of Validity of Bids

- 1.17.1 Bids shall remain valid for minimum of <u>180 days</u> after the date of bid opening prescribed by the Purchaser. A bid valid for a shorter period shall be rejected by the Purchaser as non-responsive.
- 1.17.2 In exceptional circumstances, the Purchaser may solicit the Bidder's consent to an extension of the period of validity. The request and the responses thereto shall be made in writing (by post, fax or e-mail). The bid security provided shall also be suitably extended failing which the bid would be summarily ignored. A Bidder may refuse the request without forfeiting its bid security. A Bidder granting the request will not be required nor permitted to modify its bid.
- 1.17.3 Bid evaluation will be based on the bid prices without taking into consideration the above corrections.

1.18 Format and Signing of Bid

- 1.18.1 The bids may be submitted in single envelop or in two parts as specified in the Invitation for Bids.
- 1.18.2 In case the bids are invited on two-bid system, the Bidder shall submit the bids in two separate parts. One part shall contain technical bid comprising all documents listed under clause relating to Documents Comprising the Bid excepting bid form and price schedules. The other part shall contain the priced-bid comprising bid form and price schedules
- 1.18.3 The bid shall be typed or written in indelible ink and shall be signed by the Bidder or a person or persons duly authorized to bind the Bidder to the Contract. All pages of the bid, except for un-amended printed literature, shall be initialed by the person or persons signing the bid detailing his/her name and contact details.

- 1.18.4 Any interlineations, erasures or overwriting shall be valid only if they are initialed by the persons or persons signing the bid.
- 1.18.5 A Bidder from whose e-tenders id a bid is uploaded and submitted on e-tenders portal would be held fully responsible for the same even if the bid has not been signed and/ or stamped.

D. Submission and sealing of Bids

1.19 Submission of Bids on e-tenders

- 1.19.1 The Bidders may submit their duly signed, and stamped bids on e-tenders portal (etenders.gov.in) ONLY. No bids/copies of bids should be submitted by post/courier/ FAX/e-mail in any case.
- 1.19.2 In case of 2 Bid tenders, there will be a minimum of 2 envelops (i) Technical Bid, (ii) Price Bid. The Technical and Price Bids must be submitted in the respective envelops/ covers only.
- 1.19.3 In case of 1- Bid tenders there will be one envelope, viz. Techno-commercial (Technical cum- commercial) Bid in which technical bid as well as a duly filled Price Schedule (as per format available in this tender document) may be submitted. The Price Schedule (cost breakup of the components and the net price) must match with the BOQ (Excel Sheet Price schedule on e-tenders). In case of mismatch between BOQ price and price schedule, the price schedule submitted in Techno-commercial bid will be considered valid.
- 1.19.4 Firms submitting Technical and Price bids in the Techno commercial Bid envelope against the requirement of two-bid system would be considered for further evaluation at the risk & responsibility of the bidder.

1.20 Deadline for Submission of Bids

- 1.20.1 The Bids must be uploaded/ submitted on e-tenders portal from the bidder's registered e- tenders id on or before the Last date (and time) of Submission of bids, failing which the e-tenders portal will not allow Bid submission. No request for extension of Last date of Bid submission will normally be entertained by the competent authority.
- 1.20.2 The Purchaser is not bound to consider any technical difficulty faced by the bidder as a reason to extend the Last date of Bid submission.

1.21 <u>Late Bids</u>

1.21.1 E- tenders portal does not allow submission of late bids.

1.22 <u>Withdrawal, Substitution and Modification of Bids.</u>

1.22.1 A Bidder may withdraw, substitute or modify its bid after it has been submitted, as per e-tenders portal rules/provisions, prior to the last date (and time) of bid submission.

E. Opening and Evaluation of Bids

1.23 Opening of Bids by the Purchaser

1.23.1 All e- Bids would be opened online ONLY on or after the Bid Opening Date (and Time).

1.24 Confidentiality

- 1.24.1 Information relating to the examination, evaluation, comparison, and post qualification of bids, and recommendation of contract award, shall not be disclosed to bidders or any other persons not officially concerned with such process until publication of the Contract Award.
- 1.24.2 Any effort by a Bidder to influence the Purchaser in the examination, evaluation, comparison, and post qualification

of the bids or contract award decisions may result in the rejection of its Bid.

1.25 Clarification of Bids

1.25.1 To assist in the examination, evaluation, comparison and post qualification of the bids, the Purchaser may, at its discretion, ask the Bidder for a clarification of its bid. The request for clarification and the response shall be in writing and no change in prices or substance of the bid shall be sought, offered or permitted. However, no negotiation shall be held except with the lowest bidder, at the discretion of the purchaser. Any clarification submitted by a bidder in respect to its bid which is not in response to a request by the purchaser shall not be considered.

1.26 Preliminary Examination

- 1.26.1 The Purchaser shall examine the bids to confirm that all documents and technical documentation requested in ITB Clause 1.10 have been provided, and to determine the completeness of each document submitted.
- 1.26.2 The Purchaser shall confirm that the following documents and information have been provided in the Bid. If any of these documents or information is missing, the offer shall be rejected.
 - (a) Bid Form and Price Schedule, in accordance with ITB Clause 1.10;
 - (b) All the tenders received will first be scrutinized to see whether the tenders meet the basic requirements as incorporated in the tender enquiry document. The tenders, who do not meet the basic requirements, are to be treated as unresponsive and ignored. The following are some of the important points, for which a tender may be declared as unresponsive and to be ignored, during the initial scrutiny:
 - (i) The Bidder is not eligible.
 - (ii) The Bid validity is shorter than the required period.
 - (iii) The Bidder has quoted for goods manufactured by a different firm without the required authority letter from the proposed manufacturer.
 - (iv) Bidder has not agreed to give the required performance security or has not furnished the bid security.
 - (v) The goods quoted are sub-standard, not meeting the required specification, etc.
 - (vi) Against the schedule of Requirement (incorporated in the tender enquiry), the bidder has not quoted for the entire requirement as specified in that schedule.
 - (vii) The bidder has not agreed to some essential condition(s) incorporated in the tender enquiry.
 - (viii) Integrity Pact not signed and submitted with the technical bid, if applicable as per SCC.

1.27 Bidder's right to question rejection.

- 1.27.1 A Bidder shall have the right to be heard in case he feels that a proper procurement process is not being followed and/ or his tender has been rejected wrongly. Only a directly affected bidder can represent in this regard as under:
 - i. Only a bidder who has participated in the concerned procurement process i.e., pre- qualification, bidder registration or bidding, as the case may be, can make such representation;
 - ii. In case pre-qualification bid has been evaluated before the bidding of technical bids, an application for review in relation to the technical bid may be filed only by a bidder who has qualified in pre-qualification bid;
 - iii. In case technical bid has been evaluated before the opening of the financial bid, an application for review in relation to the financial bid may be filed only by a bidder whose technical bid is found to be acceptable.
 - iv. Following decisions of the purchaser in accordance with the provision of internal guidelines shall not be subject to review:
 - a. Determination of the need for procurement;
 - b. Selection of the mode of procurement or bidding system;
 - c. Choice of selection procedure;
 - d. Provisions limiting participation of bidders in the procurement process;
 - e. The decision to enter into negotiations with the L1 bidder;
 - f. Cancellation of the procurement process except where it is intended to subsequently re-tender the same requirements;
 - g. Issues related to ambiguity in contract terms may not be taken up after a contract has been signed, all such issues should be highlighted before consummation of the contract by the vendor/contractor; and
 - h. Complaints against specifications except under the premise that they are either vague or too specific so

1.27.2 In case, a Bidder feels aggrieved by the decision of the purchaser, he may then send his representation in writing to the Purchaser's address as indicated in special conditions of contract (SCC) within 05 working days from the date of communication of the purchaser intimating the rejection for reconsideration of the decision by the purchaser.

1.28 Responsiveness of Bids

- 1.28.1 Prior to the detailed evaluation, the purchaser will determine the substantial responsiveness of each bid to the bidding documents. For purposes of this clause, a substantive responsive bid is one, which conforms to all terms and condition of the bidding documents without material deviations, reservations or omissions. A material deviation, reservation or omission is one that:
 - (a) Affects in any substantial way the scope, quality, or performance of the Goods and Related Services specified in the Contract; or
 - (b) Limits in any substantial way, inconsistent with the Bidding Documents, the Purchaser's rights or the Bidder's obligations under the Contract; or
 - (c) If rectified, would unfairly affect the competitive position of other bidders presenting substantially responsive bids.
- 1.28.2 The purchasers' determination of a bid's responsiveness is to be based on the contents of the bid itself without recourse to extrinsic evidence.
- 1.28.3 If a bid is not substantially responsive, it will be rejected by the Purchaser and may not subsequently be made responsive by the Bidder by correction of the material deviation, reservation or omission.
- 1.28.4 If a bidder quotes Nil Charges/ consideration, the bid shall be treated as unresponsive and will not be considered.

1.29 Non-Conformity, Error and Omission

- 1.29.1 Provided that a Bid is substantially responsive, the Purchaser may waive any nonconformities or omissions in the Bid that do not constitute a material deviation.
- 1.29.2 Provided that a bid is substantially responsive, the Purchaser may request that the Bidder submit the necessary information or documentation, within a reasonable period of time, to rectify nonmaterial nonconformities or omissions in the bid related to documentation requirements. Such omission shall not be related to any aspect of the price of the Bid. Failure of the Bidder to comply with the request may result in the rejection of its Bid.
- 1.29.3 Provided that the Bid is substantially responsive, the Purchaser shall correct arithmetical errors on the following basis:
 - (a) if there is a discrepancy between the unit price and the line item total that is obtained by multiplying the unit price by the quantity, the unit price shall prevail and the line item total shall be corrected, unless in the opinion of the Purchaser there is an obvious misplacement of the decimal point in the unit price, in which case the line item total as quoted shall govern and the unit price shall be corrected;
 - (b) if there is an error in a total corresponding to the addition or subtraction of subtotals, the subtotals shall prevail and the total shall be corrected; and
 - (c) if there is a discrepancy between words and figures, the amount in words shall prevail, unless the amount expressed in words is related to an arithmetic error, in which case the amount in figures shall prevail subject to (a) and (b) above.
- 1.29.4 Provided that a bid is substantially responsive, the purchaser may request that a bidder may confirm the correctness of arithmetic errors as done by the purchaser within a target date. In case, no reply is received then the bid submitted shall be ignored and its Bid Security may be forfeited.

1.30 Examination of Terms & Conditions, Technical Evaluation

1.30.1 The Purchaser shall examine the Bid to confirm that all terms and conditions specified in the GCC and the SCC have been accepted by the Bidder without any material deviation or reservation.

- 1.30.2 The Purchaser shall evaluate the technical aspects of the Bid submitted in accordance with ITB Clause 1.15, to confirm that all requirements specified in Schedule of Requirements of the Bidding Documents have been met without any material deviation or reservation.
- 1.30.3 If, after the examination of the terms and conditions and the technical evaluation, the Purchaser determines that the Bid is not substantially responsive in accordance with ITB Clause 1.28, it shall reject the Bid.

1.31 Conversion to Single Currency

1.31.1 All bids must be quoted only in Indian Rupee (INR). Bids in any other currency will be rejected.

1.32 Evaluation and comparison of bids

- 1.32.1 The Purchaser shall evaluate each bid that has been determined, up to this stage of the evaluation, to be substantially responsive.
- 1.32.2 To evaluate a Bid, the Purchaser shall only use all the factors, methodologies and criteria defined below. No other criteria or methodology shall be permitted.
- 1.32.3 Purchase preference shall be given to Class- I local suppliers in all procurements undertaken by the purchaser in the following manner (as per DPIIT Order No. P-45021/2/2017-PP (BE-II) dated 16.09.2020):

(a) Definitions:

'Local Content' means the amount of value added in India which shall, unless otherwise prescribed by the Nodal Ministry, be the total value of the items procured (excluding net domestic indirect taxes) minus the value of imported content in the item (including all customs duties) as a proportion of the total value, in percent.

Please Note that Profit, warehousing, marketing, logistics, freight, Transportation, Insurance, Installation & Commissioning, training and after sales services like AMC/ CMC, etc. can not be considered as local value addition. [as per clarification received from DPIIT on File No. P-45021/102/2019-PP(BE-II) (E-29930) dated 26.11.2020 and OM on File No. P-45021/102/2019-PP(BE-II) (E-50310) dated 04.03.2021.

'Class- I Local supplier' means a supplier or service provider, whose goods, services or works offered for procurement, has local content equal to or more than 50%

'Class- II Local Supplier' means a supplier or service provider, whose goods, services or works offered for procurement, has local content more than 20% but less than 50%

'Non-Local Supplier' means a supplier or service provider, whose goods, services or works offered for procurement, has local content less than or equal to 20%, as defined under above mentioned order.

'L1' means the lowest tender or lowest bid or the lowest quotation received in a tender, bidding process or other procurement solicitation as adjudged in the evaluation process as per the tender or other procurement solicitation.

'Margin of purchase preference' means the maximum extent to which the price quoted by a "Class-I local supplier" may be above the L1 for the purpose of purchase preference. Margin of Purchase preference would be 20% for this tender.

'Nodal Ministry' means the Ministry or Department identified pursuant to this order in respect of a particular item of goods or services or works.

'Procuring entity' means a Ministry or department or attached or subordinate office of, or autonomous body controlled by, the Government of India and includes Government companies as defined in the Companies Act.

'Works' means all works as per Rule 130 of GFR-2017, and will also include turnkey works'.

(b) Purchase Preference:

- **I.** Purchase preference shall be given to 'Class-I local supplier' in procurements undertaken by procuring entities in the manner specified here under.
- **II.** In the procurements of goods or works, which are divisible in nature, the 'Class-I local supplier' shall get purchase preference over Class-II local supplier' as well as 'Non-local supplier', as per following procedure:
 - (i) Among all qualified bids, the lowest bid will be termed as L1. If L1 is 'Class-I local supplier', the contract for full quantity will be awarded to L1.
 - (ii) If L1 bid is not a 'Class-I local supplier', 50% of the order quantity shall be awarded to L1. Thereafter, the

lowest bidder among the Class-I local supplier' will be invited to match the L1 price for the remaining 50% quantity subject to the Class-I local supplier's quoted price falling within the margin of purchase preference, and contract for that quantity shall be awarded to such 'Class-I local supplier' subject to matching the L1 price. In case such lowest eligible 'Class-I local supplier' fails to match the L1 price or accepts less than the offered quantity, the next higher 'Class-I local supplier' within the margin of purchase preference shall be invited to match the L1 price for remaining quantity and so on, and contract shall be awarded accordingly. In case some quantity is still left uncovered on Class-I local suppliers, then such balance quantity may also be ordered on the L1 bidder.

- III. In the procurements of goods or works, which are not divisible in nature, and in procurement of services where the bid is evaluated on price alone, the 'Class-I local supplier shall get purchase preference over 'Class-II local supplier' as well as 'Non-local supplier', as per following procedure:
 - (i) Among all qualified bids, the lowest bid will be termed as L1. If L1 is 'Class-I local supplier', the contract will be awarded to L1.
 - (ii) If L1 is not 'Class-I local supplier', the lowest bidder among the 'Class-I local supplier', will be invited to match the L1 price subject to Class-I local supplier's quoted price falling within the margin of purchase preference, and the contract shall be awarded to such 'Class-I local supplier' subject to matching the L1 price.
 - (iii) In case such lowest eligible 'Class-I local supplier' fails to match the L1 price, the 'Class-I local supplier' with the next higher bid within the margin of purchase preference shall be invited to match the L1 price and so on and contract shall be awarded accordingly. In case none of the 'Class-I local supplier' within the margin of purchase preference matches the L1 price, the contract may be awarded to the L1 bidder.
 - (iv) "Class-II local supplier" will not get purchase preference in any procurement, undertaken by procuring entities.

(C) Verification of Local Content:

- (I) The 'Class–I Local supplier'/ 'Class- II Local Supplier' at the time of the tender/ bidding or solicitation shall be required to indicate percentage of local content and provide self- certification that the item offered meets the local content requirement for 'Class –I Local supplier'/ 'Class- II Local Supplier', as the case may be. They shall also give details of the location(s) at which the local value addition is made.
- (II) In cases of procurement for a value in excess of Rs. 10 Crores, the 'Class –I Local supplier' 'Class- II Local Supplier' shall be required to provide a certificate from a statutory auditor or cost auditor of the company (in the case of companies) or from a practicing cost accountant or a practicing chartered accountant (in respect of suppliers other than companies) giving the percentage of local content. They shall also give details of the location(s) at which the local value addition is made.
- (III) Decisions on complaints relating to implementation of this order shall be taken by the competent authority which is empowered to look into procurement –related complaints relating to the procuring entity.
- (IV) False declarations will be in breach of the code of integrity under Rule 175 (1) (i) (h) of the General Financial Rules for which a bidder or its successors can be debarred for up to Two years as per Rule 151(iii) of General Financial Rules along with such other actions as may be permissible under law.
- (V) A supplier who has been debarred by any procuring entity for violation of this order shall not be eligible for preference under this order for procurement by any other procuring entity for the duration of the debarment. The debarment for such other procuring entities shall take effect prospectively from the date on which it comes to the notice of other procurement entities, in the manner prescribed under paragraph 9 (h) of the order.
- 1.32.4 The bids shall be evaluated on the basis of final landing cost which shall be arrived as under:

For goods manufactured in India

- (i) The price of the goods quoted ex-works including all taxes already paid.
- (ii) GST and other taxes, if any which will be payable on the goods if the contract is awarded.
- (iii) Charges for inland transportation, insurance and other local services required for delivering the goods at the desired destination.
- (iv) Wherever applicable, the cost towards the installation, commissioning, spares, extended warranty, AMC/CMC, site preparation and training including any incidental services, if any.

For goods manufactured abroad but quoted in INR

(i) A Manufacturer based outside India can bid only through its Indian Agent or through their subsidiary office based in India in INR, subject to fulfillment of Class I and Class II Local Suppliers' eligibility Criteria as

- per DPIIT order No. P-45021/2/2017-PP(BE-II) Dated 16/09/2020. Please NOTE that such Quote should include all charges including Customs Duty and should be quoted only on Door Delivery basis.
- (ii) The Basic Cost of the quoted goods should include Customs duty, insurance, freight of the goods, however inland transportation, insurance and GST thereon should be indicated separately.
- (iii) Wherever applicable, the cost towards the installation, commissioning, spares, extended warranty, AMC/CMC, site preparation and training including any incidental services, if any should be mentioned and quoted in INR.
- (iv) The bid (Technical and/ or Price Bid) must clearly indicate which of the components of the equipment are imported item and which are indigenous. Country of Origin certificate should be issued for all imported items.
- 1.32.5 The GCC and the SCC shall specify the mode of transport i.e., whether by air/ ocean/ road/ rail.
- 1.32.6 There is no provision to purchase optional items. The specifications embodied in the tender documents would be the basis of evaluating the responsiveness of bids received.
- 1.32.7 The Purchaser shall compare all substantially responsive bids to determine the lowest valuated bid, in accordance with ITB Clause 1.32.

1.33 Contacting the Purchaser

- 1.33.1 Subject to ITB Clause 1.25, no Bidder shall contact the Purchaser on any matter relating to its bid, from the time of the bid opening to the time the Contract is awarded.
- 1.33.2 Any effort by a Bidder to influence the Purchaser in its decisions on bid evaluation, bid comparison or contract award may result in rejection of the Bidder's bid.

1.34 Post qualification

- 1.34.1 In the absence of pre-qualification, the Purchaser will determine to its satisfaction whether the Bidder that is selected as having submitted the lowest evaluated responsive bid is qualified to perform the contract satisfactorily, in accordance with the criteria listed in ITB Clause 1.14.
- 1.34.2 The determination will take into account the eligibility criteria listed in the bidding documents and will be based upon an examination of the documentary evidence of the Bidder's qualifications submitted by the Bidder, as well as such other information as the Purchaser deems necessary and appropriate.
- 1.34.3 An affirmative determination will be a prerequisite for award of the contract to the Bidder. A negative determination will result in rejection of the Bidder's bid.

F. AWARD OF CONTRACT

1.35 Negotiations

1.35.1 Normally, there shall not be any negotiation. Negotiations, if at all, shall be an exception and only in the case of items with limited source of supply. Negotiations shall be held with the lowest evaluated responsive bidder. Counter offers tantamount to negotiations and shall be treated at par with negotiations in the case of one-time purchases.

1.36 Award Criteria

1.36.1 Subject to ITB Clause 1.39, the Purchaser will award the contract to the successful Bidder whose bid has been determined to be substantially responsive and has been determined to be the lowest evaluated bid, provided further that the Bidder is determined to be qualified to perform the contract satisfactorily. The details of the award would be hosted on the website of the Purchaser.

1.37 Purchaser's right to vary Quantities at Time of Award

1.37.1 The Purchaser reserves the right at the time of Contract award to increase or decrease the quantity of goods and services originally specified in the Schedule of Requirements to the extent of 25% without any change in unit price or other terms and conditions.

1.38 Option Clause

1.38.1 The Purchaser reserves the right to increase or decrease the quantity of the required goods up to 25% (Twenty-Five) per cent at any time, till final delivery date (or the extended delivery date of the contract), by giving reasonable notice even though the quantity ordered initially has been supplied in full before the last date of the delivery period (or the extended delivery period)

1.39 Purchaser's right to accept Any Bid and to reject any or All Bids

1.39.1 The Purchaser reserves the right to accept or reject any bid, and to annul the bidding process and reject all bids at any time prior to award of Contract, without thereby incurring any liability to the affected Bidder or Bidders.

1.40 Notification of Award

- 1.40.1 Prior to the expiration of the period of bid validity, the Purchaser will notify the successful bidder in writing by registered letter or by cable or telex or fax or e mail that the bid has been accepted and a separate purchase order shall follow through post.
- 1.40.2 Until a formal contract is prepared and executed, the notification of award should constitute a binding contract.
- 1.40.3 Upon the successful Bidder's furnishing of the signed Contract Form and performance security pursuant to ITB Clause 1.43, the Purchaser will discharge its bid security.

1.41 Signing of Contract

- 1.41.1 On receipt of P.O it will be the responsibility of successful bidder to print the draft provided by the purchaser on a Rs. 100/- stamp paper and submit to the purchaser.
- 1.41.2 A Copy of the contract will be provided to the successful bidder.

1.42 Order Acceptance

- 1.42.1 The successful bidder should submit Order acceptance within 14 days from the date of issue of order/ signing of contract, failing which it shall be presumed that the vendor is not interested and his bid security is liable to be forfeited pursuant to clause 1.16.10 of ITB.
- 1.42.2 The order confirmation must be received within 14 days. However, the Purchaser has the powers to extend the time frame for submission of order confirmation beyond the original date. Even after extension of time, if the order confirmation is not received, the contract is liable to be cancelled provided that the purchaser, on being satisfied that it is not a case of cartelization and the integrity of the procurement process has been maintained, may, for cogent reasons, offer the next successful bidder an opportunity to match the financial bid of the first successful bidder, and if the offer is accepted, award the contract to the next successful bidder at the price bid of the first successful bidder.

1.43 Performance Security

- 1.43.1 Within 21 days of receipt of the notification of award/ PO, the Supplier shall furnish performance security (PS) in the amount specified in SCC, valid till 60 days after the warranty period.
- 1.43.2 The proceeds of the performance security shall be payable to the Purchaser as compensation for any loss resulting from the Supplier's failure to complete its obligations under the Contract.
- 1.43.3 The Performance Security shall be denominated in Indian Rupees.
- 1.43.4 PS may be submitted by either the manufacturer or their authorized dealer/ bidder.
- 1.43.5 The Performance security shall be in one of the following forms:

- a. A Bank guarantee in INR issued by a Nationalized/ Scheduled bank located in India in the form provided in the bidding documents. Or,
- b. A Banker's cheque or Account Payee demand draft in INR in favour of the purchaser. Or,
- c. A Fixed Deposit Receipt pledged in favour of the Purchaser.
- 1.43.6 The performance security will be discharged by the Purchaser and returned to the Supplier not later than 60 days following the date of completion of the Supplier's performance obligations, including any warranty obligations, unless specified otherwise in SCC, without levy of any interest.
- 1.43.7 In the event of any contract amendment, the supplier shall, within 21 days of receipt of such amendment, furnish the amendment to the performance security, rendering the same valid for the duration of the contract, as amended for further period of 60 days thereafter.
- 1.43.8 The performance security must be received within 21 days. However, the Purchaser has the powers to extend the time frame for submission of Performance Security (PS). Even after extension of time, if the PS is not received, the contract is liable to be cancelled provided that the purchaser, on being satisfied that it is not a case of cartelization and the integrity of the procurement process has been maintained, may, for cogent reasons, offer the next successful bidder an opportunity to match the financial bid of the first successful bidder, and if the offer is accepted, award the contract to the next successful bidder at the price bid of the first successful bidder.
- 1.43.9 Whenever, the bidder chooses to submit the Performance Security in the form of Bank Guarantee, then he should advise the banker issuing the Bank Guarantee to immediately send by Registered Post (A.D.) an unstamped duplicate copy of the Guarantee directly to the Purchaser with a covering letter to compare with the original BG for the correctness, genuineness, etc.

1.44 Pre-Bid Conference (PBC)

1.44.1 A Pre-bid Conference shall be held as indicated in invitation to bid, if any. All prospective bidders are requested to kindly attend the Pre-bid Conference. In order to facilitate the purchaser, the proper conduct of the Pre-bid Conference, all prospective bidders are requested to kindly submit their queries (with envelope bearing Tender No. and Date on top and marked "Queries for Pre-bid Conference") so as to reach the purchaser as indicated in invitation to bid. The purchaser shall answer the queries during the pre-bid conference, which would become a part of the proceedings of the Pre-bid Conference. The proceeding of the Pre-Bid Conference would be hosted on the website of the purchaser. Before formulating and submitting their bids, all prospective bidders are advised to surf through the purchaser's website after the Pre-bid Conference, in order to enable them take cognizance of the revised tender conditions.

CSIR-CIMFR will not be bound to accept all/ any of the suggestions of the prospective bidders. CSIR-CIMFR reserves the right to finalize its technical specifications and eligibility criteria after the Pre-Bid Conference as per suggestions of the participants of the PBC.

1.45 Integrity Pact

- 1.45.1 Integrity Pact binds both buyers and sellers to ethical conduct and transparency in all activities from preselection of bidders, bidding and contracting, implementation, completion and operation related to the contract.
- 1.45.2 The Integrity pact essentially envisages an agreement between the prospective vendors/ bidders and the buyer, committing the persons/ officials of both sides, not to resort to any corrupt practices in any aspect/ stage of the contract. Only those vendors/ bidders, who commit themselves to such a Pact with the buyer, would be considered competent to participate in the bidding process. In other words, entering into this Pact would be a preliminary qualification. The essential ingredients of the Pact include:
 - i) Promise on the part of the Purchaser to treat all bidders with equity and reason and not to seek or accept any benefit, which is not legally available;
 - ii) Promise on the part of bidders not to offer any benefit to the employees of the Purchaser not available legally and also not to commit any offence under Prevention of Corruption Act, 1988 or Indian Penal Code 1860;
 - Promise on the part of bidders not to enter into any undisclosed agreement or understanding with other bidders with respect to prices, specifications, certifications, subsidiary contracts; etc.

- iv) Undertaking (as part of Fall Clause) by the bidders that they have not and will not sell the same material/equipment at prices lower than the bid price;
- iv) Foreign bidders to disclose the name and address of agents and representatives in India and Indian Bidders to disclose their foreign principals or associates;
- v) Bidders to disclose the payments to be made by them to agents/ brokers or any other intermediary;
- vi) Bidders to disclose any past transgressions committed over the specified period with any other company in India or Abroad that may impinge on the anti-corruption principle;
- vii) Integrity Pact lays down the punitive actions for any violation.
- 1.45.3 Each page of such Integrity pact proforma would be duly signed by Purchaser's competent signatory. All pages of the Integrity Pact are to be submitted by the bidder (along with the technical bid) duly signed by the same signatory who signed the bid, i.e., who is duly authorized to sign the bid and to make binding commitments on behalf of his company. Any bid not accompanied by Integrity Pact duly signed by the bidder shall be considered to be a non-responsive bid and shall be rejected straightway. Such Integrity Pact should be scanned and uploaded with Technical bid.

Any bid not accompanied by Integrity Pact duly signed by the bidder shall be considered to be a non-responsive bid and shall be rejected straightway. Bidder is requested to submit duly signed Integrity Pact on e-tenders as well as in hard copy on Rs. 100 non-Judicial stamp paper, must be delivered on or before One week of the last date of bid submission at the Office of Controller of Stores and Purchase, CSIR-CIMFR, Barwa Road, Dhanbad - 826001.

- 1.45.4 The SCC shall specify whether there is a need to enter into a separate Integrity pact or not.
- 1.45.5 The Integrity Pact would be effective from the date of invitation of bids till complete execution of the contract.
- 1.45.6 The names and contact details of the Independent External Monitors (IEM) on the event of the need of IP is as detailed in the SCC.
- 1.45.7 The modal format of IP is at Chapter-7.

1.46 Restrictions on procurement from a bidder of a country which shares a land border with India [As per Dept. of Expenditure, MoF Order No. 6/18/2019-PPD Dated 23rd July, 2020].

1.46.1 Requirement of registration

Any bidder from a country which shares a land border with India will be eligible to bid in any procurement whether of goods, services (including consultancy services and non- consultancy services) or works (including turnkey projects) only if the bidder is registered with Department for Promotion of Industry and Internal Trade (DPIIT).

1.46.2 **Definitions**

- (1) "Bidder" for the purpose of this order (including the term 'tenderer', 'consultant', 'vendor' or 'service provider' in certain contexts) means any person or firm or company, including any member of a consortium or joint venture (that is, an association of several persons, or firms or companies),
- (2) "Tender" for the purpose of this Order will include other forms of procurement except where the context requires otherwise.
- (3) "Bidder from a country which shares a land border with India" for the purpose of this Order means.
- a) An entity incorporated, established or registered in such a country; or
- b) A subsidiary of and entity incorporated, established or registered in such a country; or
- c) An entity substantially controlled through entities incorporated, established or registered in such a country: or
- d) An entity whose beneficial owner is situated in such a country: or
- e) An Indian (or other) agent of such an entity: or
- f) A natural person who is a citizen of such a county: or
- g) A consortium or joint venture where any member of the consortium or joint venture falls under any other above
- **(4) "Beneficial owner"** for the purpose of paragraph 8 above will be as under:

(i) In case of a company or Limited Liability Partnership, the beneficial owner is the natural person(s), who, whether acting alone or together, or through one or more juridical person(s), has a controlling ownership interest or who exercises control through other means.

Explanation-

- a. "Controlling ownership interest" means ownership of, or entitlement to, more than twenty-five per cent of shares or capital or profits of the company;
- b. "Control" shall include the right to appoint the majority of the directors or to control the management rights or shareholders agreements or voting agreements;
- (ii) In case of a partnership firm, the beneficial owner os the natural person(s) who, whether acting alone or together, or through one or more juridical person, has ownership of entitlement to more than fifteen percent of capital or profits of the partnership;
- (iii) In case of an unincorporated association or body of individuals, the beneficial owner is the natural person(s), who, whether acting alone or together, or through one or more juridical person, has ownership of or entitlement to more than fifteen percent of the property or capital or profits of such association or body of individuals:
- (iv) Where no natural person is identified under (i) or (II) or (iii) above, the beneficial owner is the relevant natural person who holds the position of senior managing official:
- (v) In case of a trust, the identification of beneficial owner(s) shall include identification of the author of the trust, the trustee, the beneficiaries with fifteen percent or more interest in the trust and any other natural person exercising ultimate effective control over the trust through a chain of control or ownership.
- (5) "Agent" for the purpose of this Order is a person employed to do any act for another, or to represent another in dealings with third persons.
- 1.46.3 A certificate would be submitted by the bidders regarding their compliance with this order. If such certificate given by a bidder whose bid is accepted is found to be false, this would be a ground for immediate termination and further legal action in accordance with law.

1.47 OEM and the Agent:

Complete specification with manufacturer's name and address should be given while quoting. Supporting scanned copies of Literature/ Pamphlets etc. should also be submitted. In cases of agents quoting on behalf of their manufacturers, one agent cannot represent two manufacturers or quote on their behalf in a particular tender enquiry.

One manufacturer can authorize only one agent/ dealer. There can be only one bid from the following:

- i. The OEM directly or through one agent on his behalf;
- or
- ii. One Agent on behalf of only one OEM.

1.48. Debarment of Firms from Bidding:

A bidder or any of its successors may be debarred from participating in any procurement process of Laboratories/ Institutes/ Hqrs./ Units of Hqrs for any actions or omissions by the bidder as violation of code of integrity, which in the opinion of the Laboratories/ Institutes/ Hqrs./ Units of Hqrs., warrants debarment, for the reasons like supply of sub-standard material, non-supply of material, abandonment of works, sub-standard quality of works, failure to abide by the "Bid Securing Declaration" etc. as per the prevailing CSIR Guidelines on debarment of firms from bidding.

1.49 Terms of Reference of the Consultant

- (1) CSIR-CIMFR has appointed a consultant for the extant procurement. The name and address of the consultant is as follows:
 - M/S M N Dastur & Company (P) Ltd., Kolkata.
- (2) The Consultant will support and validate the design of 250Kg/day Syngas to Methanol Pilot Plant.
- (3) The Consultant will support in evaluation of technical bids received in response to this tender.
- (4) The Consultant will support during installation and commissioning of the plant.

Chapter-2

GENERAL CONDITIONS OF CONTRACT (GCC)

2.1 <u>Definitions</u>

- 2.1.1 The following words and expressions shall have the meanings hereby assigned to them:
 - (a) "Contract" means the Contract Agreement entered into between the Purchaser and the Supplier, together with the Contract Documents referred to therein, including all attachments, appendices, and all documents incorporated by reference therein.
 - (b) "Contract Documents" means the documents listed in the Contract Agreement, including any amendments thereto.
 - (c) "Contract Price" means the price payable to the Supplier as specified in the Contract Agreement, subject to such additions and adjustments thereto or deductions there from, as may be made pursuant to the Contract.
 - (d) "Day" means calendar day.
 - (e) "Completion" means the fulfillment of the Goods and related Services by the Supplier in accordance with the terms and conditions set forth in the Contract.
 - (f) "GCC" means the General Conditions of Contract.
 - (g) "Goods" means all of the commodities, raw material, machinery and equipment, and/or other materials that the Supplier is required to supply to the Purchaser under the Contract.
 - (h) "Related Services" means the services incidental to the supply of the goods, such as transportation, insurance, installation, training and initial maintenance and other such obligations of the Supplier under the Contract.
 - (i) "SCC" means the Special Conditions of Contract.
 - (j) "Subcontractor" means any natural person, private or government entity, or a combination of the above, to whom any part of the Goods to be supplied or execution of any part of the Related Services is subcontracted by the Supplier.
 - (k) Supplier" means the natural person, private or government entity, or a combination of the above, whose bid to perform the Contract has been accepted by the Purchaser and is named as such in the Contract Agreement.
 - (1) The "Council" means the Council of Scientific & Industrial Research (CSIR), registered under the Societies Registration Act, 1860 of the Govt. of India having its registered office at 2, Rafi Marg, New Delhi-110001, India.
 - (m) The "Purchaser" means any of the constituent Laboratory/ Institute of the Council situated at any designated place in India as specified in SCC.
 - (n) "The final destination," where applicable, means the place named in the SCC.

2.2 Contract Document

2.2.1 Subject to the order of precedence set forth in the Contract Agreement, all documents forming the Contract (and all parts thereof) are intended to be correlative, complementary, and mutually explanatory. The Contract Agreement shall be read as a whole.

2.3 Code of Integrity

- **2.3.1** Without prejudice to and in addition to the rights of the Purchaser to other penal provisions as per the bid documents or contract, if the Purchaser comes to a conclusion that a (prospective) bidder/ supplier, directly or through an agent, has violated this code of integrity in competing for the contract or in executing a contract, the Purchaser may take appropriate measures including one or more of the following:
 - a) Cancellation of the relevant contract and recovery of compensation for loss incurred by the purchaser;
 - b) Forfeiture or encashment of any other security or bond relating to the procurement;
 - c) Recovery of payments including advance payments, if any, made by the Purchaser along with interest

thereon at the prevailing rate.

- d) Provisions in addition to above:
 - 1) Removal from the list of registered suppliers and banning/debarment of the bidder from participation in future procurements of the purchaser for a period not less than one year;
 - 2) In case of anti-competitive practices, information for further processing may be filed under a signature of the Joint Secretary level officer, with the Competition Commission of India;
 - 3) Initiation of suitable disciplinary or criminal proceedings against any individual or staff found responsible.

2.4 Joint Venture, Consortium or Association

2.4.1 If the Supplier is a joint venture, consortium, or association, all of the parties shall be jointly and severally liable to the Purchaser for the fulfilment of the provisions of the Contract and shall designate one party to act as a leader with authority to bind the joint venture, consortium, or association. The composition or the constitution of the joint venture, consortium, or association shall not be altered without the prior consent of the Purchaser.

2.5 Scope of Supply

- 2.5.1 The Goods and Related Services to be supplied shall be as specified in Chapter 4 i.e., Specifications and allied technical details.
- 2.5.1 Loading & Unloading will be in the scope of supplier in addition to the requirement indicated in chapter 4 of the NIT.

2.6 Suppliers' Responsibilities

2.6.1 The Supplier shall supply all the Goods and Related Services included in the Scope of Supply in accordance with Scope of Supply Clause of the GCC, and the Delivery and Completion Schedule, as per GCC Clause relating to delivery and document.

2.7 Contract price

2.7.1 Prices charged by the Supplier for the Goods supplied and the Related Services performed under the Contract shall not vary from the prices quoted by the Supplier in its bid.

2.8 Copy Right

2.8.1 The copyright in all drawings, documents, and other materials containing data and information furnished to the Purchaser by the Supplier herein shall remain vested in the Supplier, or, if they are furnished to the Purchaser directly or through the Supplier by any third party, including suppliers of materials, the copyright in such materials shall remain vested in such third party.

2.9 Application

2.9.1 These General Conditions shall apply to the extent that they are not superseded by provisions in other parts of the Contract.

2.10 Standards

2.10.1 The Goods supplied and services rendered under this Contract shall conform to the standards mentioned in the Technical Specifications, and, when no applicable standard is mentioned, to the authoritative standard appropriate to the Goods' country of origin and such standards shall be the latest issued by the concerned institution.

2.11 Use of Contract Documents and Information

2.11.1 The Supplier shall not, without the Purchaser's prior written consent, disclose the Contract, or any provision thereof, or any specification, plan, drawing, pattern, sample or information furnished by or on behalf of the Purchaser in

- connection therewith, to any person other than a person employed by the Supplier in performance of the Contract. Disclosure to any such employed person shall be made in confidence and shall extend only so far, as may be necessary for purposes of such performance.
- 2.11.2 The Supplier shall not, without the Purchaser's prior written consent, make use of any document or information enumerated above except for purposes of performing the Contract.
- 2.11.3 Any document, other than the Contract itself, enumerated above shall remain the property of the Purchaser and shall be returned (in all copies) to the Purchaser on completion of the Supplier's performance under the Contract if so, required by the Purchaser.

2.12 Patent Indemnity

- 2.12.1 The Supplier shall, subject to the Purchaser's compliance with GCC Sub-Clause 2.12.2 Indemnify and hold harmless the Purchaser and its employees and officers from and against any and all suits, actions or administrative proceedings, claims, demands, losses, damages, costs, and expenses of any nature, including attorney's fees and expenses, which the Purchaser may suffer as a result of any infringement or alleged infringement of any patent, utility model, registered design, trademark, copyright, or other intellectual property right registered or otherwise existing at the date of the Contract by reason of:
 - (a) the installation of the Goods by the Supplier or the use of the Goods in India; and
 - (b) the sale in any country of the products produced by the Goods.
- 2.12.2 If any proceedings are brought or any claim is made against the Purchaser, the Purchaser shall promptly give the Supplier a notice thereof, and the Supplier may at its own expense and in the Purchaser's name conduct such proceedings or claim and any negotiations for the settlement of any such proceedings or claim.

2.13 Performance Security

- 2.13.1 Within 21 days of receipt of the notification of award/ PO, the Supplier shall furnish performance security in the amount specified in SCC, valid till 60 days after the warranty period.
- 2.13.2 The proceeds of the performance security shall be payable to the Purchaser as compensation for any loss resulting from the Supplier's failure to complete its obligations under the Contract.
- 2.13.3 The Performance Security shall be denominated in Indian Rupees for the offers received for supplies within India and denominated in the currency of the contract in the case of offers received for supply from foreign countries or in equivalent Indian Rupees in case the Performance Security is submitted by the Indian Agent.
- 2.13.4 In the case of imports, the PS may be submitted either by the principal or by the Indian agent and, in the case of purchases from indigenous sources, the PS may be submitted by either the manufacturer or their authorized dealer/bidder.
- 2.13.5 The Performance security shall be in one of the following forms:
 - (a) A Bank guarantee or stand-by Letter of Credit issued by a Nationalized/ Scheduled bank located in India or a bank located abroad in the form provided in the bidding documents. A bank Guarantee issued by a foreign bank must also be confirmed by a Nationalized/ Scheduled bank located in India.

Or

(b) A Banker's cheque or Account Payee demand draft in favour of the purchaser.

Oı

- (c) A Fixed Deposit Receipt pledged in favour of the Purchaser.
- 2.13.6 The performance security will be discharged by the Purchaser and returned to the Supplier not later than 60 days following the date of completion of the Supplier's performance obligations, including any warranty obligations, unless specified otherwise in SCC, without levy of any interest.
- 2.13.7 In the event of any contract amendment, the supplier shall, within 21 days of receipt of such amendment, furnish the amendment to the performance security, rendering the same valid for the duration of the contract, as amended for further period of 60 days thereafter.
- 2.13.8 The order confirmation must be received within 14 days. However, the Purchaser has the powers to extend the time frame for submission of order confirmation and submission of Performance Security (PS). Even after extension of time, if the order confirmation /PS are not received, the contract shall be cancelled provided that the purchaser, on being satisfied that it is not a case of cartelization and the integrity of the procurement process has been maintained, may, for cogent reasons, offer the next successful bidder an opportunity to match the financial bid of the first successful bidder, and if the offer is accepted, award the contract to the next successful bidder at the price bid of the

first successful bidder.

2.13.9 Whenever, the bidder chooses to submit the Performance Security in the form of Bank Guarantee, then he should advise the banker issuing the Bank Guarantee to immediately send by Registered Post (A.D.) an unstamped duplicate copy of the Guarantee directly to the Purchaser with a covering letter to compare with the original BG for the correctness, genuineness, etc.

2.14 Inspections and Tests

2.14.1 The inspections & test, training required would be as detailed in Chapter-4 of the Bidding Document relating to Specification and Allied Technical details.

2.15 Packing

- 2.15.1 The Supplier shall provide such packing of the Goods as is required to prevent their damage or deterioration during transit to their final destination as indicated in the Contract. The packing shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit and open storage. Packing case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.
- 2.15.2 The packing, marking and documentation within and outside the packages shall comply strictly with such special requirements as shall be provided for in the Contract including additional requirements, if any, specified in SCC and in any subsequent instructions ordered by the Purchaser.

2.16 Delivery and Documents

- 2.16.1 Delivery of the Goods and completion and related services shall be made by the supplier in accordance with the terms specified by the Purchaser in the contract. The details of shipping and/ or other documents to be furnished by the supplier are specified in SCC.
- 2.16.2 The mode of transportation shall be as specified in SCC. In case the purchaser elects to have the transportation done through Air, then air lifting needs to be done through Air India only. In case Air India does not operate in the Airport of dispatch, then the bidder is free to engage the services of any other Airlines.

2.17 Insurance

2.17.1 With a view to ensure that claims on insurance companies, if any, are lodged in time, the bidders and /or the Indian agent shall be responsible for follow up with their principals for ascertaining the dispatch details and informing the same to the Purchaser and he shall also liaise with the Purchaser to ascertain the arrival of the consignment after clearance so that immediately thereafter in his presence the consignment could be opened and the insurance claim be lodged by the Indian Agent/bidder, if required, without any loss of time. Any delay on the part of the bidder/Indian Agent would be viewed seriously and he shall be directly responsible for any loss sustained by the purchaser on the event of the delay.

2.18 Transportation

- 2.18.1 In the case of supplies from within India, where the Supplier is required under the Contract to transport the Goods to a specified destination in India, defined as the Final Destination, transport to such destination, including insurance and storage, as specified in the Contract, shall be arranged by the Supplier, and the related costs shall be included in the Contract Price.
- 2.18.2 E- way bill will be the responsibility of the supplier.

2.19 <u>Incidental Services</u>

2.19.1 The supplier may be required to provide any or all of the services, including training, if any, specified in chapter 4.

2.20 Spare Parts

- 2.20.1 The Supplier shall be required to provide any or all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:
 - (a) Such spare parts as the Purchaser may elect to purchase from the Supplier, providing that this election shall not relieve the Supplier of any warranty obligations under the Contract; and
 - (b) In the event of termination of production of the spare parts:
 - (i) Advance notification to the Purchaser of the pending termination, in sufficient time to permit the Purchaser to procure needed requirements; and
 - (ii) Following such termination, furnishing at no cost to the Purchaser, the blueprints, drawings and specifications of the spare parts, if requested.

2.21 Warranty

- 2.21.1 The Supplier warrants that all the Goods are new, unused, and of the most recent or current models, and that they incorporate all recent improvements in design and materials, unless provided otherwise in the Contract.
- 2.21.2 The Supplier further warrants that the Goods shall be free from defects arising from any act or omission of the Supplier or arising from design, materials, and workmanship, under normal use in the conditions prevailing in India.
- 2.21.3 Unless otherwise specified in the SCC, the warranty shall remain valid for Twelve (12) months after the Goods, or any portion thereof as the case may be, have been delivered to and accepted at the final destination, Installed & Commissioned as indicated in the SCC, or for Eighteen (18) months after the date of shipment from the port or place of loading in the country of origin, whichever period concludes earlier.
- 2.21.4 The Purchaser shall give notice to the Supplier stating the nature of any such defects together with all available evidence thereof, promptly following the discovery thereof. The Purchaser shall afford all reasonable opportunity for the Supplier to inspect such defects.
- 2.21.5 Upon receipt of such notice, the Supplier shall, within a reasonable period of time, expeditiously repair or replace the defective Goods or parts thereof, at no cost to the Purchaser.
- 2.21.6 If having been notified, the Supplier fails to remedy the defect within a reasonable period of time; the Purchaser may proceed to take within a reasonable period such remedial action as may be necessary, at the Supplier's risk and expense and without prejudice to any other rights which the Purchaser may have against the Supplier under the Contract.
- 2.21.7 Goods requiring warranty replacements must be replaced on free of cost basis to the purchaser.

2.22 Terms of Payment

- 2.22.1 The method and conditions of payment to be made to the Supplier under this Contract shall be as specified in the SCC.
- 2.22.2 The Supplier's request(s) for payment shall be made to the Purchaser in writing, accompanied by an invoice describing, as appropriate, the Goods delivered and the Services performed, and by documents, submitted pursuant to Delivery and document Clause of the GCC and upon fulfillment of other obligations stipulated in the contract.
- 2.22.3 Payments shall be made promptly by the Purchaser but in no case later than thirty (30) days after submission of the invoice or claim by the Supplier. While claiming the payment, the supplier should certify in the bill/ invoice that the payment being claimed strictly in terms of the contract and all obligations on the part of the supplier for claiming the payment have been fulfilled as required under the contract.
- 2.22.4 Payment shall be made in currency as indicated in the contract.

2.23 Change Orders and Contract Amendments

- 2.23.1 The Purchaser may at any time, by written order given to the Supplier pursuant to Clause on Notices of the GCC make changes within the general scope of the Contract in any one or more of the following:
 - (a) Increase or decrease in the quantity required, exercise of quantity option clause;
 - (b) Changes in schedule of deliveries and terms of delivery;
 - (c) The changes in inspection arrangements;
 - (d) Changes in terms of payments and statutory levies;
 - (e) Changes due to any other situation not anticipated;

- 2.23.2 No changes in the price quoted shall be permitted after the purchase order has been issued except on account of statutory variations.
- 2.23.3 No variation or modification in the terms of the contract shall be made except by written amendment signed by the parties.

2.24 Assignment

2.24.1 The Supplier shall not assign, in whole or in part, its obligations to perform under the Contract, except with the Purchaser's prior written consent.

2.25 Subcontracts

2.25.1 The Supplier shall notify the Purchaser in writing of all subcontracts awarded under this Contract if not already specified in the bid. Such notification, in the original bid or later, shall not relieve the Supplier from any liability or duties or obligation under the contract.

2.26 Extension of time

- 2.26.1 Delivery of the Goods and performance of the Services shall be made by the Supplier in accordance with the time schedule specified by the Purchaser.
- 2.26.2 If at any time during performance of the Contract, the Supplier or its sub-contractor(s) should encounter conditions impeding timely delivery of the Goods and performance of Services, the Supplier shall promptly notify the Purchaser in writing of the fact of the delay, its likely duration and its cause(s). As soon as practicable after receipt of the Supplier's notice, the Purchaser shall evaluate the situation and may, at its discretion, extend the Supplier's time for performance with or without liquidated damages, in which case the extension shall be ratified by the parties by amendment of the Contract.
- 2.26.3 Except as provided under the Force Majeure clause of the GCC, a delay by the Supplier in the performance of its delivery obligations shall render the Supplier liable to the imposition of liquidated damages pursuant to liquidated damages Clause of the GCC unless an extension of time is agreed upon pursuant to above clause without the application of penalty clause.

2.27 Liquidated Damages

2.27.1 Subject to GCC Clause on Force Majeure, if the Supplier fails to deliver any or all of the Goods or to perform the Services within the period(s) specified in the Contract, the Purchaser shall, without prejudice to its other remedies under the Contract, deduct from the Contract Price, as penalty, a sum equivalent to the percentage specified in SCC of the delivered price of the delayed Goods or unperformed Services or contract value in case the delivered price of the delayed goods or unperformed services cannot be ascertained from the contract, for each week or part thereof of delay until actual delivery or performance, up to a maximum deduction of the Percentage specified in SCC. Once the maximum is reached, the Purchaser may consider termination of the Contract pursuant to GCC Clause on Termination for Default.

2.28 <u>Termination for Default</u>

- 2.28.1 The Purchaser may, without prejudice to any other remedy for breach of contract, by written notice of default sent to the Supplier, terminate the Contract in whole or part
 - (a) If the Supplier fails to deliver any or all of the Goods within the period(s) specified in the contract, or within any extension thereof granted by the Purchaser pursuant to GCC Clause on Extension of Time; or
 - (b) If the Supplier fails to perform any other obligation(s) under the Contract.
 - (c) If the Supplier, in the judgment of the Purchaser has engaged in corrupt or fraudulent or collusive or coercive practices etc, as defined in GCC Clause and ITB clause on code of integrity in competing for or in executing the Contract.
- 2.28.2 In the event the purchaser terminates the contract in whole or in part, he may take recourse to any one or more of the following actions:
 - (a) The Performance Security is to be forfeited;

- (b) The purchaser may procure, upon such terms and in such manner as it deems appropriate, stores similar to those undelivered, and the supplier shall be liable for all available actions against it in terms of the contract.
- (c) However, the supplier shall continue to perform the contract to the extent not terminated.

2.29 <u>Force Majeure</u>

- 2.29.1 Notwithstanding the provisions of GCC Clauses relating to extension of time, Liquidated damages and Termination for Default the Supplier shall not be liable for forfeiture of its performance security, liquidated damages or termination for default, if and to the extent that, its delay in performance or other failure to perform its obligations under the Contract is the result of an event of Force Majeure.
- 2.29.2 For purposes of this Clause, "Force Majeure" means an event or situation beyond the control of the Supplier that is not foreseeable, is unavoidable, and its origin is not due to negligence or lack of care on the part of the Supplier. Such events may include, but not be limited to, acts of the Purchaser in its sovereign capacity, wars or revolutions, fires, floods, epidemics, quarantine restrictions, and freight embargoes.
- 2.29.3 If a Force Majeure situation arises, the Supplier shall promptly notify the Purchaser in writing of such conditions and the cause thereof within 21 days of its occurrence. Unless otherwise directed by the Purchaser in writing, the Supplier shall continue to perform its obligations under the Contract as far as is reasonably practical, and shall seek all reasonable alternative means for performance not prevented by the Force Majeure event.
- 2.29.4 If the performance in whole or in part or any obligations under the contract is prevented or delayed by any reason of Force Majeure for a period exceeding 60 days, either party may at its option terminate the contract without any financial repercussions on either side.

2.30 Termination for Insolvency

2.30.1 The Purchaser may at any time terminate the Contract by giving written notice to the Supplier, if the Supplier becomes bankrupt or otherwise insolvent. In this event, termination will be without compensation to the Supplier, provided that such termination will not prejudice or affect any right of action or remedy, which has accrued or will accrue thereafter to the Purchaser.

2.31 <u>Termination for Convenience</u>

- 2.31.1 The Purchaser, by written notice sent to the Supplier, may terminate the Contract, in whole or in part, at any time. The notice of termination shall specify that termination is for the Purchaser's convenience, the extent to which performance of the Supplier under the Contract is terminated, and the date upon which such termination becomes effective.
- 2.31.2 The Goods that are complete and ready for shipment within 30 days after the Supplier's receipt of notice of termination shall be accepted by the Purchaser at the Contract terms and prices. For the remaining Goods, the Purchaser may elect:
 - (a) To have any portion completed and delivered at the Contract terms and prices; and/ or
 - (b) To cancel the remainder and pay to the Supplier an agreed amount for partially completed Goods and for materials and parts previously procured by the Supplier.

2.32 Settlement of Disputes

- 2.32.1 The Purchaser and the supplier shall make every effort to resolve amicably by direct informal negotiation any disagreement or dispute arising between them under or in connection with the Contract.
- 2.32.2 If, after twenty-one (21) days, the parties have failed to resolve their dispute or difference by such mutual consultation, then either the Purchaser or the Supplier may give notice to the other party of its intention to commence arbitration, as hereinafter provided, as to the matter in dispute, and no arbitration in respect of this matter may be commenced unless such notice is given. Any dispute or difference in respect of which a notice of intention to commence arbitration has been given in accordance with this Clause shall be finally settled by arbitration. Arbitration may be commenced prior to or after delivery of the Goods under the Contract.
- 2.32.3 The dispute settlement mechanism/ arbitration proceedings shall be concluded as under:

- a.) (i) In the event of any question/ dispute/ difference arising under the agreement or in connection herewith (except as to matters the decision of which is specially provided under this agreement) the same shall be referred to the Delhi International Arbitration Centre for appointment of Arbitrator to adjudicate the dispute.
 - (ii) The award of the Arbitrator shall be final and binding on the parties. The Arbitrator may give interim award(s) and/ or directions, as may be required.
 - (iii) Subject to the aforesaid provision, the arbitration and conciliation act, 1996 and the rules made hereunder and any modification thereof from time to time being in force shall be deemed to apply to the Arbitration proceedings under this clause.
- b.) The venue of the arbitration shall be New Delhi.
- 2.32.4 The resultant contract will be interpreted under Indian Laws in case of Purchase from Indian suppliers and/ or United Nations Commission on International Trade Laws (UNCITRAL) in the case of foreign suppliers.
- 2.32.5 Notwithstanding, any reference to arbitration herein,
 - (a) The parties shall continue to perform their respective obligations under the Contract unless they otherwise agree; and
 - (b) the Purchaser shall pay the Supplier any monies due the Supplier.

2.33 Governing Language

2.33.1 The contract shall be written in English language which shall govern its interpretation. All correspondence and other documents pertaining to the Contract, which are exchanged by the parties, shall be written in the English language only.

2.34 Applicable Law

2.34.1 The Contract shall be interpreted in accordance with the laws of the Union of India and all disputes shall be subject to place of jurisdiction as specified in SCC.

2.35 Notices

- 2.35.1 Any notice given by one party to the other pursuant to this contract/order shall be sent to the other party in writing or by cable, telex, FAX, e-mail or and confirmed in writing to the other party's address specified in the SCC.
- 2.35.2 A notice shall be effective when delivered or on the notice's effective date, whichever is later.

2.36 <u>Taxes and Duties</u>

- 2.36.1 For goods manufactured outside India, the Supplier shall be entirely responsible for all taxes, stamp duties, license fees, and other such levies imposed outside India.
- 2.36.2 For goods Manufactured within India, the Supplier shall be entirely responsible for all taxes, duties, license fees, etc., incurred till its final manufacture/ production.
- 2.36.3 If any tax exemptions, reductions, allowances or privileges may be available to the Supplier in India, the Purchaser shall make its best efforts to enable the Supplier to benefit from any such tax savings to the maximum allowable extent.
- 2.36.4 All payments due under the contract shall be paid after deduction of statutory levies (at source) (like TDS etc.) wherever applicable.
- 2.36.5 The bid (Technical and/ or Price Bid) must clearly indicate which of the components of the equipments are imported item and which are indigenous. Custom Duty Exemption Certificate would be issued for the imported items.

2.37 Right to use Defective Goods

2.37.1 If after delivery, acceptance and installation and within the guarantee and warranty period, the operation or use of the goods proves to be unsatisfactory, the Purchaser shall have the right to continue to operate or use such goods

until rectifications of defects, errors or omissions by repair or by partial or complete replacement is made without interfering with the Purchaser's operation.

2.38 Protection against Damage

- 2.38.1 The system shall not be prone to damage during power failures and trip outs. The normal voltage and frequency conditions available at site as under:
 - (a) Voltage 230 volts Single phase/ 415 V 3 phase (+_ 10%)
 - (b) Frequency 50 Hz.

2.39 Site preparation and installation

2.39.1 Unless otherwise specified in the SCC or Chapter 4, The Supplier is solely responsible for the preparation of the equipment sites in compliance with the technical and environmental specifications defined by the Supplier and accepted by the purchaser. The Purchaser will designate the installation sites before the scheduled installation date to allow the Supplier to perform a site inspection to verify the appropriateness/ fitness of the sites before the installation of the Equipment, if required. The supplier shall carry out the site preparation, if any, needed for installation of the goods at the purchaser's site immediately after notification of award/contract.

2.40 Import and Export Licenses

- 2.40.1 If the ordered materials are covered under restricted category of EXIM policy in India the Vendor/ Agent may intimate such information for obtaining necessary, license in India.
- 2.40.2 If the ordered equipment is subject to Vendor procuring an export license from the designated government agency/country from where the goods are shipped/sold, the vendor has to mention the name, address of the government agency/authority. The vendor must also mention the time period within which the license will be granted in normal course.

2.41 Risk Purchase Clause

2.41.1 If the supplier fails to deliver the goods within the maximum delivery period specified in the contract or Purchase Order, the purchaser may procure, upon such terms and in such a manner as it deems appropriate, Goods or Services similar to those undelivered and the Supplier shall be liable to the purchaser for any excess costs incurred for such similar goods or services.

2.42 Option Clause

2.42.1 The Purchaser reserves the right to increase or decrease the quantity of the required goods up to 25% (Twenty-Five) per cent at any time, till final delivery date (or the extended delivery date of the contract), by giving reasonable notice even though the quantity ordered initially has been supplied in full before the last date of the delivery period (or the extended delivery period)

2.43 Integrity Pact

- 2.43.1 The SCC shall specify whether there is a need to enter into a separate Integrity pact or not. Any bid not accompanied by Integrity Pact duly signed by the bidder shall be considered to be a non-responsive bid and shall be rejected straightway.
- 2.43.2 The names and contact details of the Independent External Monitors (IEM) on the event of the need of IP is as detailed in the SCC.
- 2.43.3 Any bid not accompanied by Integrity Pact duly signed by the bidder shall be considered to be a non-responsive bid and shall be rejected straightway. Bidder is requested to submit duly signed Integrity Pact on e-tenders as well as in hard copy on Rs. 100 non-Judicial stamp paper, must be delivered on or before One week of the last date of bid submission at the Office of Controller of Stores and Purchase, CSIR-CIMFR, Barwa Road, Dhanbad 826001.

2.44 Order Acceptance

2.44.1	The successful bidder should submit Order acceptance within 14 days from the date of issue of order/signing of contract, failing which it shall be presumed that the vendor is not interested and his bid security is liable to be forfeited pursuant to clause 1.16.10 of ITB.

SPECIAL CONDITIONS OF CONTRACT

The following Special Conditions of Contract (SCC) shall supplement and/ or amend the General Conditions of Contract (GCC). Whenever there is a conflict, the provisions herein shall prevail over those in the GCC.

S. N.	GCC Clause Ref	Condition			
1.	GCC 2.1.1(m)	The Purchaser is: Director, CSIR-CIMFR, Barwa Road Campus, Dhanbac Jharkhand			
2.	GCC 2.1.1(n)	The Final Destination is: Transit Stores, CSIR-CIMFR, Digwadih Campus, Dhanbad.			
3.	GCC 2.13.1	The amount of the Performance Security shall be 10% of the contract value valid till two months beyond end of warranty period.			
4.	GCC 1.16	All the bidders have to submit Bid securing declaration. Bid Securing Declaration must be submitted by all the bidders irrespective of belonging to any Category (viz. MSME/Non-MSME, etc.).			
5.	GCC 2.15.2	 The marking and documentation within and outside the packages shall be: (a) Each package should have a packing list within it detailing the part No(s), description, quantity etc. (b) Outside each package, the contract No., name and address of the purchaser and the final destination should be indicated on all sides and top. (c) Each package should be marked as 1/x, 2/x, 3/xx/x, where "x" is the total No. of packages contained in the consignment. (d) All the sides and top of each package should carry an appropriate indication/ label/ sticker indicating the precautions to be taken while handling/ storage. 			
6.	GCC 2.16.1	Details of Shipping and other Documents to be furnished by the Supplier are: For goods manufactured within India Within 24 hours of dispatch, the supplier shall notify the purchaser the complete details of dispatch and also supply following documents by registered post/ speed post and copies thereof by FAX/ Email. (a) Two copies of Supplier's Invoice indicating, inter-alia description and specification of the goods, quantity, unit price, total value; (b) Packing list; (c) Insurance certificate, if required under the contract; (d) Railway receipt/ Consignment note; (e) Manufacturer's guarantee certificate and in-house inspection certificate; (f) Inspection certificate issued by purchaser's inspector, if any; and (g) Any other document(s) as and when required in terms of the contract. Note: 01. The nomenclature used for the item description in the invoices(s), packing list(s) and the delivery note(s) etc. should be identical to that used in the contract. The dispatch particulars including the name of the transporter should also be mentioned in the Invoice(s). 02. The above documents should be received by the Purchaser before arrival of the Goods and, if not received, the Supplier will be responsible for any consequent expenses. For goods manufactured abroad but quoted in INR Within 24 hours of dispatch, the supplier shall notify the purchaser the complete details of dispatch and also supply following documents by Registered Post/ Courier and copies thereof by FAX/ Email. (a) Two copies of supplier's Invoice giving full details of the goods including quantity, value, etc.; (b) Packing list; (c) Certificate of country of origin issued by supplier; (d) Manufacturer's guarantee and Inspection certificate; (e) Inspection certificate, if required under the contract; (g) Name of the Vessel/ Carrier; (h) Bill of Lading/ Airway Bill; (ii) Bill of entry (j) Any other document(s) as and when required in terms of the contract.			

	Г	
		Note:
		The nomenclature used for the item description in the Invoices (s), packing list(s) and the
		delivery note(s) etc. should be identical to that used in the contract. The dispatch particulars
		including the name of the transporter should also be mentioned in the Invoice(s).
7.	GCC 2.16.2	In case of supplies from within India, the mode of transportation shall be by Rail/Road.
8.	GCC 2.17.1	The Insurance needs to be done by the supplier.
9.	GCC 2.18	Loading and unloading will be the responsibility of the supplier.
9.		
10.	GCC 2.21.3	<u>Warranty</u> : The whole system including all supplied items (materials excluding
		consumables) and workmanship will be under comprehensive warranty for 02 (two) years
		including one-year standard warranty from final acceptance of the plant. If any part gets
		defective during the comprehensive warranty period, the same must be replaced free of
		cost.
11.	GCC 2.22.1	Payment Terms: Maximum of 30% of the order value as advance can be made to the
		firm on submission & confirmation of the equivalent amount of bank guarantee valid till
		two months beyond the final installation, testing and handing over of plant.
		Balance payment will be released after successful Installation, commissioning, onsite
		training of the integrated plant, handing over and acceptance of all the certificates,
		drawings, documents, manuals, etc. by the user scientists. Performance Bank Guaranty of
		10% of the order value needs to be submitted within twenty-one days after signing
		contract agreement, which will be valid for two months beyond standard warranty period.
12.	GCC 2.27.1	The penalty shall be 0.5% per week or part of a week towards late delivery and towards
		delay in installation and commissioning.
13.	GCC 2.27.1	The maximum amount of penalty shall be 10%.
14.	ITB 1.17.1	Bids shall remain valid for minimum of 180 days after the date of bid opening prescribed
		by the Purchaser.
15.	GCC 2.34.1	The place of jurisdiction is Dhanbad, Jharkhand, India.
16.	GCC 2.35.1	For notices, the Purchaser's address is
		Kind Attention:
		Controller of Stores and Purchase Location: CSIR-CIMFR, Barwa Road Campus, Dhanbad, Jharkhand
		Telephone: +91- 0326-2203156/ 2093/ 202774
		Electronic mail address: cospcimfr@cimfr.nic.in, spocimfr@cimfr.nic.in
17.	GCC 2.43.1	The integrity pact must be signed in the format attached. Any bid not accompanied by
		Integrity Pact duly signed by the bidder shall be considered to be a non-responsive bid and
		shall be rejected straightway. Bidder is requested to submit duly signed Integrity Pact on e-
		tenders as well as in hard copy on Rs. 100 non-Judicial stamp paper, must be delivered on or
		before One week of the last date of bid submission at the Office of Controller of Stores and
10	GCC 2.43.2	Purchase, CSIR-CIMFR, Barwa Road, Dhanbad - 826001. IEM name and details-
18.	GCC 2.43.2	• Dr. Rajan S. Katoch, IAS (Retired), A-91, Alkapuri, Bhopal, MP. PIN- 462022.
		Email: rkatoch@nic.in
		• Shri Prabhakaran Palaniappan, IAS (Retired), New No.9 (Old No. 4B/14),
		Venkateswara Nagar, 3 rd Street, Adyar, Chennai (TN) - 600020.
		Email: pprabhkaranias@gmail.com
19.		Price Bid Evaluation- The LQ1 firm will be selected based on the total system price
		including all incidental charges quoted and comprehensive warranty for 02 (two) years
		including one-year standard warranty.

CHAPTER 3

(To be filled by the bidder as appropriate and enclosed with the Technical Bid) <u>SCHEDULE OF REQUIREMENT</u>

S1.	Brief	Quantity	Physical Unit	Final destination/	Delivery	Time frame required for conducting
	Description of Goods & Services				(to be filled by the	installation, commissioning of the eqpt., acceptance test, etc. after the arrival of consignment (to be filled by the bidder)
1.						

Т	erm of	delivery: FOR/	DDP*, CS	SIR- CIMFR				
P	Period of delivery shall count from: Date of issue of Purchase Order							
Scope of Supply: As per Chapter 4								
Training requirement: As per Chapter 4								
D	ate:							
P	lace:							Signature of the Bidder


Notes for Bidders:

(1) The delivery schedule shall clearly indicate the time period within which the successful bidder must deliver the consignment in full from the date of contract or from the date of advance payment etc. It should also indicate separately the time period desired for installation and commissioning of the equipment after arrival of the consignment at the premises of the Purchaser.

Chapter 4

1. (A) Specifications and allied technical details Form

ANNEXURE- A



Technical Specifications for 250 Kg/day Syngas to methanol Pilot Plant

Syngas to methanol conversion Process involves the Development of Pilot Plant for study of catalytic conversion of Indian coal derived syngas to methanol at elevated pressure (35 – 70 Bar) and temperature (200 – 300°C). The syngas is utilized from existing facility of Oxy Blown Pressurized Fluidized Bed Gasifier after preliminary cleaning. The generated gas from gasifier (known as syngas, mixture of mainly CO and H₂) having composition H₂: 25-35%, CO: 25-35%, CO₂: 10-20%, CH₄: 3-6%, N₂: 5-15% and also contains impurities. The approximate composition of syngas after shift reaction process would be H₂: 35-50%, CO: 15-25%, CO₂: 20-35%, CH₄: 3-6%, N₂: 5-15% and after removal of CO₂ by amine scrubbing the composition would be H₂: 50-60%, CO: 25-35%, CO₂: 5-10%, CH₄: 3-6%, N₂: 5-20%. The syngas to methanol Pilot scale facility comprises following units:

- 1. Syngas buffer storage tank
- 2. Water gas shift reactor
- 3. Absorption and Striping unit for CO₂
- 4. Intermediate holding tank cum knock out drum
- 5. High pressure syngas compressor
- 6. Pre-heater
- 7. Guard bed for sulphur impurities
- 8. Multi-tubular Fixed Bed Reactor with suitable heat exchanger
- 9. Condenser
- 10. Methanol- Unconverted Syngas separator
- 11. Catch pot
- 12. Unconverted syngas Holding tank
- 13. Unconverted syngas recycle compressor
- 14. Unconverted syngas high pressure gas holding Tank
- 15. Thermic fluid heating system
- 16. Cooling tower
- 17. Steam generator
- 18. Flare stack
- 19. PLC- SCADA Control system for syngas to methanol plant
- 20. Online Gas Analyzer system

Process description including operational procedure:

Syngas generated from 1.5 TPD PFBG pilot plant will be cleaned and carried to the syngas storage tank. For methanol conversion from syngas, proportion of H₂ and CO is important and need to maintain at a particular ratio. Proportion of syngas will be preheated then passed through guard bed for sulphur removal and then it will enter in the High Temperature Shift (HTS) reactor. One bypass line will carry required amount of syngas from gas storage tank and will be mixed with the exit gas stream coming from the HTS for maintaining proper H₂/CO ratio. It will be passed through knockout drum for removal of moisture then the gas will enter into N-methyl di-ethanolamine (MDEA) /MEA absorption tower for removal of CO₂. Syngas will be pressurized up to 65 bar using syngas compressor and pressurized syngas will be stored in high pressure buffer tank (HPBT). Then gas will be preheated to desired temperature and will be passing through the catalytic guard bed reactor and multi tubular fixed bed methanol reactor. The generated methanol and unconverted syngas coming out the methanol reactor will be condensed and passed to gas liquid separator. The un-converted gas coming out of the gas-liquid separator will be compressed and stored to HPBT and it will be recycled back to methanol reactor and fed at the inlet of the pre-heater. Methanol will be collected from gas-liquid separator after releasing pressure.

Sr.	Item	Description
No.		
1.	Syngas	Syngas coming out from the exit of the 1.5 TPD oxy-blown gasifier need to
	accumulation	be carried to the syngas accumulator with 50 NB pipe. The pressure of raw
	system including	syngas coming out of the gasifier will be at near atmospheric pressure to 10
	receiver vessel,	bar depending on the gasifier condition. The outlet syngas pipeline coming
	trilobe gas booster	out of the gasifier will be connected to receiver vessel of 2m³ capacity and
	and buffer storage	before connecting to the receiver vessel, this outlet gas line will also be
	tank	connected to the flare stack, in case if any bypassing of gas is required. The
		outlet of the gas receiver tank will be connected to a syngas booster of tri
		lobe type of capacity around 50 Nm ³ /h which can boost the raw syngas to up
		to 1.5 bar pressure and convey this gas to the gas buffer storage tank in the
		downstream of it. Booster motor will run electrically and would be equipped
		with VFD so that it can adjust its working depending on the pressure of raw
		syngas coming out of the gasifier. Pressure sensor should be installed at the
		gas receiver tank so that it can send feedback signal to the booster if the gas
		pressure inside the receiver drops down to less than 100 mm water column.
		Necessary bypass arrangement for the booster should be considered. This
		bypass line will mostly come into action when outlet gas pressure from the
		gasifier will be more than 1.5 bar. In that case the raw syngas from receiver
		tank will be directly passed on to the buffer storage tank and no boosting will
		be required in this case. The syngas buffer storage tank should have a
		capacity of ~15 m ³ and operating pressure will be 2 bar to 10 bar depending
		on the condition of the raw syngas. This will be placed near the syngas to
		methanol pilot plant area. Approximate distance between existing 1.5 TPD
		PFBG plant to syngas accumulator will be 200 m. This buffer storage tank
		will be vertical pressure vessel of around 2 m internal diameter and 5 m
		height (cylindrical part). The buffer storage tank must be provided with all
		necessary safety arrangements like safety valve rupture disc to be connected
		to flare stack, local pressure and temperature gauge as well as pressure,
		temperature transmitter should be provided. There should be provision of
		syngas bypass line from buffer storage tank (before syngas compressor)
		which needs to be connected to syngas inlet line of the knock out drum
		placed after WGS cooler with rotameter and manual control valve. One

		MFM and control valve should be provided in syngas mainline having
		capacity of 0-50 Nm ³ /h suitable for handling syngas combinations (calibrated
		for H ₂ : CO: CO ₂ :N ₂ = 30:30:30:10).
		Suitable MOC should be selected as per the norms for storing of inflammable
		toxic gases (CO, H ₂). Pressure and temperature sensors as well as local
		gauges should be provided on buffer storage tank. All the mass flow meters
		and control valves should be provided with isolation as well as by pass
		valves.
		Make of syngas trilobe gas booster – SWAM, GDW, Aerzen, Usha
2.	Pre-heater	The syngas coming out from buffer storage tank will be fed in the shell and
		tube preheater (PH1) at room temperature and will be heated up to 250°C.
		The heating source of Preheater will be thermic fluid in liquid state and its
		Vapour pressure should be less than 0.8 bar at highest operating temperature.
3.	Guard bed reactor	1 set of guard bed reactor for chlorine and sulfur removal needs to
		incorporate to protect WGS catalyst from poisoning. Syngas coming out
		from Preheater through mass flow meter and controller should be preheated
		to desired temperature (150 - 200°C). It will be used to remove
		Chlorine/sulphur component from the gas stream up to less than 10 ppm
		level. It will be a cylindrical vessel loaded with catalyst. Safety precautions
		(e.g. pressure/temperature cut-off, safety relief valve, rupture disc, local
		temperature, pressure gauge, out-let of the safety relief valve to be connected
		to common vent header which will be connected to flare stack) for syngas
		handling should be ensured.
		Guard bed reactor capacity: ~20L packed bed column
4.	Mixer cum Super	The hot syngas will then further have mixed with steam in a mixer cum super
	Heater	heater to a temperature of 350 °C (PH2) and will be fed to HTS inlet. One
		Steam control valve of the range ~12 kg/h should be provided for feeding
		steam in HTS. The heating source of mixer cum super heater will be thermic
		fluid in liquid state. Vapour pressure should be less than 0.8 bar at highest
		operating temperature.
5.	Water gas shift	WGSR is to maximize the hydrogen composition to achieve the desired
	reactor- (WGSR)	H ₂ /CO (~2 or above) value for further downstream process. One WGSR will
		be required, known as HTS reactor. HTS reactor consists of a cylindrical

packed bed column with torispherical top end designed for 10 kg/cm². The reactor will be operated up to a temperature of 350°C. Commercial Shift Catalysts will be used for this purpose. Three temperature sensing points to be provided inside the reactor equidistant from each other to measure the catalyst bed temperature. The LD of the reactor is 0.15 m with reactor height of 3 m. Reactor shell of suitable thickness will need to be provided. The reactor is to be heated in a jacketed heating system (thermic fluid heated) and both inlet and outlet temperature for the bed to be monitored and controlled through PLC. Capacity of the Shift reactor assembly would be suitable for approximately 10 L catalyst loading. WGS reactor will be provided with a wire mesh support and supporting bed need to be considered as per standard practice at the top and bottom and the catalyst will be packed in between wire mesh supports. The reactor will be provided with adequate nozzles for pressure, differential pressure, and temperature measurements. Entire control/measurement and instrumentation for temperature at different levels of bed, reactor pressure, safety systems including safety valve and rupture disc, support structure and accessories needs to be provided.

The exit gas of the WGS will be cooled in a water cooled cooler to achieve a room temperature of~40 °C, and fed to a knock out drum (HTKD-1) before feeding it to the absorber-stripper sections. Level sensor and level transmitter with auto bottom drain valve should be provided for removal of moisture from knock out drum for maintaining desired liquid level so that syngas cannot escape from drain line.

Pressure, Temperature Indicators and sensor should be provided for preheater (PH1), super heater (SH), WGS reactor and cooler.

Gas sampling point at exit of WGS reactor needs to be provided (for analysis the gas composition) as well as there should be provision of cylindrically gas injection for reduction of catalyst before each experiment. Suitable arrangement should be made for removal and holding of both the dish end for easily loading and unloading of the catalyst.

WGS syngas handling capacity: ~35Nm3/h

Operating pressure: ~10kg/cm²

Temperature: 350°C

MOC: SS316/304 as per suitability

Reactor I.D. of 0.15m and total reactor height of 3 m

		Necessary certificates/test report as per standard practices
		The heating source of WGS will be thermic fluid in liquid state.
6.	Boiler	Feed to the shift reactor consists of syngas and steam. Steam will be
		generated in the steam generator. Diesel fired steam generator having steam
		generation capacity of ~ 100 kg/h at operating pressure ~ 12 kg/cm ² will be
		required. Feeding lines from the steam generator to WGSR inlet needs to be
		provided. Steam accumulator from OEM of boiler manufacturer along with
		necessary certification needs to be considered. Steam accumulator should be
		provided with float/ bucket type steam trap at the bottom, level indicator,
		pressure/temperature sensors and local gauges, safety valve, rupture disk,
		isolation valve at the outlet, moisture separator in the steam line between
		boiler and steam accumulator as well as steam traps (6 Nos) bucket/ puppet
		type in the line at suitable distance to ensure complete dry steam in reactor.
		Package type demineralized (DM) water generating plant should be
		provided along with boiler to supply necessary DM water required for
		steam generation.
		Flue gas generated will be discharged at a safe height by exhaust duct.
		Combustion air blower, boiler feed pump, diesel storage tank of
		adequate capacity, de aerator, pressure and flow control valves as well
		as necessary instruments need to be considered for smooth functioning
		of the boiler.
7	WCC Cooler	It is shall and tube heat anahangan (as alan) will be used to seel the suit as
7.	WGS Cooler	It is shell and tube heat exchanger (cooler) will be used to cool the exit gas
		stream coming out from the WGS reactor. The heat exchanger should be
		capable to reduce the temp. of gas stream from 350°C to room temp.
0	Tuda and a Rada	Cooling media: Water
8.	Intermediate	HTKD-1 of suitable capacity has to be provided for removal of moisture.
	Holding Tank cum	There should be provision of level transmitter as well as level indicator and
	Knockout Drum	certain liquid level should be maintained at the bottom of HTKD-1 to prevent
	(HTKD-1)	release of gas from that section. All international safety precautions (e.g.
		safety relief valve, rupture disc, local temperature, pressure gauge as well as
		transmitter, out-let of the safety relief valve to be connected to common
		header. Suitable MOC should be selected as per the norms for storing of
		inflammable toxic gases.
		Capacity: 100L

			Operating Pressure: 10 bar
9.	Absorber	and	After the shift reaction the syngas will be richer in CO ₂ and needs to be
	Stripping	Section	scrubbed. Standard scrubbing procedure may be followed for CO ₂ (target
	for carbon	dioxide	<5%) and H ₂ S (target in ppm level) removal. During plant operation, the
	removal		syngas from the knock out drum will be fed to bottom of the absorber
			column. Also there should be provision of bypass line with isolation valve to
			bypass the absorption column in case of CO ₂ concentration of the syngas
			remains within acceptable limit.
			The flow rate of the gas entering the absorber will be measured with a flow
			meter. Mass flow meter should be provided having capacity of 0-50 Nm ³ /h
			suitable for handling rich and lean syngas combinations (calibrated forH ₂ :
			CO: CO ₂ : N ₂ = 45:15:35:5.
			The absorber column is a cylindrical vessel with an ID of 0.2 m and a total
			height of 4.5m (excluding the height of the liquid hold up section). The
			necessary height of the liquid hold up section (~0.5-1m) may be
			incorporated. The absorber column will be filled with random packings. The
			maximum height of the packing zone will be 4 m. There should be provision
			of level transmitter as well as level indicator and certain liquid level should
			be maintained at the bottom of absorber column to prevent release of gas
			from that section. Solvent will be fed to the top of the absorber column and
			will be in contact with the "sour" syngas in a counter current mode. Mass
			flow meter and solvent pump having flow measurement range up to 1000-
			4000 LPH and discharge pressure of 10-12 bar should be installed in solvent
			feed line. Flow control valve and recirculation line with valve need to be
			installed at the outlet of the solvent pump to keep desired solvent flow rate
			inside the absorber column. The CO ₂ rich solvent will exit the bottom of the
			absorber column and pressure will be released in flash drum, where small
			percentage of acidic gases will remove from the liquid stream. The flash
			drum will be a cylindrical vessel and capacity will be approximately 100L.
			The syngas exits from the top of the absorber column and is sent to a knock
			out drum placed after absorber stripper section. The absorber column will be
			designed for an operating pressure up to 10 kg/cm ² .
			Temperature sensors need to be provided in the absorber column, for
			measuring the liquid temperature inside the column. The gases coming out
			from the top of flash drum is vented out.

Then the amine rich solvent from the bottom of the flash drum will be fed to the feed point of the stripper section maintaining required temperature and with controlled flow rate.

Solvent pump having flow measurement range upto 1000-4000 LPH and operating pressure 5 bar should be installed for feeding the CO_2 rich amine solvent to the stripping column after heating the liquid stream upto 100° C in a shell and tube heat exchanger.

The stripper is a cylindrical vessel with an ID of 0.2 m and a total height of 5 m. The stripping column will be filled with random packings, with a maximum packing height of 4 m. The bottom of the stripping column will be provided with a reboiler to strip the absorbed gas from the solvent. The approximate temperature of the liquid in the reboiler section at the bottom of the stripping column need to be maintained ~ 150°C so that temperature near to the liquid feed line remains ~100°C. The stripper should be properly insulated to maintain the desired temperature of 100°C inside the bed of column. The vapors from the reboiler are fed back to the stripper. A control valve and flow meter will be provided in the recycled line to ensure that the flow is identical to the flow exiting out of the absorber bottom. At the top of the stripping column, a reflux condenser needs to be provided to reflux the solvent back into the column and prevent the solvent vapors from escaping. Cooling water will be fed to the tubes of the condenser and the hot vapors from the stripping column fed to the shell side. The liquid condensate from the shell side will be sent back to the top of the column, while the gases (acid gases like H₂S etc) will be sent to the flare stack. Required lines for (40 NB) need to be provided for supplying gas from stripper top exit to the flare stack. A storage tank for the storage of the fresh solvent also needs to be provided. Provision for direct in-line mixing of the fresh solvent with suitable pump must be provided. There should be provision of level transmitter as well as level indicator and certain liquid level should be maintained at the bottom of stripper column to prevent release of gas from that section. Liquid coming out from the bottom of stripper column will be passed through a shell and tube heat exchanger to maintain desired temperature ~30-40°C. After heat exchanger it will be stored in a storage vessel having capacity 200L. Recycled solvent from the storage vessel will be pumped back to the absorber column top after doing required make up solvent.

Absorber column: ID 0.2 m and height of 4.5 m (excluding the height of the liquid hold up section) Absorber operating Temperature:30-40°C; Temperature indicators (3 No.) in absorber Stripper column: ID 0.2 m and height of 5m Stripper Operating Temperature: 110-130°C; Operating Pressure: 1 atm Temperature indicators (4 No.) in stripper Preheater: Heating of solvent to 110 °C Temperature Indicators and temperature controller (for reboiler) Cooling: Cooling of solvent to 40 °C Reboiler operating pressure: 1 atm Steam/Thermic fluid heated Reboiler operating temperature: upto150°C (Shell Side) Water cooled vertical Condenser operating temperature: upto130°C (Shell Side) Holding Tank cum 10. The syngas coming out from absorption tower will be sent to the HTKD- 2. Knockout Drum All safety precautions (e.g. pressure/temperature cut-off, safety relief valve, (HTKD-2) rupture disc, local temperature, pressure gauge, temperature and pressure transmitter, out- let of the safety relief valve to be connected to flare stack etc.) for high pressure syngas handling should be ensured. Suitable MOC should be selected as per the norms for storing of inflammable toxic gases. Capacity: 300L Operating Pressure: up to 10 bar 11. High Pressure Syngas coming from the gas holding tank is fed to the High Pressure Syngas **Syngas Compressor** Compressor. Syngas to methanol is exothermic reaction and favors at High pressure, hence the operating pressure is to go up to ~ 65 atm. The compressor should be such that it can build up to 65 atm from near atmosphere to maintain required operating pressure in Multi tubular reactor and its capacity should be of ~ 35 Nm³/h. Provisions should be made with necessary valve arrangement to connect the compressed syngas exit near the inlet of the recycle syngas compressor or at the inlet of the heat exchanger placed before the multi tubular methanol rector. The operation of the compressor should be controlled variable RPM in order to maintain stable syngas pressure in the High pressure buffer tank having capacity of ~100L.

		All international safety precautions (e.g. High pressure/temperature cut-off,
		safety relief valve, rupture disc, out- let of the safety relief valve to be
		connected to flare stack etc.) for high pressure syngas handling should be
		ensured. Need to include suitable dryer system
		Capacity: 35-50Nm ³ /h Operating pressure: 65 atm and should be electrically
		driven.
		Make: Fluitron, PPI, Atlas Copco, Applied Compression Systems, PSG
		Dover
12.	HPBT (high	Compressed Syngas by the High Pressure Compressor will temporarily be
	Pressure Buffer	stored in a High Pressure buffer tank (Capacity of: ~ 100 L) and
	Tank)	simultaneously fed into the downstream Reactor (i.e. methanol reactor). The
		Gas Flow rate (up to 35 Nm ³ /h) can be varied according to the requirement
		of the reaction parameter. The High pressure tank should be made of suitable
		quality material and thickness conforming to the standards of high pressure
		inflammable and toxic gas storage vessels. A mass flow-meter should be
		provided to quantify the total amount of gas to be fed in to the Pre-heater vis-
		à-vis Reactor. All safety precautions (e.g. High pressure/temperature cut-off,
		local temperature, pressure gauge as well as transmitter safety relief valve,
		rupture disc, out-let of the safety relief valve to be connected to flare stack
		etc.) for high pressure syngas handling should be ensured.
		Mass flow-meter ~35 Nm³/h Capacity of high pressure buffer tank: ~ 100 L
		Pressure: 65 atm
13.	Pre-heater	The cold gas is not directly fed in to the Methanol Reactor, hence the feed
		gas is pre-heated to a temperature~150-200°C less than the reaction
		temperature. Suitable heating arrangement by using Thermic fluid should be
		provided to keep the temperature of pre-heater in the range of $150 - 200$ °C.
		There will be separate thermocouples for reading the temperature inlet and
		outlet of the pre-heater.
14.	Guard Bed	There should be one guard bed reactor. Syngas coming out from Preheater
		through mass flow meter should be preheated to desired temperature (150 –
		200°C). Guard bed will be used to remove sulphur component from the gas
		stream up to <1ppm level. It will be a cylindrical vessel loaded with catalyst.
		Safety precautions (e.g. High pressure/temperature cut-off, safety relief
		valve, rupture disc, local temperature, pressure gauge as well as temperature
		and pressure transmitter, out- let of the safety relief valve to be connected to
	<u> </u>	1

		common header) for high pressure syngas handling should be ensured.
		Guard bed reactor capacity: 20L
15.	Pre-heater	The gas coming from guard bed reactor will mix with the recycle gas stream
		(capacity: 210 Nm ³ /h) and will be fed into the shell and tube pre-heater to
		raise the temperature of entire gas stream up to $\sim 200-300^{\circ}$ C (only in case of
		catalyst reduction the temperature will be raised upto~ 300^{0} C). Suitable
		heating arrangement by using thermic fluid should be provided to keep the
		temperature of pre-heater in the range of 200-300°C. There will be separate
		thermocouples for reading the temperature inlet and outlet of the pre-heater.
		Provision for addition of H ₂ and N ₂ feed line from gas cylinder with mass flow
		meter and high pressure dual stage regulator should be incorporated for
		reduction of methanol catalyst at the initial stage of experiment.
		For H ₂ (1 Number) MFC flow ranges between 50 ml per min to 2 L per min.
		For N ₂ (1 Number) MFC flow ranges between 1-20 L per min.
		No. of filled N ₂ cylinder (Purity- 99.999 %.) required: 5 (47 L water capacity)
		along with 1 No. of dual stage gas regulator (SS316 diaphragm) of reputed
		brand.
		No. of filled H ₂ cylinder (Purity- 99.999 %.) required: 2 (47 L water capacity)
		along with 1 No. of dual stage gas regulator (SS316 diaphragm) of reputed
		brand.
		Necessary tubing from cylinder to preheater (20 m) need to be provided.
16.	Multi-tubular Fixed	This is the main reactor system. It is multi-tubular Fixed Bed Reactor of 20 L
	Bed Reactor with	catalyst capacity. The length of the reactor would be 2.5 M and it can hold 10
	Suitable heat	- 14 smaller tubes. These tubes (ID of each tube: 40 mm) should be jacketed
	exchanger	and suitable heating and cooling system should be arranged to maintain the
		temperature of the reactor ~180 -250°C. Proper design of flow distribution
		has to be maintained so as to ensure the equal reaction conditions in all tubes.
		The temperature of the reactor should be monitored at least at 3 zones (top,
		mid and bottom zones) of all around the reactor and suitable temperature
		controller system should be given to maintain the reactor temperature at
		certain reaction temperature (± 10°C). The reaction temperature may be
		varied from 180 to 250°C. As the reaction is exothermic (exothermicity
		ranges between 5000-6500 Kcal/h) necessary cooling arrangement should be
		made to protect the catalyst.
	1	

Due to the exothermic reaction, the reactor temperature could rise beyond certain limit which is detrimental for the methanol catalyst. To control the temperature in catalyst, bed any cooling medium need to be circulated in the shell side of the reactor. On the contrary, particular temperature need to be maintained during reduction of catalyst and at the initiation of the reaction for which a heating medium need to be circulated in the shell side of the reactor. To achieve the above scenarios, hot and cold thermic fluid circulation system need to be adopted.

The jacketed reactor is equipped with temperature measurements at three different locations and weighted average bed temperature (WABT) will be controlled accordingly to maintain the overall temperature profile.

To increase the reaction temperature in the reactor up to a certain limit conventional hot thermic fluid circuit will be used to maintain the temperature profile of the reactor. But when the temperature is above the desired exothermic limit, then the cold thermic fluid will be circulated via a dedicated pump through this loop resulting the return thermic fluid is having higher temperature than supply side. In this scenario the return thermic fluid will not reach the actual supply thermic fluid circuit temperature, so it will be further cooled by cooling water to reach actual return thermic fluid temperature. In both the cases the supply & return circuit will be equipped with suitable ON-OFF valve which will be controlled by precise temperature controller for each & individual scenario.

Suitable arrangement should be made for easily removing and holding the dish ends for loading of the catalyst from the top end and discharge of the used catalyst from the bottom end of the reactor. All safety precautions (e.g. High pressure/temperature cut-off, safety relief valve, rupture discs, out-let of the safety relief valve to be connected to flare stack etc.) should be ensured for this reactor. The out-let of the reactor is connected to the condenser and gas liquid separator followed by product collector.

Pressure: up to 65 atm Catalyst Volume:20L

Temperature: $\sim 180 - 250^{\circ}$ C

17. Condenser

Condenser is joined at the end of the reactor outlet. This device mainly removes heat from gas/vapor, once sufficient heat removes liquefaction occurs. The outlet temperature of condenser should be

~20°C. Necessary chiller arrangement should be provided to maintain the

		temperature. Chiller make: Warner Finley/Marlin/Julabo/Reynolds India/Fleimingo Chillers/York Chiller
10		
18.	Methanol-	This is high pressure tank having capacity of 200L used to separate a gas-
	Unconverted	liquid mixture. The drum will be jacketed with chilled water from the return
	Syngas separator	circuit of the condenser. There should be provision of level transmitter as
		well as level indicator. All safety precautions (e.g. High
		pressure/temperature cut-off, safety relief valve, rupture discs, local
		temperature, pressure gauge as well as transmitter, out-let of the safety relief
		valve to be connected to common header) Should be ensured for this
		separator. Packing arrangement should be there to facilitate water
		condensation.
		Tank capacity: 200L
		Pressure: 65 atm
19.	Methanol	Catch pot is a housing used to remove the bulk of the liquid.
	Collection System	All safety precautions (e.g. High pressure/temperature cut-off, safety relief
		valve, ruptures discs, local temperature and pressure gauge as well as
		transmitter etc.) Should be ensured for this system. There should be provision
		of level transmitter as well as level indicator for discharging of the product.
		Capacity: 50L

	Recycle Section		
	(The unconverted gas will recycle, mix with fresh feed and sent back to reactor)		
20.	Syngas recycle	To maintain the required pressure, the recycled gas is needed additional	
	compressor	Compressor to maintain the desired pressure up to 65 atm. The operation of	
		the compressor should be controlled variable RPM in order to maintain	
		stable syngas pressure in the High pressure buffer tank having capacity of	
		~100L. All safety precautions (e.g. High pressure/temperature cut-off,	
		safety relief valve, rupture disc, out- let of the safety relief valve to be	
		connected to common header/ flare stack etc.) for high pressure syngas	
		handling should be ensured.	
		Compressor capacity: ~ 250 Nm ³ /h	
		Pressure: ~65 atm	
		Compressor should be electrically driven.	
		Make: Fluitron, PPI, Atlas Copco, Applied Compression Systems, PSG	

		Dover
21.	Recycle high pressure	Recycle Syngas compressed by the High Pressure Syngas Compressor will
21.	syngas storage tank	temporarily be stored in a High Pressure syngas storage tank (Capacity of:
	(HPBT-2)	
	(ПРВ1-2)	~ 100) and simultaneously fed into the inlet of preheated (i.e. before
		methanol reactor). Necessary water drainage arrangement has to be made
		from the bottom of this drum and it will be connected to gas liquid
		separator. The High pressure tank should be made of suitable quality
		material and thickness conforming to the standards of high pressure
		inflammable and Toxic gas storage vessels. A mass flow-meter should be
		provided to quantify the total amount of gas to be fed in to the Pre-heater.
		All safety precautions (e.g. High pressure/temperature cut-off, safety relief
		valve, rupture disc, local temperature and pressure gauge as well as
		transmitter, out- let of the safety relief valve to be connected to flare stack
		etc.) for high pressure syngas handling should be ensured.
		Capacity: 100 L
		Pressure: ~65 atm
22.	Purging Valve	Provisions should be made to provide a flow control valve on the Gas
		liquid separator tank before recycle compressor. This valve will be used to
		purge the syngas as and when required to maintain desired gas composition
		in the methanol reactor. The outlet of the valve may discharge in a vessel
		having capacity 50 L and the vessel will be connected to the common
		header/ flare stack.
23.	Thermic fluid	Thermic fluid is used for the following purposes:
	heating/cooling system	i. Heating of syngas in shell & tube preheater from room
		temperature to 250°C for catalyst guard bed
		ii. Heating of syngas from 250°C to 350°C in mixer cum super heater
		before entering into WGS.
		iii. Maintaining temperature at WGS as 350°C.
		iv. To preheat compressed syngas from 150°C to 200°C before entering
		guard bed reactor.
		v. To preheat compressed syngas from 200°C to 250°C before entering
		methanol reactor.
		vi. Hot and cold circuit for multi tubular methanol reactor
		Thermic fluid should be selected so that it stays in liquid phase at
		temperature of 350°C.

		Thermic fluid system will consist of the following:
		Fuel (Diesel) tank
		Fuel pump
		Fuel pipework
		Combustion air blower
		Flue gas exhaust duct
		Burner and heat exchanger
		DE-Aerator and expansion tank
		Thermic fuel storage tank
		Thermic fuel pump
		Flow control valves.
		Necessary pipework with insulation
		Necessary instrumentation and standalone control system
24.	Water System	This section describes the water system necessary to cater the
	including cooling	indirect cooling water and make-up water requirement of the plant.
	tower	A suitable cooling tower with minimum two (1W+1S) pumps, ID
		fan, water storage tank, should be provided with necessary
		pressure, temperature gauges, safety devices to maintain the
		temperature of different unit at desired level.
		The hot water from indirect cooling circuits will be cooled in the
		cooling tower and will be collected in cold well. The cold water
		from cold well will be pumped back to above plant. The cooling
		tower will be made of FRP (fiber glass reinforced polyester). One
		stand by pump for the above services should be provided. The
		pumps shall be selected considering 5% margin over actual flow
		rate.
25	Elono stools	
25.	Flare stack	All vent points of different equipment, gas storage tanks, reactors,
		compressors, analyzers etc. and purge out connections from syn
		gas pipe line should be connected to flaring system through pipe
		lines and valves. Exhaust duct which will be supported from
		building should be provided with spark/flame generator, pilot
		burner. LPG will be used as pilot fuel. Outlet of exhaust duct to be
		kept ~5 meter above the building. LPG cylinder will be supplied by
		CIMFR.
26.	Instrumentation Air	To fulfill the requirement of dry compressed air for pneumatic
	Compressor and Dryer	valve actuation it is proposed to install positive displacement type
		compressor of adequate capacity along with refrigerant type dryer.
		Dog 52 of 03

		Screw type compressor need to be considered. Pressure of
		compressed air will be approximately 7 bar (g). Compressors and
		dryers will be air cooled and oil free. Pressure dew point for dry
		compressed air will be (+)3°C. Ozone friendly refrigerant will be
		used in dryer.
		Make: Kaeser, atlas copco, Ingersoll Rand
		Operating pressure: 7bar (g)
		Accumulator capacity: ~3 m ³
27.	Air conditioning	Split type air conditioner (3 nos of 1.5 ton capacity) should be
	system	considered and to be installed in control room to maintain room
		inside temperature below 25°C.
28.	Ventilation system	Proper ventilation system (by exhaust fan of suitable capacity or
		around 12 in numbers) should be provided for process buildings/
		compressor house.
29.	Fire Extinguisher	All process building, compressor house, electrical and control
		rooms to be provided with ABC type fire extinguishers as per IS:
		2190. 15 numbers of fire extinguishers should be considered.
30.	Nitrogen Network	Nitrogen line will be tapped from nearest nitrogen header located
		in the existing 1.5 TPD gasifier building, and new pipeline
		should be laid along syngas network. Purge in connections to be
		provided at different strategic points from nitrogen gas pipeline.
31.	Online and continuous	Online gas analyzer need to be provided for continuous gas analysis or as
	Gas Analyzer system	and when required basis. It will use to analyze the syngas compositions at
		different locations syngas accumulator, guard bed reactors, WGS, after
		absorption tower, before and after methanol reactor, in recycle section.
		Necessary fittings for sample collections at different location need to be
		Provided. The sample will be collected from different points and gas will
		enter to a header of suitable capacity. Analyzer will take the sample from
		the sample header. Necessary flushing arrangement for the header needs to
		be incorporated. Flushing needs to be carried out after each analysis to
		avoid mixing with previous sample taken for analysis. It should be
		connected with flare stack for safe flushing. There will be provision for
		sequential analysis or as per user requirement. Analyzer should be capable
		to analyze on multipoint basis as mentioned above.
		Range of Detection Limit:

		CO: 0 – 50 %; CO ₂ : 0- 50%, CH ₄ : 0 –10%, H ₂ : 0-70%, O ₂ : 0 – 20%
		Detector for CO, CO ₂ , and CH ₄ should be NDIR based.
		Detector for O ₂ should be Paramagnetic based and detector for H ₂ should
		be TCD based.
		Make: Nova/Siemens/Metler/Yokagawa/MRU/ABB/Emerson
32.	H ₂ S, COS analyzer	H ₂ S & COS analyzer needs to be provided to measure H ₂ S and COS
		concentration before and after guard bed reactor. The measurement limit
		should be between few percentages to ppm level. Make : Metler/Nova/
		Madur/Aqua Gas/Ametek/ Gasmet/Advanced Micro Instrument/ Chroma S
33.	Catalyst	The catalyst for HTS (Fe-Cr based catalyst Fe-60-70%, Cr- 10-20%, Mg-1-
		2 %), guard bed reactor (Cu-Zn based catalyst, Cu-30- 35%, Zn 30-55%,
		Al -15-35 %), and syngas to methanol (Cu-Zn-Al based catalyst CU-45-70
		%, Zn 15-35 %, Al -4-20%) need to be provided with all boundary
		conditions and reaction parameter. Approximately 100kg of each catalyst
		need to be provided from reputed catalyst manufacturer (Johnson Matthey/
		Sud-Chemie/Haldor-Topsoe/ Casale)
34.	MDEA/MEA	The firm should supply ~400 L of industrial grade of MEA and ~400 L of
		MDEA for CO ₂ absorption.
35.	Control Room	Glass Partitioned on aluminium frame 12'X12'(feet) to be build-up under
		the plant shed (appropriate area, which will be finalized later) for housing
		of PLC panel, control units etc. for proper operation and monitoring of the
		syngas to methanol plant. The split AC (already mentioned) need to be
		installed in this control room.
		Control system desk for three SCADA controlling consoles along with
		revolving chair (6 Nos.) Make: Godrej, Zuari, Durian
36.	Electrical, Equipment	Total electrical power requirement has to be finalized by the supplier and
	and Connections	needs to be communicated to CIMFR to make arrangements at
	including MCCs	installation site. Laying of the electrical cable within and outside of the
		structure up to control room and supplier's battery limit will be the
		responsibility of supplier. All accessories such as MCC and other
		controlling devices have to be provided and fitted by the supplier.
		This section covers the following:
		i) The source of power.
		ii) Selection of voltage levels.
		iii) Proposed plant power supply arrangement.
	l	Page 54 of 93

iv) Selection criteria for major electrical equipment.

Source of power: Power require for the proposed pilot plant shall be obtained from the existing main LT board which is located at an approximate distance of 60 m. Necessary switching arrangement for tapping power needs to be provided by the supplier.

Selection of voltage levels:

Voltage level:

- Incoming source : 415 V, 3 Ph-4 Wire

- Distribution system : 415 V-240V, 3 Ph-4 Wire

- Voltage variation : +/-6%

- Frequency : 50 Hz +/-3%

- System fault level : 50kA for 1 sec.


- Neutral solidly earthed at source end.

Control voltages:

- AC control circuit : 240 V AC - Solenoid Valve : 24 V DC

Proposed plant power supply arrangement: It is proposed to establish a new 415V Power cum motor control centre (PMCC) to cater to the loads of the proposed pilot plant. The new PMCC shall have single incoming feeder and requisite nos. of outgoing power and motor feeders to meet the plant requirement. This new PMCC shall be fed from existing LT switchboard.

A tentative power supply scheme is depicted in the below sketch:



37.	The scope of work for	Motor Control Centre, LT Motors & Starters, Local Control Stations, all					
	Electrical	LT power and control cables, GI cable trays, motors, switches, junction					
		box including plant illumination fittings etc. cabling materials &					
		accessories, galvanized iron (GI) conduits, conduit fittings and materials					
		etc. as required within the battery limits & as per IS standards are within					
		ne scope of supplier work.					
		Tapping of power with suitable provision/range for (S/F of SFU at					
		tapping point) from outgoing terminals of Purchaser's Main LT panel					
		which is located at an approx. cable route distance of 60 m including					
		supply of double break SFU of suitable range at plant end cabling, laying					
		and termination of all cables under the scope, etc.					
		Adequate lighting and illumination with LED lights should be provided in					
		and around plant area.					
38.	Instrumentation, PLC-	Control and instrumentation work will be as per the P&I diagram to enable					
	SCADA, Fire	the plant operation in "Auto mode" and "Manual mode" through the PLC-					
	Detection & Alarm	SCADA system considering safe zone. It should contain 20% spare I/Os					
	(FDA) Systems	long with two control consoles.					
		SCADA software should have one development and two run time					
		license for two consoles.					
		1. PLC-SCADA system of reputed make (Allen Bradley, Siemens,					
		ABB, Honeywell) should be provided for entire plant.					
		2. Local indicators/gauges for the temperature, pressure, differential					
		pressure and flow measuring instruments should be provided.					
		3. Alarm indicators to alert the operator during abnormal conditions.					
		4. Push button switches for power, emergency stop etc.					
		5. Plant can be started, run, maintained and shut down through the					
		above instruments with PLC control system.					
		6. SCADA screen for proposed facility with section wise screens as					
		well as overview screen needs to be developed and provided by					
		supplier. Real time data recording in the form of graphs for all the					
		parameters as well as report generation as and when required for all					
		the parameters. Mathematical computation and execute control					
		1					

		logics as per the "control logic philosophy" which will be shared					
		with successful vendor.					
		7. Minimum of 20 KVA of UPS of reputed (Make: schneider electric,					
		vertiv, Hitachi, Delta) should be provided with half an hour back up					
		time for maximum load condition.					
		8. Three computers, three monitors and one printer having minimum					
		configuration as follows connected with PLC system in parallel;					
		• Make (DELL, HP, Fujitsu) Intel® Core TM i7 (10th Generation					
		Processor) or better Processor with suitable Graphics, 8 GB DDR4 or					
		higher, 1 TB SSD or higher.					
		• Latest Windows 10 or higher original software, Latest original					
		Microsoft Office software, licensed copy of antivirus software for					
		three years.					
		• 50 inch or more Full HD and two 27 inch or more Full HD Monitors					
		with HDMI inputs of Reputed Make (HP, Sony, Samsung, Dell).					
		• Colour Printer with all in one (copier, scanner) (HP, Canon, Epson)					
		Development of suitable "software for data acquisition and control"					
		activity is to be developed by the supplier. CIMFR will provide the					
		scheme control logic for process. Supplier has to check the same before					
		manufacturing/supply for proper functioning.					
39.	Safety & Accessibility	6 numbers of CO detector and 2 numbers of H ₂ detector with audio					
		visual alarm need to be fixed at different strategic location to sense the					
		CO and H ₂ in ppm level (having lower detection limit 10 ppm) in case					
		of leakage. Smoke detectors (10 numbers) should be placed at different					
		strategic locations inside the plant battery limit.					
40.	Plant piping	The supplier has to prepare P&I diagram of the entire plant and the					
		piping/tubing layout for the entire plant need to be prepared as per flow					
		diagram. Supplier has to carryout flexibility analysis for the plant. The					
		other interconnecting pipe/tubing layouts have to be done by the supplier					
		with necessary brackets and supports. All steel structures, piping,					
		equipment's shall undergo rigorous metal treatment and finishing as per					
		standard color coding practices.					

41. Erection, testing, training and Handing over the plant

During erection, CIMFR will allocate a place for storage of equipment's and a room for instruments. However, responsibility of safe keeping of equipment's and instruments will lie on the supplier. During commissioning, sectional mechanical integration and performance tests of all sub- systems have to be carried out as per NIT. Pressure test of the entire set up at given operating condition as specified in NIT. Flow rates, temperature attainment of different units at the given pressure should be tested. Solvent flow circulation operation in absorber and stripper section at specified temperature and pressure should be tested. Steam generation and addition circuit should be tested at desired pressure specified in NIT. Temperature attainment at different units with thermic fluid as specified in NIT. The entire plant should be tested for 5 days in integrated manner under actual operating conditions during trial run. The process guarantee is not under the scope of the supplier.

Requisite training for operation and routine maintenance is to be provided by the Bidder before handing over the test facility at CIMFR site for free of cost.

For fabrication, installation and commissioning at site sufficient no. of qualified and experienced engineers of respective discipline (Chemical, mechanical, instrumentation) need to engaged by the firm.

All the personnel involved in installation/commissioning should be skilled properly trained and certified personnel, insured by the firm as well as they should be provided with personal safety equipment.

42. Civil & Structural Steelwork

These activities will be carried out as follows:

Civil Work

No major civil work is involved in the project. Civil work will cover necessary equipment foundations, restoring of shop flooring after foundation etc.

Structural Steel Work

Structural steelwork will cover fabrication, erection of the plant structures including auxiliary supports for pipelines etc.

Installation of Electricals and instrumentation including all types of cabling should be properly routed with covered cable trays, all utility and process lines and headers with necessary supports preferably at the back side of the plant structures

Minimum Clear Width of Walkway

		Minimum clear width of walkway will be 800 mm (unless governed by					
		process requirement).					
		Stairs					
		Stairs should be considered inside process building shall be made of					
		steel with chequered plate or open gratings (in place where there is					
		possibility of dust accumulation) for access to walkways, landings,					
		floors etc. Handrails shall be provided to the staircases.					
		In general, the following guidelines shall be followed for design of					
		staircases.					
		Grating: Hot dip galvanised MS grating shall be used on walkway/floors					
		where grating will be used for flooring.					
		Handrail: M.S. tubes of 32 NB conforming to Medium class (Grade Yst					
		240) of IS:1161 shall be used as top & mid rails. Handrail posts made of					
		tubes/angles shall be spaced as per design requirement.					
		Type of flooring: All floors/platforms and treads and landing of indoor					
		staircase will be made of grating/chequered plate supported on structural					
		steel beam. Painting will be applied as corrosion protective measures, in					
		chequered plate.					
		Painting/Galvanising: All structural steelworks, excluding grating					
		should be protected against corrosion by painting.					
		Color code: As per standard industrial practice.					
43.	Plant construction	The proposed syngas to methanol pilot Plant is envisaged to be					
		implemented in turnkey mode of construction.					
		All utilities header should be laid up to skid and from headers required sub-					
		connection need to be provided to particular equipment.					
		Process piping and high pressure fittings should be designed as per the line					
		pressure/temperature condition.					
		Suitable MOC should be considered as per the process requirement.					
		All high pressure equipment/instruments/fittings should conform to the					
		safety standards as applicable/ as in practice					
44.	Special Instructions to	Instructions to Bidder					
	Bidder/supplier	P&I Diagram of the main facility should be submitted along with					
		Technical Bid.					
		P&I for utilities including thermic fluid, steam, cooling water, process					
		water, vent header, instrumentation air headers, gas sampling header,					
		N ₂ flushing and purging header wherever necessary, condensate drain					
		header should be submitted along with Bid.					
		neader should be submitted trong with Did.					

- Make, model & catalogues of the all the subsystems, utilities, control system, electrical components need to be provided along with Technical Bid.
- Bidder needs to provide Time Bar Chart of delivery showing break up
 of time required for engineering, order placement for bought out items
 and their delivery to assembly shop. Fabrication, dispatch, installation
 commissioning, testing, training, etc. Schedule needs to be provided
 along with the bid.
- The Bidder shall submit along with his tender a statement under his signature with the official seal, a list of similar jobs executed in the past indicating the name of the purchaser, job title, value of work, order reference, time period of delivery/execution as per the order, actual period of delivery/execution and reasons for any delay. Any tender without this statement may not be considered.

Instructions to Successful Bidder after getting order

- Successful bidder needs to submit the GA drawing and technical data sheets for the fabricated items or equipment's, technical data sheets for bought out items, initial lay out of the plant, PLC architecture need to be supplied within 3 months after getting the PO.
- Instrumentation lay out diagram and electrical SLD should be submitted within 5 months after getting PO.
- Preliminary electrical load data for entire plant should be provided by firm.
- Arrangement for material delivery, unloading, handling, and safe storage should be done by the supplier.
- All tools & tackles, apparatus, special instruments required for installation, testing, should be arranged, stored, maintained and guarded by the Successful Bidder.
- Raw materials for testing and commissioning should be arranged
- Qualified and skilled manpower for installation and commissioning work of the plant. Until the equipment is handed over to the purchaser, the successful Bidder shall be sole custodian of all materials.
- Equipment's, assembled at site and will be responsible for loss, theft, damage or destruction. For this purpose, the successful Bidder shall take out a 'Contractor Risk Insurance' at his own cost to cover the

		assets.				
		If needed, CSIR-CIMFR will visit manufacturing/fabrication site to see				
		the progress of work with prior intimation on CIMFR expenditure.				
		Instructions to Supplier during hand over of the facilities				
		Firm should also submit corresponding process equipment				
		datasheets, instrument datasheets, individual manual of standard				
		items/bought out, Installation & Maintenance manual of the system				
		etc. at the time of hand over of the facility.				
		 All the certificates including MTC, calibration certificate, inspection and 				
		test report of respective agencies, final as built drawing (3D model,				
		structural drawing, detailed P&ID (including utilities), detailed				
		instrumentation and electrical diagram need to be submitted along with				
		delivery of the plant.				
		Detailed wiring diagram for PLC panel should be provided.				
		Catalogues/ complete documentation of equipment and instruments				
		along with operation manual needs to be provided by supplier.				
		• Complete motor details like kW rating, CDF, duty class of insulation, make etc. by supplier.				
		On completion of work, all rubbish debris, temporary supports, enabling				
		structures etc. should be removed from the site and the site (including				
		storage site) handed over in a tidy manner. All scrap should be dumped				
		suitably at specified places as directed by CIMFR.				
45.	Battery Limit	Water tapping at distance of 60 meter from system. Electrical power				
		Supply at distance of 60 meter from system. Space with shade and concrete				
		flooring for installation of plant. (Dimension: length: 17.8m, width: 11.8 m,				
		height: varying between 6-9m). Successful vendor should visit the CIMFR				
		site before finalizing the fabrication drawing.				
46.	Exclusions and	Exclusion in the offer, if any, shall be clearly stated under the heading				
	Deviations	"Exclusions", quoting the respective serial reference number in the tender				
		document.				
		Deviations from the Tender Specifications, if any, shall be clearly stated				
		under the heading "Deviations" quoting the respective serial reference no.				
		in the tender document.				
47.	Secrecy Agreement	All the technical information, specification, drawings and designs should				
		not be disclosed to third party and the confidentiality will be maintained				

		strictly. The drawing and document enclosed remain fully, CIMFR's						
		property and can neither be produced not communicated to third party in						
		any way, nor utilized any other purpose, without a written consent of the						
		CIMFR. In this regard, successful bidder has to sign a Non-Disclosure						
		agreement (NDA) related to the concept, knowhow, data provided,						
		drawings, specifications, etc. by CSIR-CIMFR. The bidders have to submit						
		INTEGRITY PACT. Make in India/MSME will be given Preference as per						
		rule.						
48.	Essential for the bidders	All the vendors have to submit unpriced price bid (price breakup without						
48.	Essential for the bidders	All the vendors have to submit unpriced price bid (price breakup without mentioning amount of individual equipment/module) in the Technical Bid and the						
48.	Essential for the bidders							
48.	Essential for the bidders	mentioning amount of individual equipment/module) in the Technical Bid and the						
48.	Essential for the bidders	mentioning amount of individual equipment/module) in the Technical Bid and the price bid (price break up with amount of equipment/module) in the financial bid in						
48.	Essential for the bidders	mentioning amount of individual equipment/module) in the Technical Bid and the price bid (price break up with amount of equipment/module) in the financial bid in a Tabular form. The same is provided under the head "PRICE SCHEDULE						
48.	Essential for the bidders	mentioning amount of individual equipment/module) in the Technical Bid and the price bid (price break up with amount of equipment/module) in the financial bid in a Tabular form. The same is provided under the head "PRICE SCHEDULE FORM". Any deviation in submission of this format in both Technical and						
48.	Essential for the bidders	mentioning amount of individual equipment/module) in the Technical Bid and the price bid (price break up with amount of equipment/module) in the financial bid in a Tabular form. The same is provided under the head "PRICE SCHEDULE FORM". Any deviation in submission of this format in both Technical and financial bid will not be considered for evaluation. While submitting the price						

49. Make of Items:

SI No.	Name of the Instrument	Broad Description	Make/Model
1.	Pressure gauge	Bottom or back Mounted, Wetted parts of SS 316	Wika/Dwyer/Waree/Baumer
2.	MFM	MOC (Wetted Parts) SS 316 Accuracy: +/-1% Repeatability: +/- 0.5% Output signal: 0-5 VDC & 4- 20mA	E+H/ Rosemount/ Yokogawa/Emerson ForbesMarshal(for steam)
3.	NRV	Screwed or flange end, SS 316, PTFE seated. Wafer type or poppet type	Swagelok/Parker/Hamlet/ ForbesMarshal/L&T
4.	BV	Screwed or flange end, Body SS 316, internally PTFE/EPDM seated	Virgo/Parker/L&T (high Pressure) L&T/Festo/Elomatic (Low Pressure)
5.	Rupture Disc		BS&B /Fike
6.	Basket Filters	5-7 microns, Body SS 316	Pall/Domnic Hunter/Millipore
7.	FCV	4-20 mA, Flange ended Pneumatically actuated, Double Diaphram, % opening type	Jordan/Samson/Forbes Marshal/ Tescom
8.	SRV	SS 316,threaded/flange end connection, spring loaded	L&T/ Forbes Marshal/ Faingar
9.	TE	Two wire PT-100,variable length as vessel dimension	Watlow/Exotherm/ Anderson Negle
10.	Level transmitter	Guided Radar type	Emerson/E&H/Yokogawa
11.	Rotameter	As per pump Flow Rates	Eureka/Scientific/veksler/Forbes Marshall/Yokogawa
12.	Fasteners	As per requirement	APL/Unbrako
13.	Flanges	Forged, rating as per design, SS 316 for process lines, SS 304 for utility line.	

14.	Gaskets	As per requirement	
15.	Electrical	As per IP 65. Shielded PVC	Havells/ Finolex/Polycab
	Cables	insulated with copper conductor	
		supply lines. GI flexible conduits	
		for the Power/control cable from	
		cable tray to particular instrument	
16.	Cable Trays	Powder coated 300/250/200 mm X	
		50 mm X 2 mm as per requirement	
		CRCA	
17.	PLC/SCADA	Process Controlling and	Allen Bradley/Siemens/ABB/Honeywell
		Data Acquisitions etc	(For PLC & SCADA)
18.	Control Panel	To Accommodate PLC, MCBs,	Rittal/Eldon
		Relays, Push Buttons, Power Supply	
		Connectors	
19.	MCBs/Switch	For Electrical Power, Four pole	Siemens/GE/ABB/L&T/Schneider Electric
	gears	switch gear for main in comer to	
		panel	
20.	Connectors	For Connection with filed	IE/Phoenix/connect well
		instruments and power supply	
21.	Computer	For firing the set values and	Dell/HP/Fujitsu(Computer)
		monitoring the process Data	
22.	Syngas	Electrically driven working up to	Fluitron, PPI, Atlas Copco, Applied
	Compressor	65bar	Compression Systems, PSG Dover
23.	Pump	Centrifugal	Sulzer /Grundfoss/ Johnson
24.	Gas detector	Detection of CO and H ₂	Honeywell/Dragger/ Pemtech
25.	DPT		Yokogawa, ABB, Rosemount (Emerson),
			E&H
26.	Boiler		Thermax, Ross, Forbes Marshal
27.	Smoke		Honeywell/ Bosch/ Schneider Electric
	Detector		
28.	Flare Stack	As per requirement	

29.	Thermic Fluid		Thermax, Ross, Forbes Marshal
	system		
30.	Steam Trap		Forbes Marshal, Spirax,
31.	MFC	For reduction purpose	Brooks, Bronkhorst

50. Delivery Schedule

The supplier should responsible for delivery of the whole system (instruments) at CSIR-CIMFR Digwadih Campus, P.O. FRI, Dhanbad-828108 on its own cost and details are as follows.

Schedule	Purchaser's time frame	Reference
Expected delivery, installation &	12 months	From the date of purchase order
commissioning period		
Expected Period of Demo/ Trial	4 weeks	From the date of completion of
run		commissioning/installation
Expected period of observation	1 weeks	From the date of demo trail run/
		demo
Expected date of training	2 weeks	From the date of completion of trail
		run/ demo

B. Allied Technical Details-

S.N.	Allied technical details	bidder's response
1.	Product catalogues/ user manual/ other informative material/	Enclosed (Yes/ No) (Ensure that it should
	sketches/ drawings etc.	be up to date and page numbered)
2.	Country of origin of the quoted item.	
3.	Banker's details	
4.	comprehensive warranty for 02 (two) years including one-	
	year standard warranty	
5.	Installation, commissioning & training,	
6.	Details of service provider for after sales/complaints etc.	
7.	Details of accessories (if any)	
8.	List of non-consumables (if any)	
9.	List of consumables (if any)	
10.	Any other relevant detail	

CHAPTER 5

Price Schedule Form

Bidder may fill in the Price Schedule form as per Annexure 5 Q, as required. Submission of Bid in any other format will not be accepted.

Or

In case of Submission of E-bids through E-tenders - https://etenders.gov.in/, price bid should be uploaded as BoQ.xls and PDF Price Schedule.

Important Note:

- 1. The BoQ price filling is mandatory on CPP Portal. The bidder will not have much fields for showing the price break up and other technical details in the BoQ. Therefore, the bidder is requested to give all the details (breakup) in a separate PDF as per Annexure 5Q as applicable.
- 2. If any price difference is found between BOQ and the PDF Price Schedule, PDF Price Schedule will prevail for price comparison purposes.

CHAPTER 6

<u>Qualification Requirements</u> (Refer to Annexure-4E of the CSIR Manual)

Eligibility Criteria:

A.) Experience Criteria: The firm should have past experience towards supply of similar kind or high pressure pilot/demo/ commercial plant (gaseous reactant plant above 400 Nm3 per day or liquid reactant plant above 200 kg/day) related to the area of chemical/petrochemical/fertilizer in other CSIR Labs/ Institutions/ Govt. org./ Govt. research Laboratory/ Govt. University/ Autonomous body/ PSU/ Govt./ Private sector industry. Client list with contact details (Email ID, telephone number, and address) must be provided with the technical bid.

All the bidders must submit Past purchase order copy issued by the concerned CSIR Labs/ Institutions/ Govt. org./ Govt. research Laboratory/ Govt. University/ Autonomous body/ PSU/ Govt./ Private sector industry to prove their eligibility in respect of Experience Criteria.

B.) **Financial Eligibility Criteria:** The firm should have a minimum turnover of Rs. 5 crores in any one financial year within the span of last five financial years ending 31st March 2022 and minimum average of Rs. 1.5 crores in last five financial years ending 31st March 2022.

Annual Turnover certificate (with UDIN) duly certified by CA to establish their claim for fulfilling Financial Eligibility Criteria.

CHAPTER 7 <u>Standard Forms</u> (To be enclosed as indicated below)

SL. No.	Name	Remarks by Bidder Compliance/ Documents submitted (Yes or No)
1.	Bidder Information Form (to be enclosed with the technical bid) (Annexure-5C)	
2.	Manufacturers' Authorization Form (to be enclosed with the technical bid) (Annexure-5D)	
3.	Bid Securing Declaration (to be enclosed with the technical bid) (Annexure-5F)	
4.	Performance Statement Form (to be enclosed with the technical bid) (Annexure-5G)	
5.	Deviation Statement Form (to be enclosed with the technical bid) (Annexure-5H)	
6.	Service Support Form (to be enclosed with the technical bid) (Annexure-5I)	
7.	Bid Form (to be enclosed with the priced bid) (Annexure-5J)	
8.	Performance Security Form (After the acceptance of Purchase order) (Annexure-5K)	
9.	Acceptance Certificate Form (Annexure-5L)	
10.	Integrity Pact (Annexure-5M)	
11.	Format for declaration by the Bidder for Code of Integrity & conflict of Interest (to be enclosed with the technical bid) (Annexure-5O)	
12.	Price Schedule form (to be enclosed with the price bid) (Annexure-5Q)	
13.	Bank Guarantee form for advance payment (Annexure-5S)	
14.	Format of Certificate of compliance to MoF, DOE Order No. 6/18/2019- PPD dated 23rd July, 2020 (to be enclosed with the technical bid, if required as per Clause 1.46 of ITB) (to be enclosed with the technical bid) (Annexure-5T)	
15.	Format for Self - declaration by the Bidder for local content (%) (to be enclosed with the technical bid) (Annexure-5U)	
16.	Contract Form (Annexure-5V)	
17.	Quoted Rate Certificate (to be enclosed with the price bid) (Annexure-5W)	
18.	Unconditional Acceptance of GCC as mentioned in NIT/ CSIR-CIMFR Website (Annexure-5X)	
19.	Checklist (Annexure-5Y)	

Bidder Information Form

The Bidder shall fill in this Form in accordance with the instructions indicated below. No alterations to its format shall be permitted and no substitutions shall be accepted. This should be done of the letter head of the firm.

Date:	[insert	date (as day,	month	and y	year)	of Bid	Submission]

Tender No.: [insert number from Invitation for bids]

Page 1 of_____ pages

01.	Bidder's Legal Name [insert Bidder's legal name]
02.	In case of JV, legal name of each party: [insert legal name of each party in JV]
03.	Bidder's actual or intended Country of Registration: [insert actual or intended Country
	of Registration]
04.	Bidder's Year of Registration: [insert Bidder's year of registration]
05.	Bidder's Legal Address in Country of Registration: [insert Bidder's legal address in
	country of registration]
06.	Bidder's Authorized Representative Information
	Name: [insert Authorized Representative's name]
	Address: [insert Authorized Representative's Address]
	Telephone/Fax numbers: [insert Authorized Representative's telephone/fax numbers]
	Email Address: [insert Authorized Representative's email address]
07.	Attached are copies of original documents of: [check the box(es) of the attached
	original documents]
	Articles of Incorporation or Registration of firm named in 1, above.

Signature of Bidder	
Name	
Business Address	

MANUFACTURERS' AUTHORIZATION FORM

[The Bidder shall require the Manufacturer to fill in this Form in accordance with the instructions indicated. This letter of authorization should be on the letterhead of the Manufacturer and should be signed by a person with the proper authority to sign documents that are binding on the Manufacturer and be enclosed with the technical bid.

Date: [insert date (as day, month and year) of Bid Submission]

Tender No.: [insert number from Invitation for Bids]

To: [insert complete name and address of Purchaser]

WHEREAS

We [insert complete name of Manufacturer], who are official manufacturers of [insert type of goods manufactured], having factories at [insert full address of Manufacturer's factories], do hereby authorize [insert complete name of Bidder] to submit a bid the purpose of which is to provide the following Goods, manufactured by us [insert name and or brief description of the Goods], and to subsequently negotiate and sign the Contract.

We hereby extend our full guarantee and warranty in accordance with Clause 2.21 of the General Conditions of Contract, with respect to the Goods offered by the above firm.

Signed: [insert signature(s) of authorized representative(s) of the Manufacturer]
Name: [insert complete name(s) of authorized representative(s) of the Manufacturer] Title: [insert title]
Duly authorized to sign this Authorization on behalf of: [insert complete name of Bidder]

Dated on ______, ____ [insert date of signing]

Bid-Securing Declaration Form

Bid No
To (insert complete name and address of the purchaser)
I/ We. The undersigned, declare that:
I/ We understand that, according to your conditions, bids must be supported by a Bid Securing Declaration.
I/We accept that I/We may be disqualified from bidding for any contract with you for a period of one year from the date of notification if I am $/We$ are in a breach of any obligation under the bid conditions, because I/We
(a) have withdrawn/ modified/ amended, impairs or derogates from the tender, my/ our Bid during the period of bid validity specified in the form of Bid; or
(b) having been notified of the acceptance of our Bid by the purchaser during the period of bid validity (i) fail or reuse to execute the contract, if required, or (ii) fail or refuse to furnish the Performance Security, in accordance with the Instructions to Bidders.
I/ We understand this Bid Securing Declaration shall cease to be valid if I am/ we are not the successful Bidder, upon the earlier of (i) the receipt of your notification of the name of the successful Bidder; or (ii) thirty days after the expiration of the validity of my/our Bid.
Signed: (insert signature of person whose name and capacity are shown) in the capacity of (insert legal capacity of person signing the Bid Securing Declaration).
Name: (insert complete name of person signing he Bid Securing Declaration)
Duly authorized to sign the bid for an on behalf of: (insert complete name of Bidder)
Dated on day of (insert date of signing)
Corporate Seal (where appropriate)
(Note: In case of a Joint Venture, the Bid Securing Declaration must be in the name of all partners to the Joint Venture that submits the bid)

PERFORMANCE STATEMENT FORM

(For a period of last 3 years)

Name of	the	Firm
---------	-----	------

Date:

Order Placed by (full address of Purchaser)	Order No. and date	Description and quantity of ordered equipment	Value of order	Date of completion of deliver as per Contract	Date of actual completion of delivery	Remarks indicating reasons for late delivery, if any	Has the equipment been installed satisfactory? (Attach a certificate from the purchaser/ Consignee)	Contact person along with Telephon e No., FAX No. and e-mail address

	Signature and Seal of the manufacturer/ Bidder
Place: Date:	

DEVIATION STATEMENT FORM

Sl. No.	Name of Specifications/ Parts/ Accessories of Tender Enquiry	Specifications of Quote Model/ Part/ Accessory	Compliance Whether Yes of No	Deviation, if any to be indicated in unambiguous terms (The compliance/ Deviation should be supported by relevant Technical Literature)	Technical justification for the deviation, if any. If specification is superior /inferior than asked for in the enquiry, it should be clearly brought out in
					the justification

Signature of Bidder

- ✓ If the bidder offers more than one model, then the Compliance Statement must be enclosed for each and every model separately.
- ✓ The technical and commercial deviations should be indicated separately.
- ✓ If the bidder fails to enclose the compliance statement, his bid is likely to be rejected.

Place: Date:

Signature and seal of the Manufacturer/ Bidder

NOTE:

1) Where there is no deviation, the statement should be returned duly signed with an endorsement indicating "No Deviations".

Annexure-5I

SERVICE SUPPORT FORM

Sl. No.	Nature of training Imparted	List of similar type of equipment serviced in the past 3 years	Address, Telephone Nos., Fax Nos. and e-mail address					
Signature and Seal of the manufacturer/ Bidder								
Place:								

Date:

Bid Form

[The	Bidder shall	fill in this	Form	in acce	ordance	with th	he ir	nstructions	indicated.	No	alterations	s to
its for	mat shall be	permitted o	and no	substit	utions s	hall be	acc	cepted.]				
Date:	[insert date ((as day, mo	onth and	d year)	of Bid	Submis	sion	n]				

Tender No.: [insert number from Invitation for Bids]

Invitation for Bid No.: [insert No of IFB]

To: [insert complete name of Purchaser]

We, the undersigned, declare that:

- (a) We have examined and have no reservations to the Bidding Documents, including Addenda No.: [insert the number and issuing date of each Addenda];
- (b) We offer to supply in conformity with the Bidding Documents and in accordance with the Delivery Schedules specified in the Schedule of Requirements the following Goods and Related Services [insert a brief description of the Goods and Related Services];
- (c) The total price of our Bid, excluding any discounts offered in item (d) below, is: [insert the total bid price in words and figures, indicating the various amounts and the respective currencies];
- (d) The discounts offered and the methodology for their application are:

Discounts: If our bid is accepted, the following discounts shall apply. [Specify in detail each discount offered and the specific item of the Schedule of Requirements to which it applies.]

- (e) Our bid shall be valid for the period of time specified in ITB Sub-Clause 1.17.1 from the date fixed for the bid opening, and it shall remain binding upon us and may be accepted at any time before the expiration of that period;
- (f) If our bid is accepted, we commit to obtain a performance security in accordance with ITB Clause 1.43 and GCC Clause 2.13 for the due performance of the Contract and also submit order acceptance within 14 days from the date of contract in accordance with ITB Clause 1.42 and GCC Clause 2.44;
- (g) The following commissions, gratuities, or fees have been paid or are to be paid with respect to the bidding process or execution of the Contract: [insert complete name of each Recipient, its full address, the reason for which each commission or gratuity was paid and the amount and currency of each such commission or gratuity]

Name of Recipient	Address	Reason	Amount
		-	

(If none has been paid or is to be paid, indicate "none.")

- (h) We understand that this bid, together with your written acceptance thereof included in your notification of award, shall constitute a binding contract between us, until a formal contract is prepared and executed.
- (i) We understand that you are not bound to accept the lowest evaluated bid or any other bid that you may receive.

Signed: [insert signature of person whose name and capacity are shown]
In the capacity of [insert legal capacity of person signing the Bid Submission Form]
Name: [insert complete name of person signing the Bid Submission Form]
Duly authorized to sign the bid for and on behalf of: [insert complete name of Bidder]
Dated on day of,[insert date of signing]

PERFORMANCE SECURITY FORM

MODEL BANK GUARANTEE FORMAT FOR PERFORMANCE SECURITY

To.

WHEREAS
services) (herein after called "the contract").
AND WHEREAS it has been stipulated by you in the said contract that the supplier shall furnish you with a bank guarantee by a scheduled commercial bank recognized by you for the sum specified therein as security for compliance with its obligations in accordance with the contract;
AND WHEREAS we have agreed to give the supplier such a bank guarantee;
NOW THEREFORE we hereby affirm that we are guarantors and responsible to you, on behalf of the supplier, up to a total of
We hereby waive the necessity of your demanding the said debt from the supplier before presenting us with the demand.
We further agree that no change or addition to or other modification of the terms of the contract to be performed there under or of any of the contract documents which may be made between you and the supplier shall in any way release us from any liability under this guarantee and we hereby waive notice of any such change, addition or modification.
This guarantee shall be valid until the day of, 20
(Signature of the authorized officer of the Bank)
Name and designation of the officer
Seal, Name & Address of the Issuing Branch of the Bank

Note: Whenever, the bidder chooses to submit the Performance Security in the form of Bank Guarantee, then he should advise the banker issuing the Bank Guarantee to immediately send by Registered Post (A.D.) an unstamped duplicate copy of the Guarantee directly to the Purchaser with a covering letter to compare with the original BG for the correctness, genuineness, etc.

ACCEPTANCE CERTIFICATE FORM

No			Dated:					
M/s.								
		Sub: Certificate of commissioning of	equipment					
01.		s to certify that the equipment as detailed ball the standard and special accessories (sul						
	install	ed and commissioned.						
(a)	Contr	act No	Date					
(b)	Descr	iption of the equipment		-				
(c)	Name of the consignee							
(d)		luled date of delivery of the consignment to						
(e)		l date of receipt of consignment by the Lal						
(f)		luled date for completion of installation/co	•					
(g)		ing Starting Date		_				
(h)								
(i)	Name	s of People Trained l date of completion of installation/commi						
(j)								
(k)		ty for late delivery (at Lab./Instts. level) ₹_ty for late installation (at Lab./Instts. Level						
(1)	renan	ty for fate installation (at Lab./mstts. Level						
Detail	s of acc	essories/ items not yet supplied and recove	ries to be made on	that account:				
Sl. N		Description	ries to be made on	Amount to be recovered				
52011		2 0,01-1911011						
02.	obliga	cceptance test has been done to our entire ations satisfactorily or upplier has failed to fulfil his contractual o						
	(a)							
	(b)							
	(c)							
		of recovery on account of failure of the	e supplier to meet	his contractual obligations is as				
For Su	ıpplier		For Purchaser					
Signat	ure		Signature					
Name			Name					
Design	nation		Designation					
Name	of the f	irm	Name of the Lab/I	nstt				
Date .			Date					

INTEGRITY PACT

(Any bid not accompanied by Integrity Pact duly signed by the bidder shall be considered to be a non-responsive bid and shall be rejected straightway. Bidder is requested to submit duly signed Integrity Pact on e-tenders as well as in hard copy on Rs.

100 non-Judicial stamp paper, must be delivered on or before One week of the last date of bid submission at the Office of Controller of Stores and Purchase, CSIR-CIMFR, Barwa Road, Dhanbad - 826001.)

	esearch (CSIR) a Society registered under the Indian Societies hereinafter referred to
And	herein referred to as "The Bidder/ Contractor."
Preamble	
	under laid down organizational procedures, contract/s for The Principal values full compliance with all relevant laws of ic use of resources and of fairness/ transparency in its relations (s).
	Principal will appoint an Independent External Monitor (IEM), ss and the execution of the contract for compliance with the

Section 1 – Commitments of the Principal

principles mentioned above.

Between

- (1) The Principal commits itself to take all measures necessary to prevent corruption and to observe the following principles:
- (a) No employee of the Principal, personally or through family members, will in connection with the tender for, or the execution of a contract, demand, take a promise for or accept, for self or third person, any material or immaterial benefit which the person is not legally entitled to.
- (b) The Principal will, during the tender process treat all Bidder(s) with equity and reason. The Principal will in particular, before and during the tender process, provide to all Bidder(s) the same information and will not provide to any Bidder(s) confidential/additional information through which the Bidder(s) could obtain an advantage in relation to the tender process or the contract execution.
- (c) The Principal will exclude from the process all known prejudiced persons.
- (2) If the Principal obtains information on the conduct of any of its employees which is a criminal offence under the IPC/PC Act, or if there be a substantive suspicion in this regard, the Principal will inform the Chief Vigilance Officer and in addition can initiate disciplinary action.

Section 2 – Commitments of the Bidder(s)/Contractor(s)

- (1) The Bidder(s)/Contractor(s) commit himself to take all measures necessary to prevent corruption. He commits himself to observe the following principles during his participation in the tender process and during the contract execution.
- (a) The Bidder(s)/Contractor(s) will not, directly or through any other Person or firm, offer, promise or give to any of the Principal's employees involved in the tender process or the execution of the contract or to any third person any material or other benefit which he/she is not legally entitled to, in order to obtain in exchange any advantage of any kind whatsoever during the tender process or during the execution of the contract.
- (b) The Bidder(s)/Contractor(s) will not enter with other Bidders into any undisclosed agreement or understanding, whether formal or informal. This applies in particular to prices, specifications, Certifications, subsidiary contracts, submission or non-submission of bids or any other actions to restrict competitiveness or to introduce cartelization in the bidding process.
- (c) The Bidder(s)/Contractor(s) will not commit any offence under the relevant IPC/PC Act; further the Bidder(s)/Contractor(s) will not use improperly, for purposes of competition or personal gain, or pass on to others, any information or document provided by the Principal as part of the business relationship, regarding plans, technical proposals and business details, including information contained or transmitted electronically.
- (d) The Bidder(s)/Contractor(s) of foreign origin shall disclose the name and address of the Agents/representatives in India, if any. Similarly the Bidder(s)//Contractors(s) of Indian Nationality shall furnish the name and address of the foreign principals, if any. Further details as mentioned in the "Guidelines on Indian Agents of Foreign Suppliers" shall be disclosed by the Bidder(s)/Contractor(s). Further, as mentioned in the Guidelines all the payments made to the Indian agent/representative have to be in Indian Rupees only. Copy of the "Guidelines on Indian Agents of Foreign Suppliers" is annexed and marked as Annexure.
- (e) The Bidder(s)/Contractor(s) will, when presenting his bid, disclose any and all payments he has made, is committed to or intends to make to agents, brokers or any other intermediaries in connection with the award of the contract.
- (2) The Bidder(s)/Contractor(s) will not instigate third persons to commit offences outlined above or be an accessory to such offences.
- (3) The person signing IP shall not approach the courts while representing the matters to IEMs and he/she will await their decision in the matter.

Section 3 – Disqualification from tender process and exclusion from future Contracts

(1) If the Bidder(s)/Contractor(s), before award or during execution has committed a transgression through a violation of Section 2, above or in any other form such as to put his reliability or credibility in question, the Principal is entitled to disqualify the Bidder(s)/Contractor(s) from the tender process or take action as per the procedure mentioned in the "Guidelines on Banning of business dealings". Copy of the "Guidelines on Banning of business dealings" is annexed and marked as Annex -"B".

Section 4 – Compensation for Damages

- (1) If the Principal has disqualified the Bidder(s) from the tender process prior to the award according to Section 3, the Principal is entitled to demand and recover the damages equivalent to Earnest Money Deposit/ Bid Security.
- (2) If the Principal has terminated the contract according to Section 3, or if the Principal is entitled to terminate the contract according to Section 3, the Principal shall be entitled to demand and recover from the Contractor liquidated damages of the contract value or the amount equivalent to Performance Bank Guarantee.

Section 5 – Previous transgression

- (1) The Bidder declares that no previous transgressions occurred in the last 3 Years with any other Company in any country conforming to the anti-corruption approach or with any other Public Sector Enterprise in India that could justify his exclusion from the tender process.
- (2) If the Bidder makes incorrect statement on this subject, he can be disqualified from the tender process or action can be taken as per the procedure mentioned in "Guidelines on Banning of business dealings."

Section 6 – Equal treatment of all Bidders / Contractors/ Sub-contractors

- (1) The Bidder(s)/Contractor(s) undertake(s) to demand from all Subcontractors a commitment in conformity with this Integrity Pact, and to submit it to the Principal before contract signing.
- (2) The Principal will enter into agreements with identical conditions as this one with all Bidders, Contractors and Subcontractors.
- (3) The Principal will disqualify from the tender process all bidders who do not sign this Pact or violate its provisions.

Section 7 – Criminal charges against violating Bidders / Contractors/ Subcontractors

(1) If the Principal obtains knowledge of conduct of a bidder, Contractor or Subcontractor or of an employee or a representative or an associate of a bidder, Contractor or Subcontractor which constitutes corruption, or if the Principal has substantive suspicion in this regard, the Principal will inform the same to the Chief Vigilance Officer.

Section 8 - Independent External Monitors

- (1) The Principal appoints competent and credible Independent External Monitor for this Pact. The task of the Monitor is to review independently and objectively, whether and to what extent the parties comply with the obligations under this agreement.
- (2) The Monitor is not subject to instructions by the representatives of the parties and performs his functions neutrally and independently. He reports to the JS (A), CSIR.

- (3) The Bidder(s)/Contractor(s) accepts that the Monitor has the right to access without restriction to all Project documentation of the Principal including that provided by the Contractor. The Contractor will also grant the Monitor, upon his request and demonstration of a valid interest, unrestricted and unconditional access to his project documentation. The same is applicable to Subcontractors. The Monitor is under contractual obligation to treat the information and documents of the Bidder(s)/ Contractor(s) / Subcontractor(s) with confidentiality.
- (4) The Principal will provide to the Monitor sufficient information about all meetings among the parties related to the Project provided such meetings could have an impact on the contractual relations between the Principal and the Contractor. The parties offer to the Monitor the option to participate in such meetings.
- (5) As soon as the Monitor notice, or believes to notice, a violation of this agreement, he will so inform the Management of the Principal and request the Management to discontinue or take corrective action, or to take other relevant action. The monitor can in this regard submit non-binding recommendations. Beyond this, the Monitor has no right to demand from the parties that they act in a specific manner, refrain from action or tolerate action.
- (6) The Monitor will submit a written report to the JS(A), CSIR within 8 to 10 weeks from the date of reference or intimation to him by the Principal and should the occasion arise, submit proposals for correcting problematic situations.
- (7) Monitor shall be entitled to compensation on the same terms as being extended to/provided to Independent Directors on the CSIR.
- (8) If the Monitor has reported to the JS(A), CSIR, a substantiated suspicion of an offence under relevant IPC/ PC Act, and the JS(A), CSIR has not, within the reasonable time taken visible action to proceed against such offence or reported it to the Chief Vigilance Officer, the Monitor may also transmit this information directly to the Central Vigilance Commissioner.
- (9) The word 'Monitor' would include both singular and plural.

Section 9 – Pact Duration

This Pact begins when both parties have legally singed it. It expires for the Contractor 10 months after the last payment under the contract, and for all other Bidders 6 months after the contract has been awarded.

If any claim is made/lodged during this time, the same shall be binding and continue to be valid despite the lapse of this pact as specified above, unless it is discharged/determined by JS(A), CSIR.

Section 10 – Other provisions

- (1) This agreement is subject to Indian Law. Place of performance and Jurisdiction is the Registered Office of the Principal, i.e. New Delhi
- (2) Changes and supplements as well as termination notices need to be made in writing. Side agreements have not been made.

(3) If the Contractor is a partnership or a consortium, this agreement must be signed by all partners or consortium members.
 (4) Should one or several provisions of this agreement turn out to be invalid, the remainder of this agreement remains valid. In this case, the parties will strive to come to an agreement to

their original intentions.

Place
Date

Format for declaration by the Bidder for Code of Integrity & conflict of interest

(Refer para 3.2.1 & 5.1.2 (ix)(m) of the CSIR Manual)

(On the Letter Head of the Bidder)

Ref. No:			Date	
То,				
(Name &	address of the Purchaser)			
declare th 1.3.0 of I	Vith reference to your Tendenat we shall abide by the Coo TB of your Tender documen	le of Integrity for Pub t and have no conflict	lic Procurement as men of interest.	tioned under Para
	he details of any previous t luring the last three years or o	•	.	
a b c				
	Ve undertake that we shall nation of this code.	be liable for any p	unitive action in case	of transgression/
T	hanking you,			
			Yours	sincerely,
			(Name of the Auth	nature norized Signatory) ny Seal

PRICE SCHEDULE FORM

Name of the	Bidder
Tender No.	

Price Schedule form (to be enclosed with the price bid)

	Price Schedule form (t						0		10	1.1	10
Sl.	Itom Docarintian	3 Country	4 Unit	5 Qty	6 Unit Rate	7 Total price	8 Packing &	9 Charges for	10 Installation,	11 GST & other	12 Total Price
No.		Country of origin			Unit Kate Ex-Works, Ex-	1 otai price Fx-Works Fx-			installation, Commissioning		Total Price
140.	With HSIV code	or origin						transportation,		if contract is	
					Ex-show room	Ex-show room	of dispatch.		charges, if any		
					off the shelf	off the shelf	If any	Lab./ Instt.by			
						price	. 3	air/road/			
					(Inclusive of	(Inclusive of		rail			
					all taxes			(Retain one			
					already paid)	already paid)		only)			
						E6					
1	Accumulator, tri-lobe booster,					5x6					
	receivers etc. before water										
	shift reactor along with										
	piping, fittings, instruments,										
	supports, Safety accessories										
	Preheater, Guard bed										
	reactors, mixer cum super										
	heater along with piping,										
	fittings, instruments, Safety										
	accessories Water gas shift reactor										
	assembly (HTS, coolers,										
	knock out drum) with all										
	fittings, piping, instruments,										
	safety accessories										
	Boiler and accumulator along										
	with instruments, piping,										
	fitting and safety accessories										
	Thermic fluid heating and										
	cooling system along with										
	thermic fluid, instruments,										
	piping, safety accessories										
6.	Absorber, Stripper, Flush										
	drum, solvent pumps, make										
	up solvent pump, solvent tank										
	along with piping, fittings,										
	instruments, Safety accessories										
	Compressors with piping,										
	fitting and safety accessories										
Q	High pressure buffer tank,										
	preheater, guard bed, Heat										
	exchanger along with piping,										
	fittings, instruments, Safety										
	accessories										
9.	H ₂ /N ₂ Gas feeding system										
	from cylinder, MFC, Pressure										
	regulator, Required cylinders										
	along with tubing, fittings, instruments, Safety										
	accessories Safety										
	Multi tubular methanol										
	reactor, condenser, gas-liquid										
	separator along with piping,										
	fittings, instruments, Safety										
	accessories										
	Recycle syngas compressor										
	along with piping, fittings,										
	instruments, Safety accessories										
	accessories				L			L			

	LPBT and HPBT before and after recycle compressor along with piping, fittings, instruments, Safety accessories										
13.	Online gas analyzer, COS/H ₂ S analyzer along with header, piping, fittings, instruments, Safety accessories										
	Catalyst HTS, Methanol synthesis, Guard bed										
15.	MDEA/MEA Solvent										
16.	Control Panel, SCADA, Computers, printer, UPS										
	Exhaust System & Flare Stack										
18.	Structure and support of the plant										
19.	Cooling tower along with all accessories, piping, fitting, instruments										
20.	Others (if any)										
21.	Warranty Charges										
Not	e:	Total Bid price in Indian currency									
	(a) The cost of optional items, if any shall be indicated			In words							
	arately Cost of Spares, if any				Signature of Bidder						
					Name						

Business Address

BANK GUARANTEE FORM FOR ADVANCE PAYMENT

To	
	(name of Purchaser)
	(address of Purchaser)
	(name of Contract)
Gentlemen:	
dated	ne provisions of the Purchase Order no
We, the unconditionally and irre payment to (name of Pu part and without his fire	(bank or financial institution), as instructed by the Supplier, agree ocably to guarantee as primary obligator and not as Surety merely, the chaser) on his first demand without whatsoever right of objection on our claim to the Supplier, in the amount not exceeding(in words).
be performed there unde of Purchaser) and the Su	hange or addition to or other modification of the terms of the Contract to or of any of the Contract documents which may be made between (<i>name</i> plier, shall in any way release us from any liability under this guarantee, e of any such change, addition or modification.
_	in valid and in full effect from the date of the advance payment received contract until
Yours truly,	
Signature and seal: Name of bank/ financial Address: Date:	stitution:
An amount	to be inserted by the bank or financial institution representing the amount of the Advance Payment.

Certificate of compliance to MoF, DOE Order No. 6/18/2019-PPD dated 23rd July, 2020

(Refer to ITB Clause 1.46)

I Have read the clause regarding restrictions on procurement from a bidder of a country which shares a land border with India, I certify that this bidder...M/s...... is not from such country, has been registered with the Competent Authority. I hereby certify that this bidder fulfills all requirements in this regard and is eligible to be considered.

[Where applicable, evidence of valid registration by the Competent Authority shall be attached]

Yours sincerely,

Signature (Name of the Authorized Signatory) Company Seal

N.B – In case of partnership or consortium this form needs to be filled by each partner separately.

Format for Self - declaration by the Bidder for local content (%) [For the tenders below Rupees 10 crores] (On letter head)

Dear Sir/Madam,	
We	
M/s	,
Address:	, GSTIN :
	Class II local supplier [kindly keep only one] with local [kindly mention percentage (%) here] and the s follows-
Place of value addition –	
(1) Address	
(2) Address	
The basis of claim of value addition/s is/ar	e:
Yours sincerely	
Signature	
Name	
Designation	
Name of the firm	
Date	
(SEAL AND STAMP)	

Kindly note:

As per OM no. No. P-45021/102/2019-PP(BE-II) (E-29930) Dated 26.11.2020, Ministry of Commerce and Industry, Government of India, that bidders offering imported products will fall under the category of Non-local suppliers. Further, Ministry of Finance, Department of Expenditure vide its note dated 26.11.2020 have clarified that suppliers/ bidders cannot claim themselves as Class-I local supplier/class-II local supplier by claiming profit, warehousing, marketing, logistics, freight, etc as local value addition.

As per MOF, DOE OM NO. P-45021/102/2019-BE-II-Part (1) (E-50310) dated 04.03.2021 have clarified that suppliers/ bidders cannot claim themselves as Class-I local supplier/class-II local supplier by claiming the services such as transportation, insurance, installation, commissioning, training and after sales service support like like AMC/ CMC, etc. as local value addition.

Contract Form

Contract No.	Date:
THIS CONTRACT AGREEMENT is made the [insert: number] day of [insert: month], [insert: year].
BETWEEN	
of the Government of India having its registered	esearch registered under the Societies Registration Act 1860 office at 2, Rafi Marg, New Delhi-110001, India represented tress of Purchaser J (hereinafter called "the Purchaser"), and
	n incorporated under the laws of [insert: country of Supplier at [insert: address of Supplier] (hereinafter called "the
of Goods and Services] and has accepted a Bid by	ervices in the sum of [insert Contract Price in words and
NOW THIS AGREEMENT WITNESSETH AS I	FOLLOWS:
01. In this Agreement words and expression to them in the Conditions of Contract referred to.	s shall have the same meanings as are respectively assigned
each shall be read and construed as an integral pa (a) This Contract Agreement (b) Special Conditions of Contract (c) General Conditions of Contract	ng Schedule of Requirements and Technical Specifications) Price Schedules Award
03. This Contract shall prevail over all other inconsistency within the Contract documents, the	er Contract documents. In the event of any discrepancy or the documents shall prevail in the order listed above.
	be made by the Purchaser to the Supplier as hereinafter the Purchaser to provide the Goods and Services and to ets with the provisions of the Contract.
and Services and the remedying of defects there	the Supplier in consideration of the provision of the Goods rein, the Contract Price or such other sum as may become the times and in the manner prescribed by the Contract.
IN WITNESS whereof the parties hereto have ca laws of Union of India on the day, month and year	aused this Agreement to be executed in accordance with the ar indicated above.
For and on behalf of the Council of Scientific & I	ndustrial Research
Signed: [insert signature] in the capacity of [insert title or other appropria.	te designation]

in the presence of [insert identification of official witness]

Signed: [insert signature] in the capacity of [insert title or other appropriate designation]

in the presence of [insert identification of official witness]

For and on behalf of the Supplier

Signed: [insert signature of authorized representative(s) of the Supplier] in the capacity of [insert title or other appropriate designation]

in the presence of [insert identification of official witness]

Quoted Rate Certificate (On the Letter Head of the Bidder)

Tender Ref. No:	Date
Bid ref. No.	Date
То,	
	-
	-
(Name & address of the Purchaser)	
Sir,	
With reference to your Tender Ref	f. Nodated
· · · · · · · · · · · · · · · · · · ·	oted by us (Name of the firm) are the same and not higher than stt, Government, public sector or private organizations".
Yours sincerely	
Signature	
Name	
Designation	
Name of the firm	
Date	
	(SEAL AND STAMP)

Unconditional Acceptance of GCC as mentioned in NIT/ CSIR-CIMFR Website

(On the Letter Head of the Bidder)

Tender Ref. No:	Date
Bid ref. No.	Date
To,	
The Director,	
CSIR-CIMFR,	
Barwa Road, Dhanbad	
Sir,	
I/ We accept unconditionally the GENERAL CO Conditions of Contract (SCC) as mentioned in o	ONDITIONS OF CONTRACT (GCC) and Special chapter 2 of this NIT/ CSIR-CIMFR Website.
If at any stage it is found that any of the details/fabricated deviating from GCC, my bid would be	documents furnished by me/ us is false/ misleading/ pe rejected.
Yours sincerely	
Signature	
Name	
Designation	
Name of the firm	
Date	
(SEAL AND STAMP)	

Checklist

SL. NO.	Details/ documents	Submitted (Yes/No) with page no.	Remarks
1. a	Make of the quoted item		
b	Model of the quoted item		
2.	Catalogue of the quoted model		
3.	Standard warranty for 01 year of the quoted item		
4.	Training at CSIR-CIMFR		
5.	CAMC for years.		
6.	Minimum Nos. of Preventive Maintenance		
	Visit during AMC/CAMC		
7.	As and When required Breakdown Visit during		
	AMC/ CAMC		
8.	Manufacturer Authorization Form/OEM		
	declaration		
9.	Validity of Bid		
10.	GSTIN		
11.	PAN		
12.	IT Return Copy/Acknowledgement copy		
13.	Deviation Statement Form		
14.	Allied Technical details form		
15.	Price Schedule (price Bid)		
16.	Insurance of the quoted item to be done by the supplier		
17.	Delivery		
18.	Bid Security Declaration		
19.	Performance Security Deposit/ PBG		
20.	Payment terms		
21.	Country of Origin of the quoted item		
22.	Year and Month of Manufacture of the quoted		
	item		
23.	Land Border Certificate		
24.	Local Content Certificate		
25.	Rate Quoted Certificate (As per Annexure)		
26.	Unconditional Acceptance of GCC as mentioned in CIMFR Website		
27.	All Applicable forms duly filled, signed & stamped.		

Signature
Name
Designation
Name of the firm
Date
SEAL AND STAMP)